

*Bureau of STD/AIDS*

1995

*Annual Statistics*

Virginia Department of Health

Bureau of STD/AIDS

1995 Morbidity

Virginia STD/AIDS Civilian Morbidity (1981-1995) and Case Rates  
(1986-1995) . . . . . 1-4

Virginia Syphilis Civilian Morbidity by Age Groups (1994-95) . . . . . 5

Virginia Gonorrhea and Chlamydia Civilian Morbidity by Age Groups  
(1994-95) . . . . . 6

Virginia HIV and AIDS Morbidity by Age Groups (1994-95) . . . . . 7  
Includes Civilian and Military

Virginia Morbidity by Sex (1994-95) . . . . . 8  
Primary/Secondary, Early Latent and Total Early Syphilis,  
Gonorrhea, Chlamydia, HIV and AIDS

Virginia Morbidity by Race (1994-95) . . . . . 9  
Primary/Secondary, Early Latent and Total Early Syphilis,  
Gonorrhea, Chlamydia, HIV and AIDS

**Syphilis**

Virginia Civilian Total Early Syphilis by Age, Gender  
and Race (1994-95) . . . . . 10

Virginia Primary, Secondary and Early Latent Syphilis  
by Reporting Source and Gender (1994-95) . . . . . 11

Virginia Comparison of Gender by Race (1984-95) . . . . . 12-13

Virginia Comparison of Female/Male Proportions (1981-95) . . . . . 14

Virginia Comparison of White/Non-White Proportions (1984-95) . . . . . 15

Virginia Proportion of Total Early Syphilis by Gender (1981-95),  
Race (1984-95) and Gender by Race (1984-95) . . . . . 16-17

Virginia Total Early Syphilis by Age Groups (1979-1995) . . . . . 18-19

Virginia Total Early Syphilis by Selected Cities/Counties (1991-95) . . . . . 20-21

Virginia Total Early Syphilis by Health Region (1994-95) . . . . . 22-23

Virginia Early Congenital Syphilis Morbidity by Race, Mother's Marital  
Status and Age (1991-95) . . . . . 24

Virginia Early Congenital Syphilis Morbidity by City/County (1991-95) . . . . . 25

# Virginia Department of Health

## Bureau of STD/AIDS

### 1995 Morbidity

#### Chlamydia

Virginia Civilian Chlamydia by Age, Gender and Race (1994-95) . . . . .	26
Virginia Chlamydia by Reporting Source and Gender (1994-95) . . . . .	27
Virginia Comparison of Gender by Race (1989-95) . . . . .	28-29
Virginia Comparison of Female/Male Proportions (1990-95) . . . . .	30
Virginia Comparison of White/Non-White Proportions (1990-95) . . . . .	31
Virginia Proportion of Chlamydia by Gender, Race and Gender by Race (1989-95) . . . . .	32-33
Virginia Chlamydia by Age Groups (1990-1995) . . . . .	34
Virginia Chlamydia by Selected Cities/Counties (1991-95) . . . . .	35-36
Virginia Chlamydia by Health Region (1994-95) . . . . .	37

#### Gonorrhea

Virginia Civilian Gonorrhea by Age, Gender and Race (1994-95) . . . . .	38
Virginia Gonorrhea by Reporting Source and Gender (1994-95) . . . . .	39
Virginia Comparison of Gender by Race (1981-95) . . . . .	40-41
Virginia Comparison of Female/Male Proportions (1980-95) . . . . .	42-43
Virginia Comparison of White/Non-White Proportions (1981-95) . . . . .	44
Virginia Proportion of Gonorrhea by Gender (1980-95), Race and Gender by Race (1981-95) . . . . .	45-46
Virginia Gonorrhea by Age Groups (1979-1995) . . . . .	47-48
Virginia Gonorrhea by Selected Cities/Counties (1991-95) . . . . .	49-50
Virginia Gonorrhea by Health Region (1994-95) . . . . .	51
Virginia PPNG by Selected Cities/Counties (1994-95) . . . . .	52
U.S. vs. Virginia PPNG Morbidity (1976-95) . . . . .	53

#### HIV Infection

Virginia HIV by Age, Gender and Race (1994-95) . . . . .	54
Virginia HIV by Reporting Source and Gender (1994-95) . . . . .	55
Virginia Comparison of Gender by Race (1989-95) . . . . .	56-57
Virginia Comparison of Female/Male Proportions (1990-95) . . . . .	58
Virginia Comparison of White/Non-White Proportions (1990-95) . . . . .	59
Virginia Proportion of HIV by Gender, Race and Gender by Race (1989-95) . . . . .	60-61
Virginia HIV by Age Groups (1989-1995) . . . . .	62
Virginia HIV by Selected Cities/Counties (1991-95) . . . . .	63-64
Virginia HIV by Health Region (1994-95) . . . . .	65
Virginia HIV by Transmission Category (1994-95) . . . . .	66

# Virginia Department of Health

## Bureau of STD/AIDS

### 1995 Morbidity

#### AIDS

Virginia AIDS by Age, Gender and Race (1994-95) . . . . .	.67
Virginia Comparison of Gender by Race (1982-95) . . . . .	68-69
Virginia Comparison of Female/Male Proportions (1984-95) . . . . .	70
Virginia Comparison of White/Non-White Proportions (1982-95) . . . . .	71
Virginia Proportion of AIDS by Gender, Race and Gender by Race (1982-95) . . . . .	72-73
Virginia AIDS by Age Groups (1982-1995) . . . . .	74-75
Virginia AIDS by Selected Cities/Counties (1991-95) . . . . .	76-77
Virginia AIDS by Health Region (1994-95) . . . . .	78
Virginia AIDS by Transmission Category (1994-95) . . . . .	79

#### STD/HIV by Locality, District and Region

Reported Cases and Rates - 1995 . . . . .	80-85
Reported Cases and Percent Change - (1994-95) . . . . .	86-93
Virginia STD Morbidity (1941-95) . . . . .	94-95

#### Screening

Comparison of Syphilis Serological Reactor Activity (1994-95) . . . . .	96
Chlamydia Testing Comparison (1994-95) . . . . .	97-98
Gonorrhea Culture Screening (1980-95) . . . . .	99-101
HIV Testing by Clinic Type (1986-November 1995) . . . . .	102-104

#### Epidemiology Rates and Indices

Total Early Syphilis . . . . .	105
Gonorrhea . . . . .	106
HIV Infection . . . . .	107
AIDS . . . . .	108

Virginia Department of Health

Bureau of STD/AIDS

1995 Morbidity

Source of Reports

Syphilis Morbidity	1941 - 1992	Manual morbidity count
	1993 - 1995	Sexually Transmitted Disease/ Management Information System (STD/MIS)
Chlamydial Infection Morbidity	1989 - June 1993	Manual morbidity count
	July 1993 - 1995	STD/MIS
Gonorrhea Morbidity	1941 - June 1993	Manual morbidity count
	July 1993 - 1995	STD/MIS
HIV Morbidity	July 1989 - 1995	HIV-AIDS Reporting System (HARS)
AIDS Morbidity	1982 - 1995	HARS
Syphilis Serology Screening	1993 - 1995	STD/MIS
Gonorrhea Screening	1981 - 1995	Manual lab slip count
Chlamydial Infection Screening	1993 - 1995	Manual lab slip count
HIV-1 Screening	1986 - 1992	Manual lab slip count
	1993 - 1995	HIV-1 Computerized Database

**Virginia**  
**STD/AIDS/HIV**  
**Civilian Morbidity**

Calendar Years  
 1981 - 1995

	1981	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995
<b>Primary/Secondary Syphilis</b>															
Number of cases reported	687	647	560	420	300	326	318	449	593	880	842	717	648	796	599
% change from previous year	17.6%	-5.8%	-13.4%	-25.0%	-28.6%	8.7%	-2.5%	41.2%	32.1%	48.4%	-4.3%	-14.8%	-9.6%	22.8%	-24.7%
<b>Early Latent Syphilis</b>															
Number of cases reported	540	525	475	351	260	241	250	373	495	671	780	630	620	613	545
% change from previous year	30.1%	-2.8%	-9.5%	-26.1%	-25.9%	-7.3%	3.7%	49.2%	32.7%	35.6%	16.2%	-19.2%	-1.6%	-1.1%	-11.1%
<b>Total Early Syphilis</b>															
Number of cases reported	1,227	1,172	1,035	771	560	567	568	822	1,088	1,551	1,622	1,347	1,268	1,409	1,144
% change from previous year	22.8%	-4.5%	-11.7%	-25.5%	-27.4%	1.3%	0.2%	44.7%	32.4%	42.6%	4.6%	-17.0%	-5.9%	11.1%	-18.8%
<b>Gonorrhea</b>															
Number of cases reported	22,108	21,103	21,122	20,199	19,121	18,742	14,353	14,464	15,993	17,652	17,256	15,773	11,620	13,414	10,342
% change from previous year	-4.9%	-4.5%	0.1%	-4.4%	-5.3%	-2.0%	-23.4%	0.8%	10.6%	10.4%	-2.2%	-8.6%	-26.3%	15.4%	-22.9%
<b>Early Congenital Syphilis (&lt; 1 yr of age)</b>															
Number of cases reported	5	9	4	2	0	2	3	4	13	25	51	59	23	18	22
% change from previous year	66.7%	80.0%	-55.6%	-50.0%	-100.0%	0.0%	50.0%	33.3%	225.0%	92.3%	104.0%	15.7%	-61.0%	-21.7%	22.2%
<b>PPNG</b>															
Number of cases reported	21	56	25	21	38	71	142	531	1,130	1,290	1,841	488	40	29	6
% change from previous year	-38.2%	166.7%	-55.4%	-16.0%	81.0%	86.8%	100.0%	273.9%	112.8%	14.2%	42.7%	-73.5%	-91.8%	-27.5%	-79.3%
<b>Chlamydia *</b>															
Number of cases reported									6,002	13,391	16,717	11,305	11,389	12,976	12,287
% change from previous year									0.0%	123.1%	24.8%	-32.4%	0.7%	13.9%	-5.3%
<b>AIDS **</b>															
(Includes Military)															
Number of cases reported		6	21	42	102	167	268	377	445	649	670	748	1,638	1,200	1,461
% change from previous year		0.0%	250.0%	100.0%	142.9%	63.7%	60.5%	40.7%	18.0%	45.8%	3.2%	11.6%	119.0%	-26.7%	21.8%
<b>HIV *</b>															
(Includes Military)															
Number of cases reported									195	1,143	1,644	1,372	1,484	1,124	1,268
% change from previous year									0.0%	486.2%	43.8%	-16.5%	8.2%	-24.3%	12.8%

\* Reporting began in July 1989.

\*\* Reporting began in 1982.

Note: On January 1, 1993, the AIDS surveillance case definition for adolescents and adults was expanded to include three additional clinical conditions

→ (pulmonary tuberculosis, recurrent pneumonia, and invasive cervical cancer) as well as a laboratory marker of severe immunosuppression in HIV-infected persons.

Bureau of STD/AIDS

1/2/96

SECTION1.XLS\SHEET 1

**Virginia  
STD/AIDS/HIV  
Civilian Morbidity and Case Rate  
Per 100,000**

Calendar Years  
1987 - 1995

	1987	1988	1989	1990	1991	1992	1993	1994	1995	National 2000 Objective
<b>Primary/Secondary Syphilis</b>										
Number of cases reported	318	449	593	880	842	717	648	796	599	
Morbidity case rate	5.4	7.5	9.8	14.2	13.6	11.6	10.5	12.4	9.1	10
<b>Early Latent Syphilis</b>										
Number of cases reported	250	373	495	671	780	630	620	613	545	
Morbidity case rate	4.3	6.2	8.2	10.8	12.6	10.2	10.0	9.6	8.3	
<b>Total Early Syphilis</b>										
Number of cases reported	568	822	1,088	1,551	1,622	1,347	1,268	1,409	1,144	
Morbidity case rate	9.7	13.7	18.1	25.1	26.2	21.8	20.5	22.0	17.5	
<b>Early Congenital Syphilis (<math>&lt; 1</math> yr. of age)</b>										
Number of cases reported	3	4	13	25	51	59	23	18	22	
Morbidity case rate	3.3	4.3	13.4	25.1	52.3	60.5	23.6	18.5	22.6	50
<b>PPNG</b>										
Number of cases reported	142	531	1,130	1,290	1,841	488	40	29	6	
Morbidity case rate	2.4	8.9	18.8	20.8	29.8	7.9	0.6	0.5	0.1	
<b>Gonorrhea</b>										
Number of cases reported	14,353	14,464	15,993	17,652	17,256	15,773	11,620	13,414	10,342	
Morbidity case rate	244.3	241.9	265.6	285.3	278.9	254.8	187.7	209.4	157.9	225
<b>Chlamydia</b>										
Number of cases reported			6,002	13,391	16,717	11,305	11,389	12,976	12,287	
Morbidity case rate			99.7	216.4	270.2	182.7	184.0	202.6	187.5	170
<b>AIDS</b>										
Number of cases reported	268	377	445	649	670	748	1,638	1,200	1,461	
Morbidity case rate	4.6	6.3	7.4	10.5	10.8	12.1	26.5	18.7	22.3	43
<b>HIV</b>										
Number of cases reported			195	1,143	1,644	1,372	1,484	1,124	1,268	
Morbidity case rate			3.2	18.5	26.6	22.2	24.0	17.5	19.4	800
State Population	5,874,303	5,979,243	6,022,531	6,187,358	6,187,358	6,189,307	6,189,307	6,405,889	6,551,559	

**Virginia  
STD Civilian Morbidity  
by DISEASE**

Calendar Years  
1989 - 1995

	1989	1990	1991	1992	1993	1994	1995
Total Syphilis <sup>1</sup>	1,731	2,113	2,672	1,990	1,951	1,920	1,584
Gonorrhea <sup>2</sup>	15,993	17,652	17,256	15,773	11,620	13,414	10,342
Chlamydia	6,002	13,391	16,717	11,305	11,389	12,976	12,287
Chancroid	10	5	13	0	3	0	2
Granuloma Inguinale	1	2	0	0	0	0	0
Lymphogranuloma	2	2	9	6	0	0	1
HIV <sup>3</sup>	195	1,143	1,644	1372	1,484	1,124	1,268
AIDS <sup>3</sup>	445	649	670	748	1,638	1,200	1,461
<b>Total Sexually Transmitted Disease</b>	<b>24,379</b>	<b>34,957</b>	<b>38,981</b>	<b>31,194</b>	<b>28,085</b>	<b>30,634</b>	<b>26,945</b>

<sup>1</sup> Includes Primary, Secondary, Early, Late and Late Latent, Congenital and Unclassified.  
Unclassified includes Neurosyphilis, Cardiovascular and other.

<sup>2</sup> Includes Uncomplicated and Resistant.

<sup>3</sup> Includes military.

**Virginia**  
**STD Civilian Morbidity**  
**by DISEASE and STAGE**

Calendar Years  
 1989 - 1995

	1989	1990	1991	1992	1993	1994	1995	% Change 1994 to 1995
<b>Syphilis</b>								
-Primary/Secondary	593	880	842	717	648	796	599	-24.7%
-Early Latent	495	671	780	630	620	613	545	-11.1%
-Late Latent (includes unclassified)	629	555	998	583	660	493	418	-15.2%
-Congenital	14	27	52	60	23	18	22	22.2%
< 1 year	13	25	50	59	23	18	22	22.2%
> 1 year	1	2	2	1	0	0	0	0.0%
<b>Total Syphilis</b>	<b>1,731</b>	<b>2,133</b>	<b>2,672</b>	<b>1,990</b>	<b>1,951</b>	<b>1,920</b>	<b>1,584</b>	<b>-17.5%</b>
<b>Gonorrhea</b>								
-Uncomplicated	14,338	15,996	15,054	15,125	11,534	13,274	10,281	-22.5%
-PID	472	315	324	152	45	109	55	-49.5%
-Ophthalmia	0	1	0	0	1	1	0	-100.0%
-Resistant Gonorrhea <sup>1</sup>	1,183	1,340	1,878	496	40	30	6	-80.0%
PPNG	1,130	1,290	1,841	488	40	29	6	-79.3%
CMRNG	33	40	36	8	0	0	0	0.0%
TRNG	20	10	1	0	0	1	0	-100.0%
<b>Total Gonorrhea</b>	<b>15,993</b>	<b>17,652</b>	<b>17,256</b>	<b>15,773</b>	<b>11,620</b>	<b>13,414</b>	<b>10,342</b>	<b>-22.9%</b>
<b>Chlamydia</b>								
-Uncomplicated	6,002	13,391	16,717	11,305	11,385	12,931	12,254	-5.2%
-PID	0	0	0	0	0	41	27	-34.1%
-Ophthalmia	0	0	0	0	4	2	6	200.0%
-Other (includes Pneumonia)	0	0	0	0	0	2	0	-100.0%
<b>Total Chlamydia</b>	<b>6,002</b>	<b>13,391</b>	<b>16,717</b>	<b>11,305</b>	<b>11,389</b>	<b>12,976</b>	<b>12,287</b>	<b>-5.3%</b>
<b>Chancroid</b>	<b>10</b>	<b>5</b>	<b>13</b>	<b>0</b>	<b>3</b>	<b>0</b>	<b>2</b>	<b>*</b>
<b>Granuloma Inguinale</b>	<b>1</b>	<b>2</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0.0%</b>
<b>Lymphogranuloma Venereum</b>	<b>2</b>	<b>2</b>	<b>9</b>	<b>6</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>*</b>
<b>HIV <sup>2</sup></b>	<b>195</b>	<b>1,143</b>	<b>1,644</b>	<b>1,372</b>	<b>1,484</b>	<b>1,124</b>	<b>1,268</b>	<b>12.8%</b>
<b>AIDS <sup>2</sup></b>	<b>445</b>	<b>649</b>	<b>670</b>	<b>748</b>	<b>1,638</b>	<b>1,200</b>	<b>1,461</b>	<b>21.8%</b>
<b>Total Sexually Transmitted Disease</b>	<b>24,379</b>	<b>34,977</b>	<b>38,981</b>	<b>31,194</b>	<b>28,085</b>	<b>30,634</b>	<b>26,945</b>	<b>-12.0%</b>

<sup>1</sup> Resistant Gonorrhea includes PPNG, CMRNG which became reportable in 1984, and TRNG which became reportable in 1986.

<sup>2</sup> Includes military.

\* Increase from zero.

**Virginia**  
**Civilian Primary/Secondary, Early Latent and Total Early Syphilis**  
**by AGE GROUPS**

Calendar Years  
 1994 - 1995

Age Group (years)	Primary/Secondary Syphilis			Early Latent Syphilis			Total Early Syphilis		
	1994	1995	% Change	1994	1995	% Change	1994	1995	% Change
Under 10	1	1	0.0%	0	1	*	1	2	100.0%
10-14	9	1	-88.9%	8	4	-50.0%	17	5	-70.6%
15-19	55	58	5.5%	77	65	-15.6%	132	123	-6.8%
20-24	132	92	-30.3%	123	91	-26.0%	255	183	-28.2%
25-29	125	119	-4.8%	115	98	-14.8%	240	217	-9.6%
30-34	152	103	-32.2%	114	104	-8.8%	266	207	-22.2%
35-39	136	100	-26.5%	77	90	16.9%	213	190	-10.8%
40-44	89	63	-29.2%	41	41	0.0%	130	104	-20.0%
45 & Over	96	62	-35.4%	58	51	-12.1%	154	113	-26.6%
Unknown	1	0	-100.0%	0	0	0.0%	1	0	-100.0%
<b>Total</b>	<b>796</b>	<b>599</b>	<b>-24.7%</b>	<b>613</b>	<b>545</b>	<b>-11.1%</b>	<b>1,409</b>	<b>1,144</b>	<b>-18.8%</b>

\* Increase from zero.

**Virginia**  
**Civilian Gonorrhea and Chlamydia Morbidity**  
**by AGE GROUPS**

Calendar Years  
 1994 - 1995

Age Group (years)	Gonorrhea			Chlamydia		
	1994	1995	% Change	1994	1995	% Change
Under 10	24	36	50.0%	13	42	223.1%
10-14	295	173	-41.4%	407	402	-1.2%
15-19	3,882	3,000	-22.7%	5,052	5,300	4.9%
20-24	3,748	2,849	-24.0%	3,892	3,792	-2.6%
25-29	2,013	1,601	-20.5%	1,617	1,454	-10.1%
30-34	1,456	1,084	-25.5%	892	594	-33.4%
35-39	845	709	-16.1%	431	226	-47.6%
40-44	447	400	-10.5%	165	92	-44.2%
45 & Over	382	326	-14.7%	119	77	-35.3%
Unknown	322	164	-49.1%	388	308	-20.6%
<b>Total</b>	<b>13,414</b>	<b>10,342</b>	<b>-22.9%</b>	<b>12,976</b>	<b>12,287</b>	<b>-5.3%</b>

**Virginia**  
**HIV and AIDS Morbidity**  
**by AGE GROUPS**

Calendar Years  
 1994 - 1995

Age Group (years)	HIV			AIDS		
	1994	1995	% Change	1994	1995	% Change
Under 10	16	6	-62.5%	31	15	-51.6%
10-14	2	0	-100.0%	5	3	-40.0%
15-19	29	34	17.2%	3	6	100.0%
20-24	126	139	10.3%	45	59	31.1%
25-29	241	244	1.2%	158	205	29.7%
30-34	261	298	14.2%	293	351	19.8%
35-39	206	238	15.5%	263	342	30.0%
40-44	131	162	23.7%	197	223	13.2%
45 & Over	112	147	31.3%	205	257	25.4%
Unknown	0	0	0.0%	0	0	0.0%
<b>Total</b>	<b>1,124</b>	<b>1,268</b>	<b>12.8%</b>	<b>1,200</b>	<b>1,461</b>	<b>21.8%</b>

**Virginia**  
**Primary/Secondary, Early Latent, Total Early Syphilis,**  
**Gonorrhea, Chlamydia, HIV and AIDS Morbidity**  
**By RACE**

Calendar Years  
 1994 - 1995

Race	Primary/Secondary Syphilis			Early Latent Syphilis			Total Early Syphilis		
	1994	1995	% Change	1994	1995	% Change	1994	1995	% Change
White	42	33	-21.4%	43	36	-16.3%	85	69	-18.8%
Black	732	560	-23.5%	538	487	-9.5%	1270	1047	-17.6%
Hispanic	5	5	0.0%	16	14	-12.5%	21	19	-9.5%
Asian	3	1	-66.7%	6	3	-50.0%	9	4	-55.6%
American Indian	4	0	-100.0%	2	0	-100.0%	6	0	-100.0%
Other/Unknown	10	0	-100.0%	8	5	-37.5%	18	5	-72.2%
<b>Total</b>	<b>796</b>	<b>599</b>	<b>-24.7%</b>	<b>613</b>	<b>545</b>	<b>-11.1%</b>	<b>1,409</b>	<b>1,144</b>	<b>-18.8%</b>

Race	Gonorrhea			Chlamydia		
	1994	1995	% Change	1994	1995	% Change
White	1,044	904	-13.4%	3,762	3,141	-16.5%
Black	10,918	8,148	-25.4%	7,049	6,405	-9.1%
Hispanic	53	36	-32.1%	241	217	-10.0%
Asian	26	21	-19.2%	68	84	23.5%
American Indian	4	0	-100.0%	5	5	0.0%
Other/Unknown	1,369	1,233	-9.9%	1,851	2,435	31.6%
<b>Total</b>	<b>13,414</b>	<b>10,342</b>	<b>-22.9%</b>	<b>12,976</b>	<b>12,287</b>	<b>-5.3%</b>

Race	HIV			AIDS		
	1994	1995	% Change	1994	1995	% Change
White	337	397	17.8%	526	660	25.5%
Black	733	810	10.5%	634	749	18.1%
Hispanic	31	45	45.2%	30	38	26.7%
Asian	10	4	-60.0%	6	7	16.7%
American Indian	0	0	0.0%	2	3	50.0%
Other/Unknown	13	12	-7.7%	2	4	100.0%
<b>Total</b>	<b>1,124</b>	<b>1,268</b>	<b>12.8%</b>	<b>1,200</b>	<b>1,461</b>	<b>21.8%</b>


**Virginia**  
**Primary/Secondary, Early Latent, Total Early Syphilis,**  
**Gonorrhea, Chlamydia, HIV and AIDS Morbidity**  
**By RACE**

Calendar Years  
 1994 - 1995

Sex	Primary/Secondary Syphilis			Early Latent Syphilis			Total Early Syphilis		
	1994	1995	% Change	1994	1995	% Change	1994	1995	% Change
Male	396	300	-24.2%	271	244	-10.0%	667	544	-18.4%
Female	400	299	-25.3%	342	301	-12.0%	742	600	-19.1%
Total	796	599	-24.7%	613	545	-11.1%	1,409	1,144	-18.8%

Sex	Gonorrhea			Chlamydia		
	1994	1995	% Change	1994	1995	% Change
Male	7,349	5,432	-26.1%	833	994	19.3%
Female	6,025	4,909	-18.5%	12,086	11,292	-6.6%
Unknown	40	1	-97.5%	57	1	-98.2%
Total	13,414	10,342	-22.9%	12,976	12,287	-5.3%

Sex	HIV			AIDS		
	1994	1995	% Change	1994	1995	% Change
Male	838	939	12.1%	1,025	1,191	16.2%
Female	286	329	15.0%	175	270	54.3%
Total	1,124	1,268	12.8%	1,200	1,461	21.8%



*Syphilis*

**Virginia**  
**Civilian Total Early Syphilis**  
**by AGE, GENDER, and RACE**

Calendar Years  
 1994 - 1995

	1994				
	White		Non-White		Not Specified
	Males	Females	Males	Females	
Under 10	0	0	1	0	0
10-14	0	1	0	16	0
15-19	3	11	32	84	2
20-24	7	9	88	149	2
25-29	5	6	78	150	1
30-34	6	12	115	126	7
35-39	6	5	114	86	2
40-44	8	0	81	38	3
45 & Over	6	0	107	40	1
Unknown	0	0	1	0	0
<b>Totals</b>	<b>41</b>	<b>44</b>	<b>617</b>	<b>689</b>	<b>18</b>

	1995				
	White		Non-White		Not Specified
	Males	Females	Males	Females	
Under 10	0	0	1	0	1
10-14	0	0	1	4	0
15-19	0	3	29	91	0
20-24	5	9	71	98	0
25-29	7	7	84	117	2
30-34	3	12	93	99	0
35-39	5	6	97	82	0
40-44	3	4	59	37	1
45 & Over	5	0	79	29	0
Unknown	0	0	0	0	0
<b>Totals</b>	<b>28</b>	<b>41</b>	<b>514</b>	<b>557</b>	<b>4</b>

Virginia  
 Total Early Syphilis  
 by REPORTING SOURCE and GENDER

Calendar Years  
 1994 - 1995

	1994	1995	% Change
<b>Private</b>			
Male	242	224	-7.4%
Female	284	289	1.8%
Total Private	526	513	-2.5%
<b>Public</b>			
Male	425	320	-24.7%
Female	458	311	-32.1%
Total Public	883	631	-28.5%
<b>Military</b>			
Male	12	4	-66.7%
Female	4	2	-50.0%
Total Military	16	6	-62.5%

**Virginia**  
**Comparison of MALES by RACE**  
**Civilian Total Early Syphilis Morbidity**

Calendar Years  
 1984 - 1995

<u>Calendar Year</u>	<u>Early Syphilis</u>	<u>White</u>	<u>% of Total</u>	<u>Non-White</u>	<u>% of Total</u>	<u>Race Unk</u>	<u>% of Total</u>
1984	507	107	21.1%	397	78.3%	3	0.6%
1985	385	57	14.8%	326	84.7%	2	0.5%
1986	365	48	13.2%	317	86.8%	0	0.0%
1987	338	41	12.1%	295	87.3%	2	0.6%
1988	464	55	11.9%	406	87.5%	3	0.6%
1989	583	53	9.1%	528	90.6%	2	0.3%
1990	779	63	8.1%	714	91.7%	2	0.3%
1991	831	71	8.5%	759	91.3%	1	0.1%
1992	660	46	7.0%	612	92.7%	2	0.3%
1993	614	37	6.0%	575	93.6%	2	0.3%
1994	667	41	6.1%	617	92.5%	9	1.3%
1995	544	28	5.1%	514	94.5%	2	0.4%

Virginia  
 Comparison of FEMALES by RACE  
 Civilian Total Early Syphilis Morbidity

Calendar Years  
 1984 - 1995

Calendar Year	Early Syphilis	White	% of Total	Non-White	% of Total	Race Unk	% of Total
1984	264	26	9.8%	237	89.8%	1	0.4%
1985	175	22	12.6%	153	87.4%	0	0.0%
1986	202	24	11.9%	178	88.1%	0	0.0%
1987	230	32	13.9%	198	86.1%	0	0.0%
1988	358	51	14.2%	306	85.5%	1	0.3%
1989	505	56	11.1%	449	88.9%	0	0.0%
1990	772	65	8.4%	707	91.6%	0	0.0%
1991	791	79	10.0%	709	89.6%	3	0.4%
1992	687	56	8.2%	630	91.7%	1	0.1%
1993	654	37	5.7%	610	93.3%	7	1.1%
1994	742	44	5.9%	689	92.9%	9	1.2%
1995	600	41	6.8%	557	92.8%	2	0.3%

**Virginia**  
**Comparison of Female/Male Proportions**  
**Civilian Total Early Syphilis Morbidity**

Calendar Years  
 1981 - 1995

<u>Calendar Year</u>	<u>Early Syphilis</u>	<u>Female</u>	<u>% of Total</u>	<u>Male</u>	<u>% of Total</u>
1981	1,227	344	28.0%	883	72.0%
1982	1,172	364	31.1%	808	68.9%
1983	1,035	307	29.7%	728	70.3%
1984	771	264	34.2%	507	65.8%
1985	560	175	31.3%	385	68.8%
1986	567	202	35.6%	365	64.4%
1987	568	230	40.5%	338	59.5%
1988	822	358	43.6%	464	56.4%
1989	1,088	505	46.4%	583	53.6%
1990	1,551	772	49.8%	779	50.2%
1991	1,622	791	48.8%	831	51.2%
1992	1,347	687	51.0%	660	49.0%
1993	1,268	654	51.6%	614	48.4%
1994	1,409	742	52.7%	667	47.3%
1995	1,144	600	52.4%	544	47.6%

**Virginia**  
**Comparison of White/Non-White Proportions**  
**Civilian Total Early Syphilis Morbidity**

Calendar Years  
 1984 - 1995

<u>Calendar Year</u>	<u>Early Syphilis</u>	<u>White</u>	<u>% of Total</u>	<u>Non-White</u>	<u>% of Total</u>	<u>Race Unk</u>	<u>% of Total</u>
1984	771	133	17.3%	634	82.2%	4	0.5%
1985	560	79	14.1%	479	85.5%	2	0.4%
1986	567	72	12.7%	495	87.3%	0	0.0%
1987	568	73	12.9%	493	86.8%	2	0.4%
1988	822	106	12.9%	715	87.0%	1	0.1%
1989	1,088	109	10.0%	977	89.8%	2	0.2%
1990	1,551	128	8.3%	1,421	91.6%	2	0.1%
1991	1,622	150	9.2%	1,468	90.5%	4	0.2%
1992	1,347	102	7.6%	1,242	92.2%	3	0.2%
1993	1,268	74	5.8%	1,185	93.5%	9	0.7%
1994	1,409	85	6.0%	1,306	92.7%	18	1.3%
1995	1,144	69	6.0%	1,071	93.6%	4	0.3%

## Virginia

### Proportion of Civilian Total Early Syphilis Cases by GENDER

Calendar Years  
1981 - 1995

Year	Total	Female	Percent of		Male	Percent of	
			Total	Total		Total	Total
1981	1,227	344	28.0%		883	72.0%	
1982	1,172	364	31.1%		808	68.9%	
1983	1,035	307	29.7%		728	70.3%	
1984	771	264	34.2%		507	65.8%	
1985	560	175	31.3%		385	68.8%	
1986	567	202	35.6%		365	64.4%	
1987	568	230	40.5%		338	59.5%	
1988	822	358	43.6%		464	56.4%	
1989	1,088	505	46.4%		583	53.6%	
1990	1,551	772	49.8%		779	50.2%	
1991	1,622	791	48.8%		831	51.2%	
1992	1,347	687	51.0%		660	49.0%	
1993	1,268	654	51.6%		614	48.4%	
1994	1,409	742	52.7%		667	47.3%	
1995	1,144	600	52.4%		544	47.6%	

### Proportion of Civilian Total Early Syphilis Cases by RACE

Calendar Years  
1984 - 1995

Year	Total	White	Percent of		Non-White	Percent of		Race Unk	Percent of	
			Total	Total		Total	Total			
1984	771	133	17.3%		634	82.2%		4	0.5%	
1985	560	79	14.1%		479	85.5%		2	0.4%	
1986	567	72	12.7%		495	87.3%		0	0.0%	
1987	568	73	12.9%		493	86.8%		2	0.4%	
1988	822	106	12.9%		715	87.0%		1	0.1%	
1989	1,088	109	10.0%		977	89.8%		2	0.2%	
1990	1,551	128	8.3%		1,421	91.6%		2	0.1%	
1991	1,622	150	9.2%		1,468	90.5%		4	0.2%	
1992	1,347	102	7.6%		1,242	92.2%		3	0.2%	
1993	1,268	74	5.8%		1,185	93.5%		9	0.7%	
1994	1,409	85	6.0%		1,306	92.7%		18	1.3%	
1995	1,144	69	6.0%		1,071	93.6%		4	0.3%	

## Virginia

### Proportion of Civilian FEMALE Total Early Syphilis Cases by RACE

Calendar Years  
1984 - 1995

Year	Female	White	Percent of Total	Non-White	Percent of Total	Race Unk	Percent of Total
1984	264	26	9.8%	237	89.8%	1	0.4%
1985	175	22	12.6%	153	87.4%	0	0.0%
1986	202	24	11.9%	178	88.1%	0	0.0%
1987	230	32	13.9%	198	86.1%	0	0.0%
1988	358	51	14.2%	306	85.5%	1	0.3%
1989	505	56	11.1%	449	88.9%	0	0.0%
1990	772	65	8.4%	707	91.6%	0	0.0%
1991	791	79	10.0%	709	89.6%	3	0.4%
1992	687	56	8.2%	630	91.7%	1	0.1%
1993	654	37	5.7%	610	93.3%	7	1.1%
1994	742	44	5.9%	689	92.9%	9	1.2%
1995	600	41	6.8%	557	92.8%	2	0.3%

### Proportion of Civilian MALE Total Early Syphilis Cases by RACE

Calendar Years  
1984 - 1995

Year	Male	White	Percent of Total	Non-White	Percent of Total	Race Unk	Percent of Total
1984	507	107	21.1%	397	78.3%	3	0.6%
1985	385	57	14.8%	326	84.7%	2	0.5%
1986	365	48	13.2%	317	86.8%	0	0.0%
1987	338	41	12.1%	295	87.3%	2	0.6%
1988	464	55	11.9%	409	88.1%	0	0.0%
1989	583	53	9.1%	528	90.6%	2	0.3%
1990	779	63	8.1%	714	91.7%	2	0.3%
1991	831	71	8.5%	759	91.3%	1	0.1%
1992	660	46	7.0%	612	92.7%	2	0.3%
1993	614	37	6.0%	575	93.6%	2	0.3%
1994	667	41	6.1%	617	92.5%	9	1.3%
1995	544	28	5.1%	514	94.5%	2	0.4%

**Virginia**  
**Civilian Total Early Syphilis**  
**by AGE GROUPS**

Calendar Years  
 1979 - 1987

Age Group (years)	1979*		1980*		1981*		1982*		1983*		1984*		1985*		1986		1987	
	#	% of Total																
Under 10	0	0.0%	0	0.0%	0	0.0%	1	0.2%	0	0.0%	1	0.2%	0	0.0%	0	0.0%	0	0.0%
10-14	0	0.0%	4	0.7%	3	0.4%	4	0.6%	3	0.5%	1	0.2%	2	0.7%	1	0.2%	3	0.5%
15-19	76	15.4%	62	10.6%	105	15.3%	84	13.0%	64	11.4%	45	10.7%	34	11.4%	75	13.2%	65	11.4%
20-24	147	29.9%	194	33.2%	203	29.5%	200	30.9%	159	28.4%	107	25.5%	67	22.4%	174	30.7%	152	26.8%
25-29	116	23.6%	142	24.3%	142	20.7%	150	23.2%	161	28.8%	115	27.4%	83	27.8%	138	24.3%	151	26.6%
30-34	57	11.6%	86	14.7%	111	16.2%	90	13.9%	70	12.5%	71	16.9%	47	15.7%	82	14.5%	94	16.5%
35-39	39	7.9%	42	7.2%	54	7.9%	54	8.3%	36	6.4%	39	9.3%	32	10.7%	48	8.5%	51	9.0%
40-44	28	5.7%	26	4.5%	29	4.2%	25	3.9%	29	5.2%	16	3.8%	16	5.4%	25	4.4%	23	4.0%
45+	28	5.7%	25	4.3%	36	5.2%	30	4.6%	31	5.5%	19	4.5%	18	6.0%	24	4.2%	27	4.8%
Unknown	1	0.2%	3	0.5%	4	0.6%	9	1.4%	7	1.3%	6	1.4%	0	0.0%	0	0.0%	2	0.4%
<b>Total</b>	<b>492</b>		<b>584</b>		<b>687</b>		<b>647</b>		<b>560</b>		<b>420</b>		<b>299</b>		<b>567</b>		<b>568</b>	

\* Includes Primary and Secondary Syphilis only.

**Virginia**  
**Civilian Total Early Syphilis**  
**by AGE GROUPS**

Calendar Years  
 1988 - 1995

Age Group (years)	1988		1989		1990		1991		1992		1993		1994		1995	
	#	% of Total	#	% of Total	#	% of Total	#	% of Total	#	% of Total	#	% of Total	#	% of Total	#	% of Total
Under 10	0	0.0%	0	0.0%	1	0.1%	0	0.0%	0	0.0%	5	0.4%	1	0.1%	2	0.2%
10-14	3	0.4%	4	0.4%	12	0.8%	10	0.6%	4	0.3%	8	0.6%	17	1.2%	5	0.4%
15-19	111	13.5%	139	12.8%	203	13.1%	221	13.6%	178	13.2%	111	8.8%	132	9.4%	123	10.8%
20-24	228	27.7%	287	26.4%	406	26.2%	433	26.7%	372	27.6%	268	21.1%	255	18.1%	183	16.0%
25-29	219	26.6%	253	23.3%	327	21.1%	352	21.7%	288	21.4%	263	20.7%	240	17.0%	217	19.0%
30-34	116	14.1%	187	17.2%	273	17.6%	256	15.8%	227	16.9%	219	17.3%	266	18.9%	207	18.1%
35-39	82	7.5%	120	11.0%	157	10.1%	163	10.0%	122	9.1%	173	13.6%	213	15.1%	190	16.6%
40-44	38	4.6%	38	3.5%	75	4.8%	86	5.3%	69	5.1%	91	7.2%	130	9.2%	104	9.1%
45+	43	5.2%	58	5.3%	96	6.2%	94	5.8%	82	6.1%	126	9.9%	154	10.9%	113	9.9%
Unknown	2	0.2%	2	0.2%	1	0.1%	7	0.4%	5	0.4%	4	0.3%	1	0.1%	0	0.0%
<b>Total</b>	<b>822</b>		<b>1,088</b>		<b>1,551</b>		<b>1,622</b>		<b>1,347</b>		<b>1,268</b>		<b>1,409</b>		<b>1,144</b>	

**Virginia**  
**Civilian Total Early Syphilis Cases**  
**by SELECTED CITIES/COUNTIES**

Calendar Years  
 1994 - 1995

City/County	1994	1995	% Change 1994 vs 1995
Alexandria	10	7	-30.0%
Arlington	4	7	75.0%
Charlottesville	2	3	50.0%
Chesapeake	73	58	-20.5%
Chesterfield	10	12	20.0%
Danville	2	5	150.0%
Fairfax County	6	8	33.3%
Hampton	83	60	-27.7%
Henrico	12	9	-25.0%
Lynchburg	33	28	-15.2%
Newport News	211	82	-61.1%
Norfolk	204	240	17.6%
Petersburg	14	18	28.6%
Portsmouth	173	170	-1.7%
Richmond City	99	107	8.1%
Roanoke City	12	19	58.3%
Suffolk	202	114	-43.6%
Virginia Beach	41	37	-9.8%
<b>Total</b>	<b>1,191</b>	<b>984</b>	<b>-17.4%</b>
<b>All Other Cities/Counties</b>	<b>218</b>	<b>160</b>	<b>-26.6%</b>
<b>State Total</b>	<b>1,409</b>	<b>1,144</b>	<b>-18.8%</b>

**Virginia**  
**Civilian Total Early Syphilis Morbidity**  
**by SELECTED CITIES/COUNTIES**  
**Five Year Trend**

Calendar Years  
 1991 - 1995

City/County	1991	1992	1993	1994	1995	% Change 1991 vs 1995
Alexandria	115	57	30	10	7	-93.9%
Arlington	32	12	2	4	7	-78.1%
Charlottesville	9	3	1	2	3	-66.7%
Chesapeake	36	49	48	73	58	61.1%
Chesterfield	36	17	15	10	12	-66.7%
Danville	25	17	25	2	5	-80.0%
Fairfax County	88	11	13	6	8	-90.9%
Hampton	47	30	68	83	60	27.7%
Henrico	36	35	19	12	9	-75.0%
Lynchburg	71	57	39	33	28	-60.6%
Newport News	100	79	242	211	82	-18.0%
Norfolk	211	273	187	204	240	13.7%
Petersburg	116	31	35	14	18	-84.5%
Portsmouth	80	93	89	173	170	112.5%
Richmond City	216	232	140	99	107	-50.5%
Roanoke City	28	44	8	12	19	-32.1%
Suffolk	31	24	62	202	114	267.7%
Virginia Beach	50	47	33	41	37	-26.0%
<b>Total</b>	<b>1,327</b>	<b>1,111</b>	<b>1,056</b>	<b>1,191</b>	<b>984</b>	<b>-25.8%</b>
<b>All Other Cities/Counties</b>	<b>295</b>	<b>236</b>	<b>212</b>	<b>218</b>	<b>160</b>	<b>-45.8%</b>
<b>State Total</b>	<b>1,622</b>	<b>1,347</b>	<b>1,268</b>	<b>1,409</b>	<b>1,144</b>	<b>-29.5%</b>

**Virginia  
Civilian Total Early Syphilis Morbidity  
by HEALTH REGION**

Calendar Years  
1994 - 1995

<u>Region</u>	<u>1994 Cases</u>	<u>Percent of Total Cases</u>	<u>1995 Cases</u>	<u>Percent of Total Cases</u>	<u>% Change</u>
Central	185	13.1%	187	16.3%	1.1%
Eastern	1,104	78.4%	834	72.9%	-24.5%
Northern	27	1.9%	32	2.8%	18.5%
Northwest	26	1.8%	11	1.0%	-57.7%
<u>Southwest</u>	<u>67</u>	4.8%	<u>80</u>	7.0%	<u>19.4%</u>
TOTAL	1,409		1,144		-18.8%

**Virginia  
Civilian Total Early Syphilis Morbidity  
by REGION**

Calendar Years  
1994 - 1995

Region	Primary & Secondary				Early Latent			
	1994	1995	% Change	% Total	1994	1995	% Change	% Total
Central	64	71	10.9%	11.9%	121	116	-4.1%	21.3%
Eastern	675	478	-29.2%	79.8%	429	356	-17.0%	65.3%
Northern	12	8	-33.3%	1.3%	15	24	60.0%	4.4%
Northwest	11	4	-63.6%	0.7%	15	7	-53.3%	1.3%
Southwest	34	38	11.8%	6.3%	33	42	27.3%	7.7%
Total	796	599	-24.7%		613	545	-11.1%	

Total Early Syphilis				
Region	1994	1995	% Change	% Total
Central	185	187	1.1%	16.3%
Eastern	1104	834	-24.5%	72.9%
Northern	27	32	18.5%	2.8%
Northwest	26	11	-57.7%	1.0%
Southwest	67	80	19.4%	7.0%
Total	1,409	1,144	-18.8%	

**Virginia**  
**Civilian Early Congenital Syphilis Morbidity**  
**by Race, Gender, Region, Mother's Marital Status and Age**  
**Five Year Trend**

Calendar Years  
 1991 - 1995

<u>Race</u>	<u>1991</u>	<u>1992</u>	<u>1993</u>	<u>1994</u>	<u>1995</u>
White	5	3	3	2	1
Black	45	53	20	14	21
Hispanic	1	2	0	1	0
Other/Unknown	0	1	0	1	0
<b>TOTAL</b>	<b>51</b>	<b>59</b>	<b>23</b>	<b>18</b>	<b>22</b>

<u>Gender</u>	<u>1991</u>	<u>1992</u>	<u>1993</u>	<u>1994</u>	<u>1995</u>
Male	24	30	13	9	9
Female	25	29	10	7	13
Unknown	2	0	0	2	0
<b>TOTAL</b>	<b>51</b>	<b>59</b>	<b>23</b>	<b>18</b>	<b>22</b>

<u>Region</u>	<u>1991</u>	<u>1992</u>	<u>1993</u>	<u>1994</u>	<u>1995</u>
Central	15	18	0	1	1
Eastern	19	27	17	13	18
Northern	14	10	3	3	0
Northwest	1	0	1	1	0
Southwest	2	4	2	0	3
<b>TOTAL</b>	<b>51</b>	<b>59</b>	<b>23</b>	<b>18</b>	<b>22</b>

<u>Mother's Marital Status</u>	<u>1991</u>	<u>1992</u>	<u>1993</u>	<u>1994</u>	<u>1995</u>
Single	38	36	17	16	19
Married	8	10	3	2	2
Div/Wid/Sep	3	4	2	0	1
Unknown	2	9	0	0	0
<b>TOTAL</b>	<b>51</b>	<b>59</b>	<b>22</b>	<b>18</b>	<b>22</b>


<u>Mother's Age</u>	<u>1991</u>	<u>1992</u>	<u>1993</u>	<u>1994</u>	<u>1995</u>
Range	15-35	15-33	17-37	20-39	17-40
Average	23.1	24.2	25.6	28.0	27.0
Unknown	2	1	0	0	0

Note: In 1993, there was one set of twins with early congenital syphilis.

Virginia  
 Civilian Early Congenital Syphilis Morbidity  
 by CITY/COUNTY  
 Five Year Trend

Calendar Years  
 1991 - 1995

City/County	1991	1992	1993	1994	1995	Total
Accomack	1	0	0	1	0	2
Alexandria	9	4	2	1	0	16
Appomattox	0	0	0	0	1	1
Arlington	1	5	0	1	0	7
Brunswick	0	1	0	0	0	1
Charlotte	1	0	0	0	0	1
Chesapeake	3	2	1	1	1	8
Chesterfield	2	0	0	0	1	3
Colonial Heights	1	0	0	0	0	1
Danville	0	0	0	0	1	1
Dinwiddie	1	0	0	0	0	1
Emporia	0	0	0	0	0	0
Fairfax County	4	1	0	0	0	5
Falls Church	0	0	0	0	0	0
Franklin County	1	0	0	0	0	1
Fredericksburg	1	0	1	1	0	3
Gloucester	1	0	0	0	0	1
Hampton	1	3	1	0	4	9
Henrico	0	0	0	0	0	0
Hopewell	0	1	0	0	0	1
Isle of Wright	0	1	0	0	0	1
Loudoun	0	0	1	0	0	1
Lynchburg	1	1	0	0	0	2
Manassas City	0	0	0	1	0	1
Newport News	3	6	4	3	1	17
Norfolk	5	9	10	2	7	33
Northampton	0	0	1	0	0	1
Nottoway	0	0	0	1	0	1
Petersburg	2	4	0	0	0	6
Portsmouth	2	3	0	4	3	12
Prince Edward	0	0	0	0	0	0
Prince George	0	1	0	0	0	1
Prince William	0	0	0	0	0	0
Richmond	8	11	0	0	0	19
Roanoke City	0	0	0	0	1	1
Roanoke County	0	3	2	0	0	5
Suffolk	0	0	0	1	1	2
Virginia Beach	3	2	0	1	1	7
Waynesboro	0	0	0	0	0	0
Williamsburg	0	1	0	0	0	1
<b>Total</b>	<b>51</b>	<b>59</b>	<b>23</b>	<b>18</b>	<b>22</b>	<b>173</b>



*Chlamydia*

Virginia  
Civilian Chlamydia  
by AGE, GENDER and RACE

Calendar Years  
1994 - 1995

	1994				
	White		Non-White		Not
	Males	Females	Males	Females	Specified
Under 10	4	2	0	5	2
10-14	1	86	4	272	44
15-19	22	1552	125	2733	620
20-24	68	1089	124	2026	585
25-29	35	363	62	931	226
30-34	26	200	44	515	107
35-39	9	138	14	230	40
40-44	6	46	10	85	18
45 & Over	6	32	10	53	18
Unknown	2	75	15	105	191
Totals	179	3,583	408	6,955	1,851

	1995				
	White		Non-White		Not
	Males	Females	Males	Females	Specified
Under 10	2	7	5	18	10
10-14	2	89	4	247	60
15-19	30	1362	166	2913	829
20-24	39	966	168	1917	702
25-29	36	315	79	705	319
30-34	19	120	48	293	114
35-39	9	57	24	84	52
40-44	5	18	21	24	24
45 & Over	10	18	7	18	24
Unknown	0	37	9	48	214
Totals	152	2,989	531	6,267	2,348

Virginia  
Chlamydia  
by REPORTING SOURCE and GENDER

Calendar Years  
1994 - 1995

	1994	1995	% Change
<b>Private</b>			
Male	713	811	13.7%
Female	5,273	5,649	7.1%
Total Private*	6,034	6,461	7.1%
<b>Public</b>			
Male	120	183	52.5%
Female	6,813	5,643	-17.2%
Total Public*	6,942	5,826	-16.1%
<b>Military</b>			
Male	272	179	-34.2%
Female	555	435	-21.6%
Total Military*	841	614	-27.0%

\* Total includes unknown gender.

Virginia  
 Comparison of MALES by RACE  
 Civilian Chlamydia Morbidity

Calendar Years  
 1989 - 1995

<u>Calendar Year</u>	<u>Chlamydia</u>	<u>White</u>	<u>% of Total</u>	<u>Non-White</u>	<u>% of Total</u>	<u>Race Unk</u>	<u>% of Total</u>
1989	270	85	31.5%	83	30.7%	102	37.8%
1990	646	166	25.7%	355	55.0%	125	19.3%
1991	856	238	27.8%	248	29.0%	370	43.2%
1992	580	118	20.3%	210	36.2%	252	43.4%
1993	745	156	20.9%	284	38.1%	305	40.9%
1994	833	179	21.5%	408	49.0%	246	29.5%
1995	994	152	15.3%	531	53.4%	311	31.3%

**Virginia**  
**Comparison of FEMALES by RACE**  
**Civilian Chlamydia Morbidity**

Calendar Years  
 1989 - 1995

<u>Calendar Year</u>	<u>Chlamydia</u>	<u>White</u>	<u>% of Total</u>	<u>Non-White</u>	<u>% of Total</u>	<u>Race Unk</u>	<u>% of Total</u>
1989	5,732	1,667	29.1%	2,947	51.4%	1,118	19.5%
1990	12,745	3,453	27.1%	6,839	53.7%	2,453	19.2%
1991	15,861	4,335	27.3%	7,998	50.4%	3,528	22.2%
1992	10,725	3,318	30.9%	5,115	47.7%	2,292	21.4%
1993	10,637	2,929	27.5%	5,353	50.3%	2,355	22.1%
1994	12,086	3,583	29.6%	6,955	57.5%	1,548	12.8%
1995	11,292	2,989	26.5%	6,267	55.5%	2,036	18.0%

**Virginia**  
**Comparison of Female/Male Proportions**  
**Civilian Chlamydia Morbidity**

Calendar Years  
 1990 - 1995

<u>Calendar Year</u>	<u>Chlamydia</u>	<u>Female</u>	<u>% of Total</u>	<u>Male</u>	<u>% of Total</u>	<u>Unknown</u>	<u>% of Total</u>
1990	13,391	12,745	95.2%	646	4.8%	0	0.0%
1991	16,717	15,861	94.9%	856	5.1%	0	0.0%
1992	11,305	10,725	94.9%	580	5.1%	0	0.0%
1993	11,389	10,637	93.4%	745	6.5%	7	0.1%
1994	12,976	12,086	93.1%	833	6.4%	57	0.4%
1995	12,287	11,292	91.9%	994	8.1%	1	0.0%

**Virginia**  
**Comparison of White/Non-White Proportions**  
**Civilian Chlamydia Morbidity**

Calendar Years  
 1990 - 1995

<u>Calendar Year</u>	<u>Chlamydia</u>	<u>White</u>	<u>% of Total</u>	<u>Non-White</u>	<u>% of Total</u>	<u>Race Unk</u>	<u>% of Total</u>
1990	13,391	3619	27.0%	7,055	52.7%	2,717	20.3%
1991	16,717	4573	27.4%	8,246	49.3%	3,898	23.3%
1992	11,305	3436	30.4%	5,325	47.1%	2,544	22.5%
1993	11,389	3085	27.1%	5,637	49.5%	2,667	23.4%
1994	12,976	3762	29.0%	7,363	56.7%	1,851	14.3%
1995	12,287	3,141	25.6%	6,798	55.3%	2,348	19.1%

## Virginia

### Proportion of Civilian Chlamydia Cases by GENDER

Calendar Years  
1989 - 1995

<u>Year</u>	<u>Total</u>	<u>Female</u>	<u>Percent of Total</u>	<u>Male</u>	<u>Percent of Total</u>
1989	6,002	5,732	95.5%	270	4.5%
1990	13,391	12,745	95.2%	646	4.8%
1991	16,717	15,861	94.9%	856	5.1%
1992	11,305	10,725	94.9%	580	5.1%
1993	11,389	10,637	93.4%	745	6.5%
1994	12,976	12,086	93.1%	833	6.4%
1995	12,287	11,292	91.9%	994	8.1%

### Proportion of Chlamydia Cases by RACE

Calendar Years  
1989 - 1995

<u>Year</u>	<u>Total</u>	<u>White</u>	<u>Percent of Total</u>	<u>Non-White</u>	<u>Percent of Total</u>	<u>Race Unk</u>	<u>Percent of Total</u>
1989	6,002	1,752	29.2%	3,030	50.5%	1,220	20.3%
1990	13,391	3,619	27.0%	7,055	52.7%	2,717	20.3%
1991	16,717	4,573	27.4%	8,246	49.3%	3,898	23.3%
1992	11,305	3,436	30.4%	5,325	47.1%	2,544	22.5%
1993	11,389	3,085	27.1%	5,637	49.5%	2,667	23.4%
1994	12,976	3,762	29.0%	7,363	56.7%	1,851	14.3%
1995	12,287	3,141	25.6%	6,798	55.3%	2,348	19.1%

Virginia

Proportion of Civilian FEMALE Chlamydia Cases by RACE

Calendar Years  
1989 - 1995

<u>Year</u>	<u>Female</u>	<u>White</u>	<u>Percent of Total</u>	<u>Non-White</u>	<u>Percent of Total</u>	<u>Race Unk</u>	<u>Percent of Total</u>
1989	5,732	1,667	29.1%	2,947	51.4%	1,118	19.5%
1990	12,745	3,453	27.1%	6,839	53.7%	2,453	19.2%
1991	15,861	4,335	27.3%	7,998	50.4%	3,528	22.2%
1992	10,725	3,318	30.9%	5,115	47.7%	2,292	21.4%
1993	10,637	2,929	27.5%	5,353	50.3%	2,355	22.1%
1994	12,086	3,583	29.6%	6,985	57.8%	1,518	12.6%
1995	11,292	2,989	26.5%	6,267	55.5%	2,036	18.0%

Proportion of Civilian MALE Chlamydia Cases by RACE

Calendar Years  
1989 - 1995

<u>Year</u>	<u>Male</u>	<u>White</u>	<u>Percent of Total</u>	<u>Non-White</u>	<u>Percent of Total</u>	<u>Race Unk</u>	<u>Percent of Total</u>
1989	270	85	31.5%	83	30.7%	102	37.8%
1990	646	166	25.7%	216	33.4%	264	40.9%
1991	856	238	27.8%	248	29.0%	370	43.2%
1992	580	118	20.3%	210	36.2%	252	43.4%
1993	745	156	20.9%	284	38.1%	305	40.9%
1994	833	179	21.5%	378	45.4%	276	33.1%
1995	994	152	15.3%	531	53.4%	311	31.3%

**Virginia  
Civilian Chlamydia  
by AGE GROUPS**

Calendar Years  
1990 - 1995

Age Group (years)	1990 # % of Total		1991 # % of Total		1992 # % of Total		1993 # % of Total		1994 # % of Total		1995 # % of Total	
Under 10	55	0.4%	50	0.3%	40	0.4%	28	0.2%	13	0.1%	42	0.3%
10-14	357	2.7%	455	2.7%	320	2.8%	376	3.3%	407	3.1%	402	3.3%
15-19	5,769	43.1%	6,335	37.9%	4,407	39.0%	4,386	38.5%	5,052	38.9%	5,300	43.1%
20-24	4,140	30.9%	5,383	32.2%	3,354	29.7%	3,423	30.1%	3,892	30.0%	3,792	30.9%
25-29	1,440	10.8%	2,039	12.2%	1,405	12.4%	1,326	11.6%	1,617	12.5%	1,454	11.8%
30-34	552	4.1%	939	5.6%	659	5.8%	743	6.5%	892	6.9%	594	4.8%
35-39	215	1.6%	386	2.3%	318	2.8%	345	3.0%	431	3.3%	226	1.8%
40-44	102	0.8%	148	0.9%	137	1.2%	135	1.2%	165	1.3%	92	0.7%
45+	80	0.6%	124	0.7%	113	1.0%	101	0.9%	119	0.9%	77	0.6%
Unknown	681	5.1%	858	5.1%	552	4.9%	526	4.6%	388	3.0%	308	2.5%
<b>Total</b>	<b>13,391</b>		<b>16,717</b>		<b>11,305</b>		<b>11,389</b>		<b>12,976</b>		<b>12,287</b>	

**Virginia**  
**Civilian Chlamydia**  
**by SELECTED CITIES/COUNTIES**

Calendar Years  
 1994 - 1995

<u>City/County</u>	<u>1994</u>	<u>1995</u>	<u>% Change 1994 vs 1995</u>
Alexandria	369	308	-16.5%
Arlington	234	307	31.2%
Charlottesville	216	152	-29.6%
Chesapeake	434	246	-43.3%
Chesterfield	140	170	21.4%
Danville	392	260	-33.7%
Fairfax County	505	490	-3.0%
Hampton	318	281	-11.6%
Henrico	159	132	-17.0%
Lynchburg	260	223	-14.2%
Newport News	896	634	-29.2%
Norfolk	945	832	-12.0%
Petersburg	300	199	-33.7%
Portsmouth	365	241	-34.0%
Richmond City	993	2,150	116.5%
Roanoke City	371	410	10.5%
Suffolk	267	210	-21.3%
Virginia Beach	597	424	-29.0%
<b>Total</b>	<b>7,761</b>	<b>7,669</b>	<b>-1.2%</b>
<u>All Other Cities/Counties</u>	<u>5,215</u>	<u>4,618</u>	<u>-11.4%</u>
<b>State Total</b>	<b>12,976</b>	<b>12,287</b>	<b>-5.3%</b>

Virginia  
 Civilian Chlamydia Morbidity  
 by SELECTED CITIES/COUNTIES  
 Five Year Trend


Calendar Years  
 1991 - 1995

City/County	1991	1992	1993	1994	1995	% Change 1991 vs 1995
Alexandria	468	319	303	369	308	-34.2%
Arlington	394	261	241	234	307	-22.1%
Charlottesville	412	235	324	216	152	-63.1%
Chesapeake	321	416	383	434	246	-23.4%
Chesterfield	162	138	113	140	170	4.9%
Danville	181	98	116	392	260	43.6%
Fairfax County	734	525	394	505	490	-33.2%
Hampton	642	274	235	318	281	-56.2%
Henrico	196	99	81	159	132	-32.7%
Lynchburg	284	150	285	260	223	-21.5%
Newport News	1,260	991	1,439	896	634	-49.7%
Norfolk	1,261	1,075	949	945	832	-34.0%
Petersburg	312	135	134	300	199	-36.2%
Portsmouth	419	238	263	365	241	-42.5%
Richmond City	1,697	1,215	1,034	993	2,150	26.7%
Roanoke City	447	432	425	371	410	-8.3%
Suffolk	306	228	239	267	210	-31.4%
Virginia Beach	941	573	498	597	424	-54.9%
<b>Total</b>	<b>10,437</b>	<b>7,402</b>	<b>7,456</b>	<b>7,761</b>	<b>7,669</b>	<b>-26.5%</b>
<b>All Other Cities/Counties</b>	<b>6,280</b>	<b>3,903</b>	<b>3,933</b>	<b>5,215</b>	<b>4,618</b>	<b>-26.5%</b>
<b>State Total</b>	<b>16,717</b>	<b>11,305</b>	<b>11,389</b>	<b>12,976</b>	<b>12,287</b>	<b>-26.5%</b>

**Virginia  
Civilian Chlamydia Morbidity  
by HEALTH REGION**

Calendar Years  
1994 - 1995

<u>Region</u>	<u>1994 Cases</u>	<u>Percent of Total Cases</u>	<u>1995 Cases</u>	<u>Percent of Total Cases</u>	<u>% Change</u>
Central	2,456	18.9%	3,455	28.1%	40.7%
Eastern	4,836	37.3%	3,538	28.8%	-26.8%
Northern	1,763	13.6%	1,726	14.0%	-2.1%
Northwest	1,496	11.5%	1,653	13.5%	10.5%
<u>Southwest</u>	<u>2,425</u>	18.7%	<u>1,915</u>	15.6%	<u>-21.0%</u>
<b>TOTAL</b>	<b>12,976</b>		<b>12,287</b>		<b>-5.3%</b>



*Gonorrhoea*

**Virginia**  
**Civilian Gonorrhea Morbidity**  
**by AGE, GENDER and RACE**

Calendar Years  
 1994 - 1995

	1994				
	White		Non-White		Not Specified
	Males	Females	Males	Females	
Under 10	0	0	7	11	6
10-14	5	43	44	171	32
15-19	50	318	1,462	1,750	302
20-24	66	195	1,809	1,340	338
25-29	62	88	1,010	659	194
30-34	50	56	795	423	132
35-39	30	16	544	151	104
40-44	12	12	313	58	52
45 & Over	18	8	271	32	53
Unknown	6	9	79	72	156
Totals	299	745	6,334	4,667	1,369

	1995				
	White		Non-White		Not Specified
	Males	Females	Males	Females	
Under 10	1	3	10	9	13
10-14	0	13	24	115	21
15-19	39	265	1015	1394	287
20-24	62	169	1260	1066	292
25-29	59	78	780	531	153
30-34	39	56	563	299	127
35-39	31	31	426	147	74
40-44	16	9	249	66	60
45 & Over	24	5	229	14	54
Unknown	1	3	34	25	101
Totals	272	632	4590	3666	1182

**Virginia**  
**Uncomplicated and Resistant Gonorrhea**  
**by REPORTING SOURCE and GENDER**

Calendar Years  
 1994 - 1995

	1994	1995	% Change
<b>Private</b>			
Male	2,736	2,286	-16.4%
Female	3,327	2,977	-10.5%
Total Private*	6,083	5,264	-13.5%
<b>Public</b>			
Male	4,613	3,146	-31.8%
Female	2,698	1,932	-28.4%
Total Public*	7,331	5,078	-30.7%
<b>Military</b>			
Male	395	238	-39.7%
Female	144	101	-29.9%
Total Military*	542	339	-37.5%

\* Total includes unknown gender.

**Virginia**  
**Comparison of MALES by RACE**  
**Civilian Gonorrhea Morbidity**

Calendar Years  
 1981 - 1995

<u>Calendar Year</u>	<u>Gonorrhea</u>	<u>White</u>	<u>% of Total</u>	<u>Non-White</u>	<u>% of Total</u>	<u>Race Unk</u>	<u>% of Total</u>
1981	11,859	2,331	19.7%	9,528	80.3%	0	0.0%
1982	11,719	2,032	17.3%	9,547	81.5%	140	1.2%
1983	12,078	1,608	13.3%	9,737	80.6%	733	6.1%
1984	11,753	1,286	10.9%	9,979	84.9%	488	4.2%
1985	11,153	1,244	11.2%	9,199	82.5%	710	6.4%
1986	10,398	1,131	10.9%	8,600	82.7%	667	6.4%
1987	8,096	741	9.2%	7,074	87.4%	281	3.5%
1988	8,152	582	7.1%	7,345	90.1%	225	2.8%
1989	9,432	562	6.0%	8,386	88.9%	484	5.1%
1990	10,569	449	4.2%	8,947	84.7%	1,173	11.1%
1991	10,261	422	4.1%	9,268	90.3%	571	5.6%
1992	9,029	327	3.6%	7,629	84.5%	1,073	11.9%
1993	6,595	217	3.3%	5,749	87.2%	629	9.5%
1994	7,349	299	4.1%	6,334	86.2%	716	9.7%
1995	5,432	272	5.0%	4,590	84.5%	570	10.5%

**Virginia**  
**Comparison of FEMALES by RACE**  
**Civilian Gonorrhea Morbidity**

Calendar Years  
 1981 - 1995

<u>Calendar Year</u>	<u>Gonorrhea</u>	<u>White</u>	<u>% of Total</u>	<u>Non-White</u>	<u>% of Total</u>	<u>Race Unk</u>	<u>% of Total</u>
1981	10,249	2207	21.5%	8,042	78.5%	0	0.0%
1982	9,384	1992	21.2%	7,345	78.3%	47	0.5%
1983	9,044	1724	19.1%	7,287	80.6%	33	0.4%
1984	8,446	1361	16.1%	6,800	80.5%	285	3.4%
1985	7,968	1381	17.3%	6,555	82.3%	32	0.4%
1986	8,344	1548	18.6%	6,680	80.1%	116	1.4%
1987	6,257	1044	16.7%	5,002	79.9%	211	3.4%
1988	6,312	895	14.2%	5,268	83.5%	149	2.4%
1989	6,561	754	11.5%	5,473	83.4%	334	5.1%
1990	7,083	757	10.7%	5,460	77.1%	866	12.2%
1991	6,995	761	10.9%	5,625	80.4%	609	8.7%
1992	6,744	628	9.3%	5,058	75.0%	1,058	15.7%
1993	5,015	555	11.1%	3,863	77.0%	597	11.9%
1994	6,025	745	12.4%	4,667	77.5%	613	10.2%
1995	4,909	632	12.9%	3,666	74.7%	611	12.4%

**Virginia**  
**Comparison of Female/Male Proportions**  
**Civilian Gonorrhea Morbidity**

Calendar Years  
 1980 - 1995

<u>Calendar Year</u>	<u>Gonorrhea</u>	<u>Female</u>	<u>% of Total</u>	<u>Male</u>	<u>% of Total</u>	<u>Unknown</u>	<u>% of Total</u>
1980	23,246	10,825	46.6%	12,421	53.4%	0	0.0%
1981	22,108	10,249	46.4%	11,859	53.6%	0	0.0%
1982	21,103	9,384	44.5%	11,719	55.5%	0	0.0%
1983	21,122	9,044	42.8%	12,078	57.2%	0	0.0%
1984	20,199	8,446	41.8%	11,753	58.2%	0	0.0%
1985	19,121	7,968	41.7%	11,153	58.3%	0	0.0%
1986	18,742	8,344	44.5%	10,398	55.5%	0	0.0%
1987	14,353	6,257	43.6%	8,096	56.4%	0	0.0%
1988	14,464	6,312	43.6%	8,152	56.4%	0	0.0%
1989	15,993	6,561	41.0%	9,432	59.0%	0	0.0%
1990	17,652	7,083	40.1%	10,569	59.9%	0	0.0%
1991	17,256	6,995	40.5%	10,261	59.5%	0	0.0%
1992	15,773	6,744	42.8%	9,029	57.2%	0	0.0%
1993	11,620	5,015	43.2%	6,595	56.8%	10	0.1%
1994	13,414	6,025	44.9%	7,349	54.8%	40	0.3%
1995	10,342	4,909	47.5%	5,432	52.5%	1	0.0%

**Virginia**  
**Comparison of Civilian Gonorrhea Morbidity Trends\***  
**FEMALES**

Calendar Years  
 1980 - 1995

<u>Calendar Year</u>	<u>Total Gonorrhea Morbidity</u>	<u>% Increase/Decrease Over Previous Year</u>	<u>Female Morbidity</u>	<u>% Female</u>	<u>% Increase/Decrease Over Previous Year</u>
1980	23,246	0.9%	10,825	46.6%	-0.1%
1981	22,108	-4.9%	10,249	46.4%	-5.3%
1982	21,103	-4.5%	9,384	44.5%	-8.4%
1983	21,122	0.1%	9,044	42.8%	-3.6%
1984	20,199	-4.4%	8,446	41.8%	-6.6%
1985	19,121	-5.3%	7,968	41.7%	-5.7%
1986	18,742	-2.0%	8,344	44.5%	4.7%
1987	14,353	-23.4%	6,257	43.6%	-25.0%
1988	14,464	0.8%	6,312	43.6%	0.9%
1989	15,993	10.6%	6,561	41.0%	3.9%
1990	17,652	10.4%	7,083	40.1%	8.0%
1991	17,256	-2.2%	6,995	40.5%	-1.2%
1992	15,773	-8.6%	6,744	42.8%	-3.6%
1993	11,620	-26.3%	5,015	43.2%	-25.6%
1994	13,414	15.4%	6,025	44.9%	20.1%
1995	10,342	-22.9%	4,909	47.5%	-18.5%

\* Includes Uncomplicated and Resistant

Virginia  
 Comparison of White/Non-White Proportions  
 Civilian Gonorrhea Morbidity

Calendar Years  
 1981 - 1995

<u>Calendar Year</u>	<u>Gonorrhea</u>	<u>White</u>	<u>% of Total</u>	<u>Non-White</u>	<u>% of Total</u>	<u>Race Unk</u>	<u>% of Total</u>
1981	22,108	4,538	20.5%	17,570	79.5%	0	0.0%
1982	21,103	4,024	19.1%	16,892	80.0%	187	0.9%
1983	21,122	3,332	15.8%	17,024	80.6%	766	3.6%
1984	20,199	2,647	13.1%	16,779	83.1%	773	3.8%
1985	19,121	2,625	13.7%	15,754	82.4%	742	3.9%
1986	18,742	2,679	14.3%	15,280	81.5%	783	4.2%
1987	14,353	1,785	12.4%	12,076	84.1%	492	3.4%
1988	14,464	1,477	10.2%	12,613	87.2%	374	2.6%
1989	15,993	1,316	8.2%	13,859	86.7%	818	5.1%
1990	17,652	1,206	6.8%	14,407	81.6%	2,039	11.6%
1991	17,256	1,183	6.9%	14,893	86.3%	1,180	6.8%
1992	15,773	955	6.1%	12,687	80.4%	2,131	13.5%
1993	11,620	772	6.6%	9,612	82.7%	1,236	10.6%
1994	13,414	1,044	7.8%	11,001	82.0%	1,369	10.2%
1995	10,342	904	8.7%	8,256	79.8%	1,182	11.4%

Virginia

Proportion of Civilian Gonorrhea Cases by GENDER

Calendar Years  
1980 - 1995

Year	Total Cases	Female Cases	Percent of Total	Male Cases	Percent of Total
1980	23,246	10,825	46.6%	12,421	53.4%
1981	22,108	10,249	46.4%	11,859	53.6%
1982	21,103	9,384	44.5%	11,719	55.5%
1983	21,122	9,044	42.8%	12,078	57.2%
1984	20,199	8,446	41.8%	11,753	58.2%
1985	19,121	7,968	41.7%	11,153	58.3%
1986	18,742	8,344	44.5%	10,398	55.5%
1987	14,353	6,257	43.6%	8,096	56.4%
1988	14,464	6,312	43.6%	8,152	56.4%
1989	15,993	6,561	41.0%	9,432	59.0%
1990	17,652	7,083	40.1%	10,569	59.9%
1991	17,256	6,995	40.5%	10,261	59.5%
1992	15,773	6,744	42.8%	9,029	57.2%
1993	11,620	5,015	43.2%	6,595	56.8%
1994	13,414	6,025	44.9%	7,349	54.8%
1995	10,342	4,909	47.5%	5,432	52.5%

Proportion of Civilian Gonorrhea Cases by RACE

Calendar Years  
1981 - 1995

Year	Total	White	% of Total	Non-White	% of Total	Race Unk	% of Total
1981	22,108	4,538	20.5%	17,570	79.5%	0	0.0%
1982	21,103	4,024	19.1%	16,892	80.0%	187	0.9%
1983	21,122	3,332	15.8%	17,024	80.6%	766	3.6%
1984	20,199	2,647	13.1%	16,779	83.1%	773	3.8%
1985	19,121	2,625	13.7%	15,754	82.4%	742	3.9%
1986	18,742	2,679	14.3%	15,280	81.5%	783	4.2%
1987	14,353	1,785	12.4%	12,076	84.1%	492	3.4%
1988	14,464	1,477	10.2%	12,613	87.2%	374	2.6%
1989	15,993	1,316	8.2%	13,859	86.7%	818	5.1%
1990	17,652	1,206	6.8%	14,407	81.6%	2,039	11.6%
1991	17,256	1,183	6.9%	14,893	86.3%	1,180	6.8%
1992	15,773	955	6.1%	12,687	80.4%	2,131	13.5%
1993	11,620	772	6.6%	9,612	82.7%	1,236	10.6%
1994	13,414	1,044	7.8%	11,001	82.0%	1,369	10.2%
1995	10,342	904	8.7%	8,256	79.8%	1,182	11.4%

Virginia

Proportion of Civilian FEMALE Gonorrhea Cases by RACE

Calendar Years  
1981 - 1995

Year	Female	White	% of Total	Non-White	% of Total	Race Unk	% of Total
1981	10,249	2,207	21.5%	8,042	78.5%	0	0.0%
1982	9,384	1,992	21.2%	7,345	78.3%	47	0.5%
1983	9,044	1,724	19.1%	7,287	80.6%	33	0.4%
1984	8,446	1,361	16.1%	6,800	80.5%	285	3.4%
1985	7,968	1,381	17.3%	6,555	82.3%	32	0.4%
1986	8,344	1,548	18.6%	6,680	80.1%	116	1.4%
1987	6,257	1,044	16.7%	5,002	79.9%	211	3.4%
1988	6,312	895	14.2%	5,268	83.5%	149	2.4%
1989	6,561	754	11.5%	5,473	83.4%	334	5.1%
1990	7,083	757	10.7%	5,460	77.1%	866	12.2%
1991	6,995	761	10.9%	5,625	80.4%	609	8.7%
1992	6,744	628	9.3%	5,069	75.2%	1,047	15.5%
1993	5,015	555	11.1%	3,864	77.0%	596	11.9%
1994	6,025	745	12.4%	4,667	77.5%	613	10.2%
1995	4,909	632	12.9%	3,666	74.7%	611	12.4%

Proportion of Civilian MALE Gonorrhea Cases by RACE

Calendar Years  
1981 - 1995

Year	Total	White	% of Total	Non-White	% of Total	Race Unk	% of Total
1981	11,859	2,331	19.7%	9,528	80.3%	0	0.0%
1982	11,719	2,032	17.3%	9,547	81.5%	140	1.2%
1983	12,078	1,608	13.3%	9,737	80.6%	733	6.1%
1984	11,753	1,286	10.9%	9,979	84.9%	488	4.2%
1985	11,153	1,244	11.2%	9,199	82.5%	710	6.4%
1986	10,398	1,131	10.9%	8,600	82.7%	667	6.4%
1987	8,096	741	9.2%	7,074	87.4%	281	3.5%
1988	8,152	582	7.1%	7,345	90.1%	225	2.8%
1989	9,432	562	6.0%	8,386	88.9%	484	5.1%
1990	10,569	449	4.2%	8,947	84.7%	1,173	11.1%
1991	10,261	422	4.1%	9,268	90.3%	571	5.6%
1992	9,029	327	3.6%	7,618	84.4%	1,084	12.0%
1993	6,595	217	3.3%	5,748	87.2%	630	9.6%
1994	7,349	299	4.1%	6,334	86.2%	716	9.7%
1995	5,432	272	5.0%	4,590	84.5%	570	10.5%

# Virginia Civilian Gonorrhea by AGE GROUPS

Calendar Years  
1979 - 1987

Age Group (years)	1979 # % of Total		1980 # % of Total		1981 # % of Total		1982 # % of Total		1983 # % of Total		1984 # % of Total		1985 # % of Total		1986 # % of Total		1987 # % of Total	
Under 10	60	0.3%	42	0.2%	45	0.2%	55	0.3%	106	0.5%	71	0.4%	31	0.2%	22	0.1%	23	0.2%
10-14	285	1.2%	283	1.2%	236	1.1%	221	1.0%	232	1.1%	274	1.4%	275	1.4%	219	1.2%	167	1.2%
15-19	6,246	27.1%	6,272	27.0%	5,736	25.9%	5,145	24.4%	5,448	25.8%	5,111	25.3%	4,786	25.0%	5,069	27.0%	3,788	26.4%
20-24	8,308	36.1%	8,252	35.5%	8,199	37.1%	7,878	37.3%	7,705	36.5%	7,231	35.8%	6,710	35.1%	6,189	33.0%	4,831	33.7%
25-29	4,017	17.4%	4,067	17.5%	4,089	18.5%	4,156	19.7%	4,098	19.4%	3,890	19.3%	3,774	19.7%	3,581	19.1%	2,738	19.1%
30-34	1,456	6.3%	1,620	7.0%	1,579	7.1%	1,637	7.8%	1,629	7.7%	1,691	8.4%	1,575	8.2%	1,452	7.7%	1,202	8.4%
35-39	554	2.4%	553	2.4%	528	2.4%	577	2.7%	654	3.1%	652	3.2%	646	3.4%	584	3.1%	484	3.4%
40-44	232	1.0%	234	1.0%	257	1.2%	240	1.1%	234	1.1%	244	1.2%	245	1.3%	207	1.1%	203	1.4%
45+	202	0.9%	221	1.0%	245	1.1%	248	1.2%	244	1.2%	248	1.2%	236	1.2%	192	1.0%	150	1.0%
Unknown	1,672	7.3%	1,702	7.3%	1,194	5.4%	946	4.5%	772	3.7%	787	3.9%	843	4.4%	1,227	6.5%	767	5.3%
Total	23,032		23,246		22,108		21,103		21,122		20,199		19,121		18,742		14,353	

**Virginia  
Civilian Gonorrhea  
by AGE GROUPS**

Calendar Years  
1988 - 1995

Age Group (years)	1988 # % of Total		1989 # % of Total		1990 # % of Total		1991 # % of Total		1992 # % of Total		1993 # % of Total		1994 # % of Total		1995 # % of Total	
Under 10	23	0.2%	27	0.2%	58	0.3%	20	0.1%	24	0.2%	15	0.1%	24	0.2%	36	0.3%
10-14	211	1.5%	219	1.4%	249	1.4%	309	1.8%	283	1.8%	227	2.0%	295	2.2%	173	1.7%
15-19	3,957	27.4%	4,242	26.5%	4,625	26.2%	4,638	26.9%	4,073	25.8%	3,102	26.7%	3,882	28.9%	3,000	29.0%
20-24	4,824	33.4%	4,770	29.8%	5,068	28.7%	5,099	29.5%	4,535	28.8%	3,207	27.6%	3,748	27.9%	2,849	27.5%
25-29	2,691	18.6%	3,036	19.0%	3,396	19.2%	3,116	18.1%	2,759	17.5%	1,950	16.8%	2,013	15.0%	1,601	15.5%
30-34	1,396	9.7%	1,678	10.5%	1,955	11.1%	1,798	10.4%	1,704	10.8%	1,350	11.6%	1,456	10.9%	1,084	10.5%
35-39	566	3.9%	850	5.3%	991	5.6%	917	5.3%	956	6.1%	701	6.0%	845	6.3%	709	6.9%
40-44	215	1.5%	331	2.1%	428	2.4%	488	2.8%	448	2.8%	377	3.2%	447	3.3%	400	3.9%
45+	191	1.3%	304	1.9%	362	2.1%	402	2.3%	407	2.6%	328	2.8%	382	2.8%	326	3.2%
Unknown	390	2.7%	536	3.4%	520	2.9%	469	2.7%	584	3.7%	363	3.1%	322	2.4%	164	1.6%
<b>Total</b>	<b>14,464</b>		<b>15,993</b>		<b>17,652</b>		<b>17,256</b>		<b>15,773</b>		<b>11,620</b>		<b>13,414</b>		<b>10,342</b>	

**Virginia  
Civilian Gonorrhea Cases  
by SELECTED CITIES/COUNTIES**

Calendar Years  
1994 - 1995

<u>City/County</u>	<u>1994</u>	<u>1995</u>	<u>% Change 1994 vs 1995</u>
Alexandria	272	246	-9.6%
Arlington	150	133	-11.3%
Charlottesville	256	135	-47.3%
Chesapeake	481	364	-24.3%
Chesterfield	123	68	-44.7%
Danville	479	365	-23.8%
Fairfax County	302	244	-19.2%
Hampton	536	345	-35.6%
Henrico	119	81	-31.9%
Lynchburg	213	180	-15.5%
Newport News	519	573	10.4%
Norfolk	2,519	1,679	-33.3%
Petersburg	219	135	-38.4%
Portsmouth	792	611	-22.9%
Richmond City	2,623	2,372	-9.6%
Roanoke City	369	286	-22.5%
Suffolk	273	152	-44.3%
Virginia Beach	670	382	-43.0%
<b>Total</b>	<b>10,915</b>	<b>8,351</b>	<b>-23.5%</b>
<u>All Other Cities/Counties</u>	<u>2,499</u>	<u>1,991</u>	<u>-20.3%</u>
<b>State Total</b>	<b>13,414</b>	<b>10,342</b>	<b>-22.9%</b>

**Virginia**  
**Civilian Gonorrhoea Morbidity**  
**by SELECTED CITIES/COUNTIES**  
**Five Year Trend**

Calendar Years  
 1991 - 1995

City/County	1991	1992	1993	1994	1995	% Change 1991 vs 1995
Alexandria	393	243	231	272	246	-37.4%
Arlington	197	168	117	150	133	-32.5%
Charlottesville	236	189	229	256	135	-42.8%
Chesapeake	786	550	458	481	364	-53.7%
Chesterfield	82	67	96	123	68	-17.1%
Danville	325	217	174	479	365	12.3%
Fairfax County	475	349	261	302	244	-48.6%
Hampton	811	716	479	536	345	-57.5%
Henrico	175	148	98	119	81	-53.7%
Lynchburg	239	195	246	213	180	-24.7%
Newport News	1,408	1,279	648	519	573	-59.3%
Norfolk	3,593	3,085	2,507	2,519	1,679	-53.3%
Petersburg	474	386	233	219	135	-71.5%
Portsmouth	1,475	1,106	975	792	611	-58.6%
Richmond City	2,373	3,667	2,032	2,623	2,372	0.0%
Roanoke City	588	461	393	369	286	-51.4%
Suffolk	405	365	389	273	152	-62.5%
Virginia Beach	760	598	463	670	382	-49.7%
<b>Total</b>	<b>14,795</b>	<b>13,789</b>	<b>10,029</b>	<b>10,915</b>	<b>8,351</b>	<b>-43.6%</b>
<b>All Other Cities/Counties</b>	<b>2,461</b>	<b>1,984</b>	<b>1,591</b>	<b>2,499</b>	<b>1,991</b>	<b>-19.1%</b>
<b>State Total</b>	<b>17,256</b>	<b>15,773</b>	<b>11,620</b>	<b>13,414</b>	<b>10,342</b>	<b>-40.1%</b>

**Virginia**  
**Civilian Gonorrhea Morbidity**  
**by HEALTH REGION**

Calendar Years  
 1994 - 1995

<u>Region</u>	<u>1994 Cases</u>	<u>Percent of Total Cases</u>	<u>1995 Cases</u>	<u>Percent of Total Cases</u>	<u>% Change</u>
Central	3,685	27.5%	3,079	29.8%	-16.4%
Eastern	6,240	46.5%	4,451	43.0%	-28.7%
Northern	1,123	8.4%	931	9.0%	-17.1%
Northwest	769	5.7%	620	6.0%	-19.4%
<u>Southwest</u>	<u>1,597</u>	11.9%	<u>1,261</u>	12.2%	<u>-21.0%</u>
TOTAL	13,414		10,342		-22.9%

**Virginia  
Civilian PPNG Cases  
by SELECTED CITIES/COUNTIES**

Calendar Years  
1994 - 1995


City/County	1994	1995	% Change 1994 vs 1995
Alexandria	1	0	-100.0%
Arlington	0	1	*
Charlottesville	0	0	0.0%
Chesapeake	3	0	-100.0%
Chesterfield	0	0	0.0%
Danville	0	0	0.0%
Fairfax County	0	0	0.0%
Hampton	0	0	0.0%
Henrico	0	0	0.0%
Lynchburg	0	0	0.0%
Newport News	0	0	0.0%
Norfolk	3	0	-100.0%
Petersburg	0	0	0.0%
Portsmouth	3	1	-66.7%
Richmond City	13	3	-76.9%
Roanoke City	0	0	0.0%
Suffolk	1	0	-100.0%
Virginia Beach	0	0	0.0%
<b>Total</b>	<b>24</b>	<b>5</b>	<b>-79.2%</b>
<b>All Other Cities/Counties</b>	<b>5</b>	<b>1</b>	<b>-80.0%</b>
<b>State Total</b>	<b>29</b>	<b>6</b>	<b>-79.3%</b>

\* Increase from zero.

**United States vs. Virginia  
PPNG Morbidity**

Calendar Years  
1976 - 1995

<u>Year</u>	<u>US PPNG Morbidity</u>	<u>VA PPNG Morbidity</u>
1976	98	1
1977	185	4
1978	202	1
1979	328	0
1980	1,118	34
1981	2,712	21
1982	4,464	56
1983	3,724	25
1984	3,625	21
1985	8,228	38
1986	15,141	71
1987	23,591	142
1988	35,957	531
1989	54,481	1,130
1990	64,972	1,290
1991	N/A	1,841
1992	N/A	488
1993	N/A	40
1994	N/A	29
1995	N/A	6



*HIV Infection*

**Virginia  
HIV Morbidity  
by AGE, GENDER and RACE**

Calendar Years  
1994 - 1995

	1994					1995				
	White		Non-White		Not Specified	White		Non-White		Not Specified
	Males	Females	Males	Females		Males	Females	Males	Females	
Under 10	1	3	5	7	0	0	0	4	0	
10-14	1	0	0	1	0	0	0	0	0	
15-19	2	5	9	13	0	1	9	9	0	
20-24	29	10	54	32	1	35	7	58	39	
25-29	71	8	101	59	2	82	9	97	55	
30-34	59	11	129	55	7	87	11	139	55	
35-39	49	7	104	45	1	60	15	114	47	
40-44	30	3	87	10	1	31	6	90	32	
45 & Over	43	5	53	10	1	38	6	81	22	
Unknown	0	0	0	0	0	0	0	0	0	
<b>Totals</b>	<b>285</b>	<b>52</b>	<b>542</b>	<b>232</b>	<b>13</b>	<b>334</b>	<b>63</b>	<b>596</b>	<b>263</b>	<b>12</b>

Virginia  
HIV  
by REPORTING SOURCE and GENDER

Calendar Years  
1994 - 1995

	1994	1995	% Change
<b>Private</b>			
Male	508	664	30.7%
Female	157	229	45.9%
Total Private	665	893	34.3%
<b>Public</b>			
Male	292	246	-15.8%
Female	118	97	-17.8%
Total Public	410	343	-16.3%
<b>Military</b>			
Male	38	29	-23.7%
Female	11	3	-72.7%
Total Military	49	32	-34.7%

Virginia  
 Comparison of MALES by RACE  
 HIV Morbidity

Calendar Years  
 1989 - 1995

<u>Calendar Year</u>	<u>HIV</u>	<u>White</u>	<u>% of Total</u>	<u>Non-White</u>	<u>% of Total</u>	<u>Race Unk</u>	<u>% of Total</u>
1989	174	86	49.4%	86	49.4%	2	1.1%
1990	875	307	35.1%	553	63.2%	15	1.7%
1991	1,267	429	33.9%	823	65.0%	15	1.2%
1992	1,015	359	35.4%	649	63.9%	7	0.7%
1993	1,095	430	39.3%	658	60.1%	7	0.6%
1994	838	285	34.0%	542	64.7%	11	1.3%
1995	939	334	35.6%	596	63.5%	9	1.0%

Virginia  
 Comparison of FEMALES by RACE  
 HIV Morbidity

Calendar Years  
 1989 - 1995

<u>Calendar Year</u>	<u>HIV</u>	<u>White</u>	<u>% of Total</u>	<u>Non-White</u>	<u>% of Total</u>	<u>Race Unk</u>	<u>% of Total</u>
1989	23	6	26.1%	16	69.6%	1	4.3%
1990	263	56	21.3%	204	77.6%	3	1.1%
1991	374	87	23.3%	283	75.7%	4	1.1%
1992	347	75	21.6%	269	77.5%	3	0.9%
1993	385	82	21.3%	300	77.9%	3	0.8%
1994	286	52	18.2%	232	81.1%	2	0.7%
1995	329	63	19.1%	263	79.9%	3	0.9%

**Virginia**  
**Comparison of Female/Male Proportions**  
**HIV Morbidity**

Calendar Years  
1990 - 1995

<u>Calendar Year</u>	<u>HIV</u>	<u>Female</u>	<u>% of Total</u>	<u>Male</u>	<u>% of Total</u>
1990	1,143	256	22.4%	887	77.6%
1991	1,644	376	22.9%	1,268	77.1%
1992	1,372	350	25.5%	1,022	74.5%
1993	1,484	382	25.7%	1,102	74.3%
1994	1,124	286	25.4%	838	74.6%
1995	1,268	329	25.9%	939	74.1%

**Virginia**  
**Comparison of White/Non-White Proportions**  
**HIV Morbidity**

Calendar Years  
 1990 - 1995

<u>Calendar Year</u>	<u>HIV</u>	<u>White</u>	<u>% of Total</u>	<u>Non-White</u>	<u>% of Total</u>	<u>Race Unk</u>	<u>% of Total</u>
1990	1,143	361	31.6%	739	64.7%	43	3.8%
1991	1,644	516	31.4%	1,103	67.1%	25	1.5%
1992	1,372	437	31.9%	923	67.3%	12	0.9%
1993	1,484	508	34.2%	956	64.4%	20	1.3%
1994	1,124	337	30.0%	774	68.9%	13	1.2%
1995	1,268	397	31.3%	859	67.7%	12	0.9%

## Virginia

### Proportion of HIV Cases by GENDER

Calendar Years  
1989 - 1995

Year	Total	Female	Percent of Total	Male	Percent of Total
1989	197	23	11.7%	174	88.3%
1990	1,143	256	22.4%	887	77.6%
1991	1,644	376	22.9%	1,268	77.1%
1992	1,372	350	25.5%	1,022	74.5%
1993	1,484	382	25.7%	1,102	74.3%
1994	1,124	286	25.4%	838	74.6%
1995	1,268	329	25.9%	939	74.1%

### Proportion of HIV Cases by RACE

Calendar Years  
1989 - 1995

Year	HIV	White	% of Total	Non-White	% of Total	Race Unk	% of Total
1989	197	92	46.7%	102	51.8%	3	1.5%
1990	1,143	361	31.6%	739	64.7%	43	3.8%
1991	1,644	516	31.4%	1,103	67.1%	25	1.5%
1992	1,372	437	31.9%	923	67.3%	12	0.9%
1993	1,484	508	34.2%	956	64.4%	20	1.3%
1994	1,124	337	30.0%	774	68.9%	13	1.2%
1995	1,268	397	31.3%	859	67.7%	12	0.9%

Virginia

Proportion of FEMALE HIV Cases by RACE

Calendar Years  
1989 - 1995

Year	Female	White	Percent of Total	Non-White	Percent of Total	Race Unk	Percent of Total
1989	23	6	26.1%	16	69.6%	1	4.3%
1990	256	56	21.9%	197	77.0%	3	1.2%
1991	376	87	23.1%	285	75.8%	4	1.1%
1992	350	75	21.4%	272	77.7%	3	0.9%
1993	382	82	21.5%	297	77.7%	3	0.8%
1994	286	52	18.2%	232	81.1%	2	0.7%
1995	329	63	19.1%	263	79.9%	3	0.9%

Proportion of MALE HIV Cases by RACE

Calendar Years  
1989 - 1995

Year	Male	White	Percent of Total	Non-White	Percent of Total	Race Unk	Percent of Total
1989	174	86	49.4%	86	49.4%	2	1.1%
1990	887	305	34.4%	542	61.1%	40	4.5%
1991	1,268	429	33.8%	818	64.5%	21	1.7%
1992	1,022	362	35.4%	651	63.7%	9	0.9%
1993	1,102	426	38.7%	659	59.8%	17	1.5%
1994	838	285	34.0%	542	64.7%	11	1.3%
1995	939	334	35.6%	596	63.5%	9	1.0%

**Virginia  
HIV  
by AGE GROUPS**

Calendar Years  
1989 - 1995

Age Group (years)	1989		1990		1991		1992		1993		1994		1995	
	#	% of Total	#	% of Total	#	% of Total	#	% of Total	#	% of Total	#	% of Total	#	% of Total
Under 10	0	0.0%	2	0.2%	15	0.9%	11	0.8%	27	1.8%	16	1.4%	6	0.5%
10-14	0	0.0%	1	0.1%	3	0.2%	4	0.3%	3	0.2%	2	0.2%	0	0.0%
15-19	2	1.0%	28	2.5%	40	2.4%	30	2.2%	44	3.0%	29	2.6%	34	2.7%
20-24	32	16.2%	177	15.6%	216	13.2%	185	13.6%	172	11.6%	126	11.2%	139	11.0%
25-29	73	37.1%	286	25.1%	407	24.8%	278	20.4%	319	21.6%	241	21.4%	244	19.2%
30-34	48	24.4%	282	24.8%	389	23.7%	299	21.9%	349	23.6%	260	23.1%	298	23.5%
35-39	26	13.2%	170	14.9%	249	15.2%	273	20.0%	248	16.8%	207	18.4%	238	18.5%
40-44	9	4.6%	100	8.8%	192	11.7%	149	10.9%	183	12.4%	131	11.7%	162	12.8%
45+	7	3.6%	92	8.1%	129	7.9%	134	9.8%	135	9.1%	112	10.0%	147	11.6%
Unknown	0	0.0%	0	0.0%	1	0.1%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
<b>Total</b>	<b>197</b>		<b>1,138</b>		<b>1,641</b>		<b>1,363</b>		<b>1,480</b>		<b>1,124</b>		<b>1,268</b>	

**Virginia  
HIV Cases  
by SELECTED CITIES/COUNTIES**

Calendar Years  
1994 - 1995

City/County	1994	1995	% Change 1994 vs 1995
Alexandria	71	46	-35.2%
Arlington	39	54	38.5%
Charlottesville	9	8	-11.1%
Chesapeake	28	32	14.3%
Chesterfield	16	25	56.3%
Danville	8	5	-37.5%
Fairfax County	95	90	-5.3%
Hampton	23	44	91.3%
Henrico	30	45	50.0%
Lynchburg	10	18	80.0%
Newport News	51	44	-13.7%
Norfolk	143	185	29.4%
Petersburg	15	27	80.0%
Portsmouth	50	48	-4.0%
Richmond City	157	202	28.7%
Roanoke City	34	38	11.8%
Suffolk	13	12	-7.7%
Virginia Beach	72	86	19.4%
<b>Total</b>	<b>864</b>	<b>1,009</b>	<b>16.8%</b>
<b>All Other Cities/Counties</b>	<b>260</b>	<b>259</b>	<b>-0.4%</b>
<b>State Total</b>	<b>1,124</b>	<b>1,268</b>	<b>12.8%</b>

**Virginia**  
**Civilian HIV Morbidity**  
**by SELECTED CITIES/COUNTIES**  
**Five Year Trend**

Calendar Years  
 1991 - 1995

City/County	1991	1992	1993	1994	1995	% Change 1991 vs 1995
Alexandria	94	92	101	71	46	-51.1%
Arlington	57	37	68	39	54	-5.3%
Charlottesville	14	14	8	9	8	-42.9%
Chesapeake	26	35	30	28	32	23.1%
Chesterfield	20	14	22	16	25	25.0%
Danville	20	17	14	8	5	-75.0%
Fairfax County	60	97	138	95	90	50.0%
Hampton	57	36	31	23	44	-22.8%
Henrico	20	38	41	30	45	125.0%
Lynchburg	18	14	34	10	18	0.0%
Newport News	89	59	45	51	44	-50.6%
Norfolk	206	156	215	143	185	-10.2%
Petersburg	44	28	29	15	27	-38.6%
Portsmouth	71	53	69	50	48	-32.4%
Richmond City	327	222	223	157	202	-38.2%
Roanoke City	64	64	31	34	38	-40.6%
Suffolk	16	11	13	13	12	-25.0%
Virginia Beach	74	64	78	72	86	16.2%
<b>Total</b>	<b>1,277</b>	<b>1,051</b>	<b>1,190</b>	<b>864</b>	<b>1,009</b>	<b>-21.0%</b>
<b>All Other Cities/Counties</b>	<b>367</b>	<b>321</b>	<b>294</b>	<b>260</b>	<b>259</b>	<b>-29.4%</b>
<b>State Total</b>	<b>1,644</b>	<b>1,372</b>	<b>1,484</b>	<b>1,124</b>	<b>1,268</b>	<b>-22.9%</b>

**Virginia  
HIV Morbidity  
by HEALTH REGION**

Calendar Years  
1994 - 1995


<u>Region</u>	<u>1994 Cases</u>	<u>Percent of Total Cases</u>	<u>1995 Cases</u>	<u>Percent of Total Cases</u>	<u>% Change</u>
Central	302	26.9%	408	32.2%	35.1%
Eastern	410	36.5%	497	39.2%	21.2%
Northern	257	22.9%	216	17.0%	-16.0%
Northwest	64	5.7%	50	3.9%	-21.9%
<u>Southwest</u>	<u>91</u>	<u>8.1%</u>	<u>97</u>	<u>7.6%</u>	<u>6.6%</u>
TOTAL	1,124		1,268		12.8%

**Virginia  
HIV Morbidity  
by TRANSMISSION CATEGORY**

Calendar Years  
1994 - 1995

<u>Transmission Category</u>	<u>1994 Cases</u>	<u>Percent of Total Cases</u>	<u>1995 Cases</u>	<u>Percent of Total Cases</u>	<u>% Change</u>
MSM	334	29.7%	438	34.5%	31.1%
IDU	199	17.7%	234	18.5%	17.6%
Transfusion	7	0.6%	8	0.6%	14.3%
MSM & IDU	39	3.5%	52	4.1%	33.3%
Pediatric	16	1.4%	9	0.7%	-43.8%
Hemophiliac	5	0.4%	1	0.1%	-80.0%
Heterosexual	154	13.7%	177	14.0%	14.9%
Multiple Hetero	34	3.0%	42	3.3%	23.5%
<u>NIR</u>	<u>336</u>	<u>29.9%</u>	<u>307</u>	<u>24.2%</u>	<u>-8.6%</u>
TOTAL	1,124		1,268		12.8%

MSM - Men having Sex with Men  
IDU - Injecting Drug Use  
NIR - No Identifiable Risk



*AIDS*

**Virginia**  
**AIDS Morbidity**  
**by AGE, GENDER and RACE**

Calendar Years  
 1994 - 1995

	1994						1995				
	White		Non-White		Not Specified		White		Non-White		Not Specified
	Males	Females	Males	Females			Males	Females	Males	Females	
Under 1	4	3	11	12	1	Under 1	3	1	5	6	0
10-14	3	0	1	1	0	10-14	0	2	1	0	0
15-19	1	1	0	1	0	15-19	1	0	2	3	0
20-24	12	3	20	9	1	20-24	22	5	21	11	0
25-29	70	6	66	16	0	25-29	74	13	86	31	1
30-34	120	12	135	26	0	30-34	150	20	132	49	0
35-39	106	8	129	20	0	35-39	133	16	147	45	1
40-44	72	3	100	22	0	40-44	88	8	99	28	0
5 & Ove	96	6	78	25	0	45 & Ove	111	13	112	19	2
Unknow	0	0	0	0	0	Unknow	0	0	0	0	0
<b>Totals</b>	<b>484</b>	<b>42</b>	<b>540</b>	<b>132</b>	<b>2</b>	<b>Totals</b>	<b>582</b>	<b>78</b>	<b>605</b>	<b>192</b>	<b>4</b>

**Virginia**  
**Comparison of MALES by RACE**  
**AIDS Morbidity**

Calendar Years  
 1982 - 1995

<u>Calendar Year</u>	<u>AIDS</u>	<u>White</u>	<u>% of Total</u>	<u>Non-White</u>	<u>% of Total</u>	<u>Race Unk</u>	<u>% of Total</u>
1982	6	3	50.0%	3	50.0%	0	0.0%
1983	20	16	80.0%	4	20.0%	0	0.0%
1984	40	29	72.5%	11	27.5%	0	0.0%
1985	97	75	77.3%	22	22.7%	0	0.0%
1986	155	95	61.3%	60	38.7%	0	0.0%
1987	245	177	72.2%	67	27.3%	1	0.4%
1988	340	196	57.6%	144	42.4%	0	0.0%
1989	410	251	61.2%	158	38.5%	1	0.2%
1990	584	334	57.2%	250	42.8%	0	0.0%
1991	588	335	57.0%	253	43.0%	0	0.0%
1992	642	345	53.7%	296	46.1%	1	0.2%
1993	1,379	682	49.5%	697	50.5%	0	0.0%
1994	1,025	484	47.2%	540	52.7%	1	0.1%
1995	1,191	582	48.9%	605	50.8%	4	0.3%

**Virginia**  
**Comparison of FEMALES by RACE**  
**AIDS Morbidity**

Calendar Years  
 1982 - 1995

<u>Calendar Year</u>	<u>AIDS</u>	<u>White</u>	<u>% of Total</u>	<u>Non-White</u>	<u>% of Total</u>	<u>Race Unk</u>	<u>% of Total</u>
1982	0	0	0.0%	0	0.0%	0	0.0%
1983	1	0	0.0%	1	#####	0	0.0%
1984	2	2	#####	0	0.0%	0	0.0%
1985	5	4	80.0%	1	20.0%	0	0.0%
1986	12	4	33.3%	8	66.7%	0	0.0%
1987	23	8	34.8%	15	65.2%	0	0.0%
1988	36	18	50.0%	18	50.0%	0	0.0%
1989	35	12	34.3%	23	65.7%	0	0.0%
1990	64	18	28.1%	46	71.9%	0	0.0%
1991	77	23	29.9%	54	70.1%	0	0.0%
1992	105	26	24.8%	79	75.2%	0	0.0%
1993	251	58	23.1%	193	76.9%	0	0.0%
1994	175	42	24.0%	132	75.4%	1	0.6%
1995	270	78	28.9%	192	71.1%	0	0.0%

**Virginia**  
**Comparison of Female/Male Proportions**  
**AIDS Morbidity**

Calendar Years  
 1984 - 1995

<u>Calendar Year</u>	<u>AIDS</u>	<u>Female</u>	<u>% of Total</u>	<u>Male</u>	<u>% of Total</u>
1984	42	2	4.8%	40	95.2%
1985	102	5	4.9%	97	95.1%
1986	167	12	7.2%	155	92.8%
1987	268	23	8.6%	245	91.4%
1988	377	36	9.5%	341	90.5%
1989	445	35	7.9%	410	92.1%
1990	649	64	9.9%	585	90.1%
1991	670	77	11.5%	593	88.5%
1992	748	105	14.0%	643	86.0%
1993	1,638	251	15.3%	1,387	84.7%
1994	1,200	175	14.6%	1,025	85.4%
1995	1,461	270	18.5%	1,191	81.5%

**Virginia**  
**Comparison of White/Non-White Proportions**  
**AIDS Morbidity**

Calendar Years  
 1982 - 1995

<u>Calendar Year</u>	<u>AIDS</u>	<u>White</u>	<u>% of Total</u>	<u>Non-White</u>	<u>% of Total</u>	<u>Race Unk</u>	<u>% of Total</u>
1982	6	3	50.0%	3	50.0%	0	0.0%
1983	21	16	76.2%	5	23.8%	0	0.0%
1984	42	31	73.8%	11	26.2%	0	0.0%
1985	102	79	77.5%	23	22.5%	0	0.0%
1986	167	99	59.3%	68	40.7%	0	0.0%
1987	268	185	69.0%	82	30.6%	1	0.4%
1988	376	214	56.9%	162	43.1%	0	0.0%
1989	445	263	59.1%	181	40.7%	1	0.2%
1990	648	352	54.3%	296	45.7%	0	0.0%
1991	665	358	53.8%	307	46.2%	0	0.0%
1992	747	371	49.7%	375	50.2%	1	0.1%
1993	1,630	740	45.4%	890	54.6%	0	0.0%
1994	1,200	526	43.8%	672	56.0%	2	0.2%
1995	1,461	660	45.2%	797	54.6%	4	0.3%

## Virginia

### Proportion of AIDS Cases by GENDER

Calendar Years  
1982 - 1995

Year	AIDS	Female	% of Total	Male	% of Total
1982	6	0	0.0%	6	100.0%
1983	21	1	4.8%	20	95.2%
1984	42	2	4.8%	40	95.2%
1985	102	5	4.9%	97	95.1%
1986	167	12	7.2%	155	92.8%
1987	268	23	8.6%	245	91.4%
1988	376	36	9.6%	340	90.4%
1989	445	35	7.9%	410	92.1%
1990	648	64	9.9%	584	90.1%
1991	665	77	11.6%	588	88.4%
1992	747	105	14.1%	642	85.9%
1993	1,630	251	15.4%	1,379	84.6%
1994	1,200	175	14.6%	1,025	85.4%
1995	1,461	270	18.5%	1,191	81.5%

### Proportion of AIDS Cases by RACE

Calendar Years  
1982 - 1995

Year	AIDS	White	% of Total	Non-White	% of Total	Race Unk	% of Total
1982	6	3	50.0%	3	50.0%	0	0.0%
1983	21	16	76.2%	5	23.8%	0	0.0%
1984	42	31	73.8%	11	26.2%	0	0.0%
1985	102	79	77.5%	23	22.5%	0	0.0%
1986	167	99	59.3%	68	40.7%	0	0.0%
1987	268	185	69.0%	82	30.6%	1	0.4%
1988	376	214	56.9%	162	43.1%	0	0.0%
1989	445	263	59.1%	181	40.7%	1	0.2%
1990	648	352	54.3%	296	45.7%	0	0.0%
1991	665	358	53.8%	307	46.2%	0	0.0%
1992	747	371	49.7%	375	50.2%	1	0.1%
1993	1,630	740	45.4%	890	54.6%	0	0.0%
1994	1,200	526	43.8%	672	56.0%	2	0.2%
1995	1,461	660	45.2%	797	54.6%	4	0.3%

## Virginia

### Proportion of FEMALE AIDS Cases by RACE

Calendar Years  
1982 - 1995

Year	AIDS	White	% of Total	Non-White	% of Total	Race Unk	% of Total
1982	0	0	0.0%	0	0.0%	0	0.0%
1983	1	0	0.0%	1	100.0%	0	0.0%
1984	2	2	100.0%	0	0.0%	0	0.0%
1985	5	4	80.0%	1	20.0%	0	0.0%
1986	12	4	33.3%	8	66.7%	0	0.0%
1987	23	8	34.8%	15	65.2%	0	0.0%
1988	36	18	50.0%	18	50.0%	0	0.0%
1989	35	12	34.3%	23	65.7%	0	0.0%
1990	64	18	28.1%	46	71.9%	0	0.0%
1991	77	23	29.9%	54	70.1%	0	0.0%
1992	105	26	24.8%	79	75.2%	0	0.0%
1993	251	58	23.1%	193	76.9%	0	0.0%
1994	175	42	24.0%	132	75.4%	1	0.6%
1995	270	78	28.9%	192	71.1%	0	0.0%

### Proportion of MALE AIDS Cases by RACE

Calendar Years  
1982 - 1995

Year	AIDS	White	% of Total	Non-White	% of Total	Race Unk	% of Total
1982	6	3	50.0%	3	50.0%	0	0.0%
1983	20	16	80.0%	4	20.0%	0	0.0%
1984	40	29	72.5%	11	27.5%	0	0.0%
1985	97	75	77.3%	22	22.7%	0	0.0%
1986	155	95	61.3%	60	38.7%	0	0.0%
1987	245	177	72.2%	67	27.3%	1	0.4%
1988	340	196	57.6%	144	42.4%	0	0.0%
1989	410	251	61.2%	158	38.5%	1	0.2%
1990	584	334	57.2%	250	42.8%	0	0.0%
1991	588	335	57.0%	253	43.0%	0	0.0%
1992	642	345	53.7%	296	46.1%	1	0.2%
1993	1,379	682	49.5%	697	50.5%	0	0.0%
1994	1,025	484	47.2%	540	52.7%	1	0.1%
1995	1,191	582	48.9%	605	50.8%	4	0.3%

**Virginia  
AIDS  
by AGE GROUPS**

Calendar Years  
1982 - 1988

Age Group (years)	1982 # of Total		1983 # of Total		1984 # of Total		1985 # of Total		1986 # of Total		1987 # of Total		1988 # of Total	
Under 10	0	0.0%	0	0.0%	1	2.4%	3	2.9%	2	1.2%	3	1.1%	8	2.1%
10-14	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	1	0.4%	2	0.5%
15-19	0	0.0%	0	0.0%	0	0.0%	1	1.0%	1	0.6%	2	0.7%	1	0.3%
20-24	1	16.7%	2	9.5%	3	7.1%	2	2.0%	10	6.0%	17	6.3%	17	4.5%
25-29	1	16.7%	3	14.3%	4	9.5%	18	17.6%	38	22.8%	44	16.4%	69	18.4%
30-34	1	16.7%	5	23.8%	10	23.8%	25	24.5%	35	21.0%	69	25.7%	87	23.1%
35-39	0	0.0%	4	19.0%	13	31.0%	17	16.7%	32	19.2%	63	23.5%	82	21.8%
40-44	2	33.3%	4	19.0%	1	2.4%	22	21.6%	18	10.8%	32	11.9%	48	12.8%
45+	1	16.7%	3	14.3%	10	23.8%	14	13.7%	31	18.6%	37	13.8%	62	16.5%
Unknown	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
<b>Total</b>	<b>6</b>		<b>21</b>		<b>42</b>		<b>102</b>		<b>167</b>		<b>268</b>		<b>376</b>	

**Virginia  
AIDS  
by AGE GROUPS**

Calendar Years  
1989 - 1995

Age Group (years)	1989 # of Total		1990 # of Total		1991 # of Total		1992 # of Total		1993 # of Total		1994 # of Total		1995 # of Total	
Under 10	5	1.1%	11	1.7%	15	2.3%	19	2.5%	9	0.6%	31	2.6%	15	1.0%
10-14	0	0.0%	1	0.2%	2	0.3%	3	0.4%	3	0.2%	5	0.4%	3	0.2%
15-19	1	0.2%	0	0.0%	1	0.2%	2	0.3%	7	0.4%	3	0.3%	6	0.4%
20-24	26	5.8%	31	4.8%	20	3.0%	25	3.3%	54	3.3%	45	3.8%	59	4.0%
25-29	69	15.5%	121	18.7%	116	17.4%	98	13.1%	248	15.2%	158	13.2%	205	14.0%
30-34	114	25.6%	161	24.8%	154	23.2%	173	23.2%	402	24.7%	293	24.4%	351	24.0%
35-39	92	20.7%	129	19.9%	128	19.2%	163	21.8%	361	22.1%	263	21.9%	342	23.4%
40-44	61	13.7%	80	12.3%	99	14.9%	131	17.5%	262	16.1%	197	16.4%	223	15.3%
45+	77	17.3%	114	17.6%	130	19.5%	133	17.8%	284	17.4%	205	17.1%	257	17.6%
Unknown	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
<b>Total</b>	<b>445</b>		<b>648</b>		<b>665</b>		<b>747</b>		<b>1,630</b>		<b>1,200</b>		<b>1,461</b>	

**Virginia  
AIDS Cases  
by SELECTED CITIES/COUNTIES**

Calendar Years  
1994 - 1995

City/County	1994	1995	% Change 1994 vs 1995
Alexandria	75	55	-26.7%
Arlington	66	103	56.1%
Charlottesville	13	17	30.8%
Chesapeake	20	42	110.0%
Chesterfield	13	19	46.2%
Danville	8	9	12.5%
Fairfax County	120	144	20.0%
Hampton	26	32	23.1%
Henrico	43	28	-34.9%
Lynchburg	16	23	43.8%
Newport News	27	51	88.9%
Norfolk	191	210	9.9%
Petersburg	23	14	-39.1%
Portsmouth	43	71	65.1%
Richmond City	126	154	22.2%
Roanoke City	32	57	78.1%
Suffolk	11	16	45.5%
Virginia Beach	74	90	21.6%
<b>Total</b>	<b>927</b>	<b>1,135</b>	<b>22.4%</b>
<b>All Other Cities/Counties</b>	<b>273</b>	<b>326</b>	<b>19.4%</b>
<b>State Total</b>	<b>1,200</b>	<b>1,461</b>	<b>21.8%</b>

**Virginia  
Civilian AIDS Morbidity  
by SELECTED CITIES/COUNTIES  
Five Year Trend**

Calendar Years  
1991 - 1995

City/County	1991	1992	1993	1994	1995	% Change 1991 vs 1995
Alexandria	46	53	114	75	55	19.6%
Arlington	74	99	143	66	103	39.2%
Charlottesville	14	4	19	13	17	21.4%
Chesapeake	11	13	27	20	42	281.8%
Chesterfield	9	9	40	13	19	111.1%
Danville	5	4	15	8	9	80.0%
Fairfax County	90	86	201	120	144	60.0%
Hampton	12	11	31	26	32	166.7%
Henrico	21	20	64	43	28	33.3%
Lynchburg	10	7	16	16	23	130.0%
Newport News	20	22	39	27	51	155.0%
Norfolk	44	39	119	191	210	377.3%
Petersburg	17	14	23	23	14	-17.6%
Portsmouth	10	13	39	43	71	610.0%
Richmond City	78	83	231	126	154	97.4%
Roanoke City	19	23	50	32	57	200.0%
Suffolk	3	12	3	11	16	433.3%
Virginia Beach	31	38	73	74	90	190.3%
<b>Total</b>	<b>514</b>	<b>550</b>	<b>1,247</b>	<b>927</b>	<b>1,135</b>	<b>120.8%</b>
<b>All Other Cities/Counties</b>	<b>156</b>	<b>198</b>	<b>391</b>	<b>273</b>	<b>326</b>	<b>109.0%</b>
<b>State Total</b>	<b>670</b>	<b>748</b>	<b>1,638</b>	<b>1,200</b>	<b>1,461</b>	<b>118.1%</b>

**Virginia  
AIDS Morbidity  
by HEALTH REGION**

Calendar Years  
1994 - 1995


<u>Region</u>	<u>1994 Cases</u>	<u>Percent of Total Cases</u>	<u>1995 Cases</u>	<u>Percent of Total Cases</u>	<u>% Change</u>
Central	282	23.5%	315	21.6%	11.7%
Eastern	425	35.4%	554	37.9%	30.4%
Northern	310	25.8%	365	25.0%	17.7%
Northwest	72	6.0%	76	5.2%	5.6%
<u>Southwest</u>	<u>111</u>	<u>9.3%</u>	<u>151</u>	<u>10.3%</u>	<u>36.0%</u>
TOTAL	1,200		1,461		21.8%

**Virginia  
AIDS Morbidity  
by TRANSMISSION CATEGORY**

Calendar Years  
1994 - 1995

<u>Transmission Category</u>	<u>1994 Cases</u>	<u>Percent of Total Cases</u>	<u>1995 Cases</u>	<u>Percent of Total Cases</u>	<u>% Change</u>
MSM	589	49.1%	709	48.5%	20.4%
IDU	229	19.1%	282	19.3%	23.1%
Transfusion	14	1.2%	20	1.4%	42.9%
MSM & IDU	70	5.8%	75	5.1%	7.1%
Pediatric	35	2.9%	27	1.8%	-22.9%
Hemophiliac	5	0.4%	9	0.6%	80.0%
Heterosexual	122	10.2%	186	12.7%	52.5%
<u>NIR</u>	<u>136</u>	<u>11.3%</u>	<u>153</u>	<u>10.5%</u>	<u>12.5%</u>
TOTAL	1,200		1,461		21.8%

MSM - Men having Sex with Men  
IDU - Injecting Drug Use  
NIR - No Identifiable Risk



*STD/HIV*  
*by Locality, District and*  
*Region*

Number of Cases and Rate for  
Each City/County, District, and  
Region for these Diseases:

Locality/District/Region	Population	HIV		AIDS		Primary & Secondary Syphilis		Early Latent Syphilis		Other Syphilis		Total Syphilis		Gonorrhea		Chlamydia	
		Reported Cases	Rate per 100,000	Reported Cases	Rate per 100,000	Reported Cases	Rate per 100,000	Reported Cases	Rate per 100,000	Reported Cases	Rate per 100,000	Reported Cases	Rate per 100,000	Reported Cases	Rate per 100,000	Reported Cases	Rate per 100,000
<b>Counties</b>																	
Accomack	32,053	5	15.59	8	24.95	6	18.71	4	12.48	5	15.59	15	46.78	53	166.49	131	408.57
Albemarle	73,760	1	1.36	2	2.71	0	0.00	0	0.00	0	0.00	0	0.00	32	43.38	33	44.74
Alleghany	12,812	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	1	7.81	1	7.81
Amelia	9,148	0	0.00	1	10.93	0	0.00	0	0.00	0	0.00	0	0.00	6	67.47	28	306.14
Amherst	28,845	3	10.40	4	13.87	3	10.40	5	17.33	1	3.47	9	31.20	26	90.14	36	124.80
Appomattox	12,661	0	0.00	3	23.69	2	15.60	0	0.00	2	15.80	4	31.59	17	134.27	19	150.07
Arlington	175,520	54	30.77	103	58.68	1	0.57	6	3.42	37	21.08	44	25.07	133	75.77	307	174.91
Augusta	56,452	4	7.09	3	5.31	1	1.77	0	0.00	0	0.00	1	1.77	7	12.40	11	19.49
Bath	4,646	1	21.52	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	3	64.57
Bedford Cnty	50,450	0	0.00	4	7.93	0	0.00	0	0.00	0	0.00	0	0.00	11	21.63	15	29.73
Bland	8,559	0	0.00	1	15.25	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	3	45.74
Boyle Cnty	25,751	0	0.00	2	7.77	0	0.00	0	0.00	0	0.00	0	0.00	8	29.30	21	81.55
Brunswick	16,131	7	43.39	4	24.80	1	6.20	2	12.40	3	18.60	6	37.20	23	142.58	35	216.97
Buchanan	29,659	2	6.74	1	3.37	0	0.00	0	0.00	0	0.00	0	0.00	1	3.37	36	121.38
Buckingham	13,134	8	60.91	7	53.30	0	0.00	1	7.61	2	15.23	3	22.84	38	274.10	28	213.10
Campbell	40,240	7	14.51	9	18.66	3	6.22	4	8.29	0	0.00	7	14.51	28	58.04	45	93.28
Caroline	19,876	0	0.00	1	5.03	0	0.00	0	0.00	1	5.03	1	5.03	23	115.72	80	402.50
Carroll	26,364	0	0.00	2	7.59	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	10	37.93
Charles City	6,187	0	0.00	1	16.16	0	0.00	0	0.00	0	0.00	0	0.00	37	598.03	73	1179.89
Charlotte	11,539	0	0.00	0	0.00	0	0.00	1	8.67	1	8.67	2	17.33	14	121.33	21	181.89
Chesterfield	238,181	25	10.50	19	7.96	4	1.68	8	3.36	9	3.78	21	8.82	68	28.55	170	71.37
Clarke	13,071	1	7.65	2	15.30	0	0.00	0	0.00	1	7.65	1	7.65	6	45.90	12	91.81
Craig	4,598	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	4	86.99
Culpeper	31,077	2	6.44	4	12.87	0	0.00	0	0.00	1	3.22	1	3.22	66	218.81	152	489.11
Cumberland	7,991	0	0.00	1	12.51	0	0.00	2	25.03	0	0.00	2	25.03	9	112.63	7	87.60
Dickenson	16,994	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	11	64.73
Dinwiddie	22,816	7	30.95	4	17.69	0	0.00	3	13.26	0	0.00	3	13.26	12	53.06	20	88.43
Essex	8,746	2	22.87	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	11	125.77	19	217.24
Fairfax Cnty	901,126	90	9.99	144	15.98	3	0.33	5	0.55	23	2.55	31	3.44	244	27.08	490	54.38
Fauquier	55,846	2	3.58	4	7.18	0	0.00	0	0.00	0	0.00	0	0.00	11	19.70	42	75.21
Floyd	12,216	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	1	8.18	6	49.11
Flovanna	13,491	2	14.82	2	14.82	0	0.00	0	0.00	0	0.00	0	0.00	15	111.19	16	118.60
Franklin Cnty	41,364	0	0.00	4	9.67	1	2.42	1	2.42	1	2.42	3	7.25	5	12.09	31	74.94
Frederick	50,896	0	0.00	3	5.89	0	0.00	0	0.00	2	3.93	2	3.93	9	17.68	31	60.91
Giles	16,241	1	6.16	2	12.31	0	0.00	0	0.00	0	0.00	0	0.00	1	6.16	14	85.20
Gloucester	34,695	2	5.76	2	5.76	0	0.00	2	5.76	0	0.00	2	5.76	7	20.18	18	51.68

Number of Cases and Rate for  
Each City/County, District, and  
Region for these Diseases:

1996		HIV		AIDS		Primary & Secondary Syphills		Early Latent Syphills		Other Syphills		Total Syphills		Gonorrhea		Chlamydia	
Locality/District/Region	Population	Reported Cases	Rate per 100,000	Reported Cases	Rate per 100,000	Reported Cases	Rate per 100,000	Reported Cases	Rate per 100,000	Reported Cases	Rate per 100,000	Reported Cases	Rate per 100,000	Reported Cases	Rate per 100,000	Reported Cases	Rate per 100,000
Goochland	15,664	12	76.61	7	44.69	1	6.38	0	0.00	1	6.38	2	12.77	10	63.84	14	89.38
Grayson	16,153	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	11	68.10
Greene	11,734	1	8.52	0	0.00	0	0.00	0	0.00	1	8.52	1	8.52	4	34.09	17	144.88
Greensville	9,533	9	94.41	4	41.96	1	10.49	3	31.47	0	0.00	4	41.96	1	10.49	5	52.45
Hallfax	28,548	3	10.51	4	14.01	1	3.50	0	0.00	1	3.50	2	7.01	40	140.11	46	161.13
Hanover	70,621	7	9.88	4	5.65	0	0.00	0	0.00	0	0.00	0	0.00	36	50.83	96	135.55
Henrico	233,112	45	19.30	28	12.01	2	0.88	7	3.00	3	1.29	12	5.15	81	34.75	132	56.63
Henry	56,774	0	0.00	6	10.57	0	0.00	0	0.00	1	1.76	1	1.76	56	98.64	58	102.16
Highland	2,514	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	2	79.55
Isle of Wight	27,831	1	3.59	3	10.78	5	17.97	3	10.78	0	0.00	8	28.74	35	125.76	54	194.03
James City	39,735	4	10.07	2	5.03	0	0.00	0	0.00	0	0.00	0	0.00	2	5.03	5	12.58
King George	14,793	1	6.76	2	13.52	0	0.00	1	6.76	1	6.76	2	13.52	11	74.36	21	141.96
King and Queen	6,497	1	15.39	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	6	92.35	16	246.27
King William	11,821	1	8.48	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	9	76.14	19	160.73
Lancaster	11,303	0	0.00	3	26.54	0	0.00	2	17.69	0	0.00	2	17.69	13	115.01	28	247.72
Lee	24,185	0	0.00	1	4.13	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	19	78.56
Loudoun	99,539	1	1.00	11	11.05	0	0.00	1	1.00	2	2.01	3	3.01	18	18.08	83	83.38
Louisa	21,488	1	4.65	4	18.62	0	0.00	0	0.00	0	0.00	0	0.00	9	41.89	45	209.44
Lunenburg	11,215	3	26.75	4	35.67	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	23	205.08
Madison	12,901	0	0.00	0	0.00	0	0.00	1	7.75	0	0.00	1	7.75	3	23.25	12	93.02
Mathews	8,568	0	0.00	2	23.34	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	4	46.69
Mecklenburg	29,112	7	24.05	7	24.05	0	0.00	1	3.44	3	10.31	4	13.74	46	158.01	98	336.63
Middlesex	9,038	1	11.06	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	2	22.13	10	110.64
Montgomery	76,828	2	2.60	4	5.21	0	0.00	0	0.00	0	0.00	0	0.00	21	27.33	113	147.08
Nelson	13,046	1	7.67	2	15.33	0	0.00	0	0.00	0	0.00	0	0.00	13	99.65	14	107.31
New Kent	11,547	3	25.98	1	8.68	0	0.00	1	8.68	2	17.32	3	25.98	5	43.30	18	155.88
Norhampton	12,772	4	31.32	2	15.68	19	148.76	12	93.96	6	46.98	37	289.70	33	258.38	70	546.07
Northumberland	10,952	0	0.00	2	18.26	2	18.26	1	9.13	0	0.00	3	27.39	16	164.35	29	264.79
Nottoway	15,099	5	33.11	7	46.36	0	0.00	0	0.00	1	6.62	1	6.62	20	132.46	44	291.41
Orange	22,950	3	13.07	1	4.36	0	0.00	0	0.00	0	0.00	0	0.00	16	69.72	68	296.30
Page	22,701	2	8.81	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	7	30.84	40	176.20
Patrick	17,489	0	0.00	1	5.72	0	0.00	0	0.00	0	0.00	0	0.00	4	22.87	8	45.74
Pittsylvania	55,577	3	5.40	2	3.60	0	0.00	3	5.40	0	0.00	3	5.40	85	152.94	60	107.96
Powhatan	17,000	13	76.47	20	117.65	0	0.00	6	35.29	38	211.76	42	247.06	8	47.06	17	100.00
Prince Edward	17,663	2	11.32	5	28.31	1	5.68	0	0.00	0	0.00	1	5.68	29	164.19	58	328.37
Prince George	28,375	6	21.15	3	10.57	0	0.00	0	0.00	5	17.62	5	17.62	3	10.57	22	77.53
Prince William	247,426	18	7.27	33	13.34	0	0.00	4	1.62	5	2.02	9	3.64	165	66.69	223	90.13

Number of Cases and Rate for  
Each City/County, District, and  
Region for these Diseases:

1995 Locality/District/Region	Population	HIV		AIDS		Primary & Secondary Syphilis		Early Latent Syphilis		Other Syphilis		Total Syphilis		Gonorrhea		Chlamydia	
		Reported Cases	Rate per 100,000	Reported Cases	Rate per 100,000	Reported Cases	Rate per 100,000	Reported Cases	Rate per 100,000	Reported Cases	Rate per 100,000	Reported Cases	Rate per 100,000	Reported Cases	Rate per 100,000	Reported Cases	Rate per 100,000
Pulaski	34,347	3	8.73	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	10	29.11	39	113.55
Rappahannock	6,969	1	14.35	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	2	28.70	7	100.44
Richmond Cnty	7,425	6	80.81	2	26.94	0	0.00	2	26.94	2	26.94	4	53.87	11	148.15	18	242.42
Roanoke Cnty	81,497	1	1.23	2	2.45	0	0.00	1	1.23	0	0.00	1	1.23	8	9.82	22	26.99
Rockbridge	18,582	1	5.38	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	7	37.67
Rockingham	59,798	1	1.67	1	1.67	0	0.00	0	0.00	0	0.00	0	0.00	1	1.67	10	16.72
Russell	27,711	1	3.61	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	18	64.96
Scott	22,771	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	8	35.13
Shenandoah	33,370	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	4	11.99	41	122.86
Smyth	32,986	3	9.09	0	0.00	1	3.03	1	3.03	0	0.00	2	6.06	9	27.28	26	78.82
Southampton	17,372	5	28.78	3	17.27	1	5.76	3	17.27	2	11.51	6	34.54	14	80.59	23	132.40
Spotsylvania	66,929	1	1.49	3	4.48	0	0.00	0	0.00	0	0.00	0	0.00	14	20.92	39	58.27
Stafford	72,798	5	6.87	6	8.24	0	0.00	0	0.00	1	1.37	1	1.37	21	28.85	73	100.28
Surry	6,277	0	0.00	4	63.72	0	0.00	2	31.86	0	0.00	2	31.86	7	111.52	23	366.42
Sussex	10,003	4	39.99	1	10.00	4	39.99	2	19.99	0	0.00	6	59.98	14	139.96	40	399.88
Tazewell	44,422	3	6.75	2	4.50	1	2.25	1	2.25	0	0.00	2	4.50	4	9.00	31	69.79
Warren	28,628	1	3.49	2	6.99	0	0.00	0	0.00	1	3.49	1	3.49	24	83.83	72	251.50
Washington	45,648	1	2.19	1	2.19	0	0.00	0	0.00	0	0.00	0	0.00	2	4.38	14	30.67
Westmoreland	15,951	1	6.27	4	25.08	0	0.00	1	6.27	0	0.00	1	6.27	38	238.23	59	369.88
Wise	38,641	1	2.59	2	5.18	1	2.59	0	0.00	0	0.00	1	2.59	3	7.76	69	178.57
Wythe	25,431	1	3.93	1	3.93	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	20	78.64
York	46,050	5	10.86	4	8.69	0	0.00	0	0.00	0	0.00	0	0.00	16	34.74	28	60.80
<b>Cities</b>																	
Alexandria	116,621	46	39.44	55	47.16	4	3.43	3	2.57	27	23.15	34	29.15	246	210.94	308	264.10
Bedford City	6,101	0	0.00	1	16.39	0	0.00	0	0.00	0	0.00	0	0.00	15	245.86	28	458.94
Bristol	18,150	1	5.51	2	11.02	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	8	44.08
Buena Vista	6,299	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	24	381.01
Charlottesville	40,650	8	19.68	17	41.82	2	4.92	1	2.46	4	9.84	7	17.22	135	332.10	152	373.92
Chesapeake	170,942	32	18.72	42	24.57	31	18.13	27	15.79	17	9.94	75	43.87	364	212.94	246	143.91
Clifton Forge	4,486	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	14	312.08
Colonial Heights	15,885	3	18.89	5	31.48	0	0.00	0	0.00	0	0.00	0	0.00	7	44.07	20	125.90
Covington	6,628	1	15.09	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	2	30.18	28	422.45
Danville	52,771	5	9.47	9	17.05	2	3.79	3	5.68	8	15.16	13	24.63	365	691.67	260	492.69
Emporia	5,287	2	37.83	0	0.00	3	56.74	2	37.83	2	37.83	7	132.40	23	435.03	36	680.92
Fairfax City	19,945	2	10.03	3	15.04	0	0.00	2	10.03	2	10.03	4	20.06	37	185.51	83	416.14
Falls Church	9,845	1	10.16	11	111.73	0	0.00	1	10.16	6	60.94	7	71.10	19	192.99	71	721.18

Number of Cases and Rate for  
Each City/County, District, and  
Region for these Diseases:

Locality/District/Region	Population	HIV		AIDS		Primary & Secondary Syphilis		Early Latent Syphilis		Other Syphilis		Total Syphilis		Gonorrhea		Chlamydia	
		Reported Cases	Rate per 100,000	Reported Cases	Rate per 100,000	Reported Cases	Rate per 100,000	Reported Cases	Rate per 100,000	Reported Cases	Rate per 100,000	Reported Cases	Rate per 100,000	Reported Cases	Rate per 100,000	Reported Cases	Rate per 100,000
Franklin City	8,030	4	49.81	2	24.91	5	62.27	1	12.45	3	37.36	9	112.08	31	386.05	45	560.40
Fredericksburg	19,768	3	15.18	5	25.29	1	5.06	3	15.18	4	20.23	8	40.47	90	455.28	130	657.63
Galax	6,739	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	13	192.91
Hampton	138,062	44	31.87	32	23.18	29	21.01	31	22.45	27	19.56	87	63.02	345	249.89	281	203.53
Harrisonburg	32,394	0	0.00	2	6.17	0	0.00	0	0.00	0	0.00	0	0.00	2	6.17	129	398.22
Hopewell	22,958	7	30.49	5	21.78	2	8.71	1	4.36	0	0.00	3	13.07	14	60.98	23	100.18
Lexington	6,983	0	0.00	1	14.32	0	0.00	0	0.00	0	0.00	0	0.00	2	28.64	30	429.61
Lynchburg	66,227	18	27.18	23	34.73	14	21.14	14	21.14	3	4.53	31	46.81	180	271.79	223	336.72
Manassas	32,079	4	12.47	5	15.59	0	0.00	2	6.23	3	9.35	5	15.59	68	211.98	159	495.65
Manassas Park	7,720	0	0.00	0	0.00	0	0.00	0	0.00	1	12.95	1	12.95	1	12.95	2	25.91
Martinsville	15,720	0	0.00	1	6.36	0	0.00	0	0.00	0	0.00	0	0.00	94	597.96	82	521.63
Newport News	178,276	44	24.68	51	28.61	39	21.88	43	24.12	35	19.63	117	65.63	573	321.41	634	355.63
Norfolk	258,609	185	71.54	210	81.20	130	50.27	110	42.54	38	14.69	278	107.50	1,679	649.24	832	321.72
Norton	4,090	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	14	342.30
Petersburg	36,243	27	74.50	14	38.63	14	38.63	4	11.04	8	22.07	26	71.74	135	372.49	199	549.07
Poquoson	11,965	0	0.00	1	8.36	0	0.00	0	0.00	0	0.00	0	0.00	1	8.36	1	8.36
Portsmouth	103,424	48	46.41	71	68.65	113	109.26	57	55.11	18	17.40	188	181.78	611	590.77	241	233.02
Radford	16,587	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	9	54.26	48	289.38
Richmond City	198,001	202	102.02	154	77.78	37	18.69	70	35.35	14	7.07	121	61.11	2,372	1197.97	2,150	1085.85
Roanoke City	94,877	38	40.05	57	60.08	10	10.54	9	9.49	8	8.43	27	28.46	286	301.44	410	432.14
Salem	23,576	2	8.48	4	16.97	0	0.00	0	0.00	1	4.24	1	4.24	11	46.66	19	80.59
South Boston	7,055	1	14.17	1	14.17	0	0.00	0	0.00	1	14.17	1	14.17	21	297.66	9	127.57
Staunton	24,537	1	4.08	2	8.15	0	0.00	0	0.00	5	20.38	5	20.38	18	73.36	119	484.98
Suffolk	55,902	12	21.47	16	28.62	80	143.11	34	60.82	21	37.57	135	241.49	152	271.90	210	375.66
Virginia Beach	439,427	86	19.57	90	20.48	18	4.10	19	4.32	18	4.10	55	12.52	382	86.93	424	96.49
Waynesboro	18,727	0	0.00	1	5.34	0	0.00	0	0.00	0	0.00	0	0.00	19	101.46	65	347.09
Williamsburg	12,060	4	33.17	2	16.58	0	0.00	4	33.17	1	8.29	5	41.46	35	290.22	93	771.14
Winchester	23,056	6	26.02	6	26.02	0	0.00	1	4.34	2	8.67	3	13.01	54	234.21	156	676.61

Number of Cases and Rate for  
Each City/County, District, and  
Region for these Diseases:

Locality/District/Region	Population	HIV		AIDS		Primary & Secondary Syphilis		Early Latent Syphilis		Other Syphilis		Total Syphilis		Gonorrhea		Chlamydia	
		Reported Cases	Rate per 100,000	Reported Cases	Rate per 100,000	Reported Cases	Rate per 100,000	Reported Cases	Rate per 100,000	Reported Cases	Rate per 100,000	Reported Cases	Rate per 100,000	Reported Cases	Rate per 100,000	Reported Cases	Rate per 100,000
District																	
Alexandria	116,621	46	39.44	55	47.16	4	3.43	3	2.57	27	23.15	34	29.15	246	210.94	308	264.10
Alleghany	159,348	4	2.51	8	5.02	0	0.00	1	0.63	1	0.63	2	1.26	28	17.57	109	68.40
Arlington	175,520	54	30.77	103	58.68	1	0.57	6	3.42	37	21.08	44	25.07	133	75.77	307	174.91
Central Shenandoah	230,932	8	3.46	10	4.33	1	0.43	0	0.00	5	2.17	6	2.60	49	21.22	400	173.21
Central Virginia	212,527	28	13.17	44	20.70	22	10.35	23	10.82	6	2.82	51	24.00	277	130.34	366	172.21
Chesapeake	170,942	32	18.72	42	24.57	31	18.13	27	15.79	17	9.94	75	43.87	364	212.94	246	143.91
Chesterfield	271,066	41	15.13	44	16.23	4	1.48	14	5.16	45	16.60	63	23.24	83	30.62	207	76.37
Crater	141,292	62	43.88	35	24.77	24	16.99	17	12.03	15	10.62	56	39.63	209	147.92	368	260.45
Cumberland Plateau	118,786	6	5.05	3	2.53	1	0.84	1	0.84	0	0.00	2	1.68	5	4.21	96	80.82
Eastern Shore	44,835	9	20.07	10	22.30	25	55.76	16	35.69	11	24.53	52	115.98	96	214.12	201	448.31
Fairfax	930,916	93	9.99	158	16.97	3	0.32	8	0.86	31	3.33	42	4.51	300	32.23	644	69.18
Hampton	138,062	44	31.87	32	23.18	29	21.01	31	22.45	27	19.56	87	63.02	345	249.89	281	203.53
Hanover	104,219	22	21.11	13	12.47	1	0.96	1	0.96	3	2.88	5	4.80	88	84.44	201	192.86
Henrico	233,112	45	19.30	28	12.01	2	0.86	7	3.00	3	1.29	12	5.15	81	34.75	132	56.63
Lenowisco	89,687	1	1.11	3	3.34	1	1.11	0	0.00	0	0.00	1	1.11	3	3.34	110	122.65
Lord Fairfax	171,722	10	5.82	13	7.57	0	0.00	1	0.58	6	3.49	7	4.08	104	60.56	352	204.98
Loudoun	99,539	1	1.00	11	11.05	0	0.00	1	1.00	2	2.01	3	3.01	18	18.08	83	83.38
Mount Rogers	178,030	6	3.37	7	3.93	1	0.56	1	0.56	0	0.00	2	1.12	11	6.18	105	58.98
New River	156,221	6	3.84	6	3.84	0	0.00	0	0.00	0	0.00	0	0.00	42	26.88	220	140.83
Norfolk	258,609	185	71.54	210	81.20	130	50.27	110	42.54	38	14.69	278	107.50	1,679	649.24	832	321.72
Peninsula	288,086	57	19.79	60	20.83	39	13.54	47	16.31	36	12.50	122	42.35	627	217.64	761	264.16
Piedmont	85,787	18	20.98	25	29.14	1	1.17	4	4.66	4	4.66	9	10.49	116	135.22	209	243.63
Pittsylvania / Danville	108,348	8	7.38	11	10.15	2	1.85	6	5.54	8	7.38	16	14.77	450	415.33	320	295.34
Portsmouth	103,424	48	46.41	71	68.65	113	109.26	57	55.11	18	17.40	188	181.78	611	590.77	241	233.02
Prince William	287,225	22	7.66	38	13.23	0	0.00	6	2.09	9	3.13	15	5.22	234	81.47	384	133.69
Rappahannock	194,164	10	5.15	17	8.76	1	0.52	4	2.06	7	3.61	12	6.18	159	81.89	343	176.65
Rappahannock / Rapidan	129,743	8	6.17	9	6.94	0	0.00	1	0.77	1	0.77	2	1.54	100	77.08	281	216.58
Richmond City	198,001	202	102.02	154	77.78	37	18.69	70	35.35	14	7.07	121	61.11	2,372	1197.97	2,150	1085.85
Roanoke City	94,877	38	40.05	57	60.08	10	10.54	9	9.49	8	8.43	27	28.46	286	301.44	410	432.14
Southside	80,846	18	22.26	16	19.79	2	2.47	3	3.71	8	9.90	13	16.08	130	160.80	188	232.54
Thomas Jefferson	174,167	14	8.04	27	15.50	2	1.15	1	0.57	5	2.87	8	4.59	208	119.43	277	159.04
Three Rivers	124,996	14	11.20	15	12.00	2	1.60	8	6.40	2	1.60	12	9.60	115	92.00	220	176.01
Virginia Beach	439,427	86	19.57	90	20.48	18	4.10	19	4.32	18	4.10	55	12.52	382	86.93	424	96.49
West Piedmont	131,347	0	0.00	12	9.14	1	0.76	1	0.76	2	1.52	4	3.05	159	121.05	179	136.28
Western Tidewater	109,135	22	20.16	24	21.99	91	83.38	41	37.57	26	23.82	158	144.77	232	212.58	332	304.21

Number of Cases and Rate for  
Each City/County, District, and  
Region for these Diseases:

Locality/District/Region	Population	HIV		AIDS		Primary & Secondary Syphilis		Early Latent Syphilis		Other Syphilis		Total Syphilis		Gonorrhea		Chlamydia	
		Reported Cases	Rate per 100,000	Reported Cases	Rate per 100,000	Reported Cases	Rate per 100,000	Reported Cases	Rate per 100,000	Reported Cases	Rate per 100,000	Reported Cases	Rate per 100,000	Reported Cases	Rate per 100,000	Reported Cases	Rate per 100,000
<b>1995</b>																	
Health Planning Rergion																	
Central Region	1,114,323	408	36.61	315	28.27	71	6.37	116	10.41	92	8.26	279	25.04	3,079	276.31	3,455	310.05
Eastern Region	1,677,516	497	29.63	554	33.03	478	28.49	356	21.22	193	11.51	1,027	61.22	4,451	265.33	3,538	210.91
Northern Region	1,609,821	216	13.42	365	22.67	8	0.50	24	1.49	106	6.58	138	8.57	931	57.83	1,726	107.22
Northwest Region	900,728	50	5.55	76	8.44	4	0.44	7	0.78	24	2.66	35	3.89	620	68.83	1,653	183.52
Southwest Region	1,249,171	97	7.77	151	12.09	38	3.04	42	3.36	25	2.00	105	8.41	1,261	100.95	1,915	153.30
Virginia	6,551,559	1,268	19.35	1,461	22.30	599	9.14	545	8.32	440	6.72	1,584	24.18	10,342	157.86	12,287	187.54

Number of Cases and Percent Change for Each Disease by County, City, District, Region, and State 1994 to 1995	Primary & Secondary Syphilis			Early Latent Syphilis			Other Syphilis			Total Syphilis		
	Reported Cases		Percent Change	Reported Cases		Percent Change	Reported Cases		Percent Change	Reported Cases		Percent Change
	1994	1995		1994	1995		1994	1995		1994	1995	
Localities/District/Region	1994	1995	Change	1994	1995	Change	1994	1995	Change	1994	1995	Change
<b>Counties</b>												
Accomack	22	6	-72.7%	21	4	-81.0%	11	5	-54.5%	54	15	-72.2%
Albemarle	0	0	0.0%	0	0	0.0%	0	0	0.0%	0	0	0.0%
Alleghany	0	0	0.0%	0	0	0.0%	0	0	0.0%	0	0	0.0%
Amelia	0	0	0.0%	0	0	0.0%	1	0	-100.0%	1	0	-100.0%
Amherst	0	3	*	2	5	150.0%	1	1	0.0%	3	9	200.0%
Appomattox	2	2	0.0%	0	0	0.0%	0	2	*	2	4	100.0%
Arlington	2	1	-50.0%	2	6	200.0%	59	37	-37.3%	63	44	-30.2%
Augusta	0	1	*	0	0	0.0%	0	0	0.0%	0	1	*
Bath	0	0	0.0%	0	0	0.0%	1	0	-100.0%	1	0	-100.0%
Bedford Cnty	0	0	0.0%	0	0	0.0%	0	0	0.0%	0	0	0.0%
Bland	0	0	0.0%	0	0	0.0%	0	0	0.0%	0	0	0.0%
Botetourt	0	0	0.0%	0	0	0.0%	2	0	-100.0%	2	0	-100.0%
Brunswick	0	1	*	2	2	0.0%	8	3	-62.5%	10	6	-40.0%
Buchanan	0	0	0.0%	0	0	0.0%	0	0	0.0%	0	0	0.0%
Buckingham	0	0	0.0%	1	1	0.0%	3	2	-33.3%	4	3	-25.0%
Campbell	1	3	200.0%	3	4	33.3%	0	0	0.0%	4	7	75.0%
Caroline	0	0	0.0%	1	0	-100.0%	1	1	0.0%	2	1	-50.0%
Carroll	0	0	0.0%	0	0	0.0%	0	0	0.0%	0	0	0.0%
Charles City	0	0	0.0%	0	0	0.0%	0	0	0.0%	0	0	0.0%
Charlotte	0	0	0.0%	1	1	0.0%	0	1	*	1	2	100.0%
Chesterfield	3	4	33.3%	7	8	14.3%	6	9	50.0%	16	21	31.3%
Clarke	1	0	-100.0%	0	0	0.0%	1	1	0.0%	2	1	-50.0%
Craig	0	0	0.0%	0	0	0.0%	0	0	0.0%	0	0	0.0%
Culpeper	0	0	0.0%	3	0	-100.0%	0	1	*	3	1	-66.7%
Cumberland	0	0	0.0%	1	2	100.0%	1	0	-100.0%	2	2	0.0%
Dickenson	0	0	0.0%	0	0	0.0%	0	0	0.0%	0	0	0.0%
Dinwiddie	0	0	0.0%	0	3	*	0	0	0.0%	0	3	*
Essex	1	0	-100.0%	0	0	0.0%	0	0	0.0%	1	0	-100.0%
Fairfax Cnty	3	3	0.0%	3	5	66.7%	28	23	-17.9%	34	31	-8.8%
Fauquier	0	0	0.0%	0	0	0.0%	0	0	0.0%	0	0	0.0%
Floyd	0	0	0.0%	0	0	0.0%	0	0	0.0%	0	0	0.0%
Fluvanna	0	0	0.0%	0	0	0.0%	0	0	0.0%	0	0	0.0%
Franklin Cnty	0	1	*	0	1	*	0	1	*	0	3	*
Frederick	1	0	-100.0%	0	0	0.0%	0	2	*	1	2	100.0%
Giles	0	0	0.0%	0	0	0.0%	0	0	0.0%	0	0	0.0%
Gloucester	0	0	0.0%	0	2	*	0	0	0.0%	0	2	*
Goochland	1	1	0.0%	3	0	-100.0%	1	1	0.0%	5	2	-60.0%
Grayson	0	0	0.0%	0	0	0.0%	0	0	0.0%	0	0	0.0%
Greene	0	0	0.0%	0	0	0.0%	0	1	*	0	1	*
Greensville	0	1	*	2	3	50.0%	1	0	-100.0%	3	4	33.3%
Halifax	2	1	-50.0%	0	0	0.0%	0	1	*	2	2	0.0%
Hanover	0	0	0.0%	0	0	0.0%	1	0	-100.0%	1	0	-100.0%
Henrico	8	2	-75.0%	4	7	75.0%	14	3	-78.6%	26	12	-53.8%
Henry	1	0	-100.0%	0	0	0.0%	1	1	0.0%	2	1	-50.0%
Highland	0	0	0.0%	0	0	0.0%	0	0	0.0%	0	0	0.0%
Isle of Wight	7	5	-28.6%	1	3	200.0%	1	0	-100.0%	9	8	-11.1%
James City	0	0	0.0%	0	0	0.0%	0	0	0.0%	0	0	0.0%

\* Increases from zero.

Number of Cases and Percent Change for Each Disease by County, City, District, Region, and State 1994 to 1995	Primary & Secondary Syphilis			Early Latent Syphilis			Other Syphilis			Total Syphilis		
	Reported Cases		Percent	Reported Cases		Percent	Reported Cases		Percent	Reported Cases		Percent
	1994	1995	Change	1994	1995	Change	1994	1995	Change	1994	1995	Change
King George	2	0	-100.0%	0	1	*	0	1	*	2	2	0.0%
King and Queen	0	0	0.0%	0	0	0.0%	0	0	0.0%	0	0	0.0%
King William	0	0	0.0%	0	0	0.0%	0	0	0.0%	0	0	0.0%
Lancaster	0	0	0.0%	0	2	*	1	0	-100.0%	1	2	100.0%
Lee	0	0	0.0%	0	0	0.0%	0	0	0.0%	0	0	0.0%
Loudoun	0	0	0.0%	0	1	*	4	2	-50.0%	4	3	-25.0%
Louisa	0	0	0.0%	1	0	-100.0%	0	0	0.0%	1	0	-100.0%
Lunenburg	0	0	0.0%	0	0	0.0%	2	0	-100.0%	2	0	-100.0%
Madison	0	0	0.0%	0	1	*	0	0	0.0%	0	1	*
Mathews	1	0	-100.0%	0	0	0.0%	0	0	0.0%	1	0	-100.0%
Mecklenburg	2	0	-100.0%	0	1	*	0	3	*	2	4	100.0%
Middlesex	0	0	0.0%	0	0	0.0%	0	0	0.0%	0	0	0.0%
Montgomery	0	0	0.0%	0	0	0.0%	0	0	0.0%	0	0	0.0%
Nelson	0	0	0.0%	0	0	0.0%	0	0	0.0%	0	0	0.0%
New Kent	0	0	0.0%	0	1	*	0	2	*	0	3	*
Northampton	12	19	58.3%	7	12	71.4%	4	6	50.0%	23	37	60.9%
Northumberland	0	2	*	1	1	0.0%	1	0	-100.0%	2	3	50.0%
Nottoway	0	0	0.0%	1	0	-100.0%	4	1	-75.0%	5	1	-80.0%
Orange	1	0	-100.0%	0	0	0.0%	0	0	*	1	0	-100.0%
Page	0	0	0.0%	0	0	0.0%	0	0	0.0%	0	0	0.0%
Patrick	0	0	0.0%	0	0	0.0%	0	0	0.0%	0	0	0.0%
Pittsylvania	2	0	-100.0%	1	3	200.0%	0	0	0.0%	3	3	0.0%
Powhatan	0	0	0.0%	7	6	-14.3%	20	36	80.0%	27	42	55.6%
Prince Edward	1	1	0.0%	0	0	0.0%	0	0	0.0%	1	1	0.0%
Prince George	0	0	0.0%	2	0	-100.0%	2	5	150.0%	4	5	25.0%
Prince William	1	0	-100.0%	4	4	0.0%	13	5	-61.5%	18	9	-50.0%
Pulaski	0	0	0.0%	0	0	0.0%	1	0	-100.0%	1	0	-100.0%
Rappahannock	0	0	0.0%	0	0	0.0%	2	0	-100.0%	2	0	-100.0%
Richmond Cnty	0	0	0.0%	0	2	*	0	2	*	0	4	*
Roanoke Cnty	0	0	0.0%	0	1	*	0	0	0.0%	0	1	*
Rockbridge	0	0	0.0%	0	0	0.0%	0	0	0.0%	0	0	0.0%
Rockingham	0	0	0.0%	0	0	0.0%	0	0	0.0%	0	0	0.0%
Russell	0	0	0.0%	0	0	0.0%	0	0	0.0%	0	0	0.0%
Scott	0	0	0.0%	0	0	0.0%	0	0	0.0%	0	0	0.0%
Shenandoah	0	0	0.0%	0	0	0.0%	1	0	0.0%	1	0	-100.0%
Smyth	0	1	*	3	1	-66.7%	0	0	0.0%	3	2	-33.3%
Southampton	7	1	-85.7%	8	3	-62.5%	3	2	-33.3%	18	6	-66.7%
Spotsylvania	0	0	0.0%	1	0	-100.0%	1	0	-100.0%	2	0	-100.0%
Stafford	1	0	-100.0%	0	0	0.0%	0	1	*	1	1	0.0%
Surry	1	0	-100.0%	2	2	0.0%	0	0	0.0%	3	2	-33.3%
Sussex	1	4	300.0%	8	2	-75.0%	0	0	0.0%	9	6	-33.3%
Tazewell	0	1	*	0	1	*	1	0	-100.0%	1	2	100.0%
Warren	0	0	0.0%	1	0	-100.0%	0	1	*	1	1	0.0%
Washington	0	0	0.0%	1	0	-100.0%	0	0	0.0%	1	0	-100.0%
Westmoreland	1	0	-100.0%	0	1	*	0	0	0.0%	1	1	0.0%
Wise	0	1	*	1	0	-100.0%	0	0	0.0%	1	1	0.0%
Wythe	0	0	0.0%	0	0	0.0%	0	0	0.0%	0	0	0.0%
York	1	0	-100.0%	4	0	-100.0%	1	0	-100.0%	6	0	-100.0%

\* Increased from zero.

Bureau of STD/AIDS

1/2/96

Number of Cases and Percent Change for Each Disease by County, City, District, Region, and State 1994 to 1995	Primary & Secondary Syphilis			Early Latent Syphilis			Other Syphilis			Total Syphilis		
	Reported Cases		Percent Change	Reported Cases		Percent Change	Reported Cases		Percent Change	Reported Cases		Percent Change
	1994	1995		1994	1995		1994	1995		1994	1995	
Locality/District/Region												
<b>Cities</b>												
Alexandria	5	4	-20.0%	5	3	-40.0%	56	27	-51.8%	66	34	-48.5%
Bedford City	0	0	0.0%	0	0	0.0%	0	0	0.0%	0	0	0.0%
Bristol	0	0	0.0%	0	0	0.0%	0	0	0.0%	0	0	0.0%
Buena Vista	0	0	0.0%	0	0	0.0%	0	0	0.0%	0	0	0.0%
Charlottesville	1	2	100.0%	1	1	0.0%	0	4	*	2	7	250.0%
Chesapeake	44	31	-29.5%	29	27	-6.9%	24	17	-29.2%	97	75	-22.7%
Clifton Forge	0	0	0.0%	0	0	0.0%	1	0	-100.0%	1	0	-100.0%
Colonial Heights	0	0	0.0%	0	0	0.0%	0	0	0.0%	0	0	0.0%
Covington	0	0	0.0%	0	0	0.0%	0	0	0.0%	0	0	0.0%
Danville	1	2	100.0%	1	3	200.0%	6	8	33.3%	8	13	62.5%
Emporia	2	3	50.0%	4	2	-50.0%	2	2	0.0%	8	7	-12.5%
Fairfax City	0	0	0.0%	0	2	*	2	2	0.0%	2	4	100.0%
Falls Church	1	0	-100.0%	1	1	0.0%	4	6	50.0%	6	7	16.7%
Franklin City	6	5	-16.7%	3	1	-66.7%	0	3	*	9	9	0.0%
Fredericksburg	4	1	-75.0%	5	3	-40.0%	2	4	100.0%	11	8	-27.3%
Galax	0	0	0.0%	0	0	0.0%	0	0	0.0%	0	0	0.0%
Hampton	50	29	-42.0%	33	31	-6.1%	24	27	12.5%	107	87	-18.7%
Harrisonburg	0	0	0.0%	0	0	0.0%	0	0	0.0%	0	0	0.0%
Hopewell	0	2	*	3	1	-66.7%	1	0	-100.0%	4	3	-25.0%
Lexington	0	0	0.0%	0	0	0.0%	0	0	0.0%	0	0	0.0%
Lynchburg	19	14	-26.3%	14	14	0.0%	2	3	50.0%	35	31	-11.4%
Manassas	0	0	0.0%	0	2	*	4	3	-25.0%	4	5	25.0%
Manassas Park	0	0	0.0%	0	0	0.0%	0	1	*	0	1	*
Martinsville	0	0	0.0%	2	0	-100.0%	0	0	0.0%	2	0	-100.0%
Newport News	109	39	-64.2%	102	43	-57.8%	21	35	66.7%	232	117	-49.6%
Norfolk	122	130	6.6%	82	110	34.1%	43	38	-11.6%	247	278	12.6%
Norton	0	0	0.0%	0	0	0.0%	0	0	0.0%	0	0	0.0%
Petersburg	2	14	600.0%	12	4	-66.7%	12	8	-33.3%	26	26	0.0%
Poquoson	1	0	-100.0%	3	0	-100.0%	0	0	0.0%	4	0	-100.0%
Portsmouth	123	113	-8.1%	50	57	14.0%	17	18	5.9%	190	188	-1.1%
Radford	0	0	0.0%	0	0	0.0%	0	0	0.0%	0	0	0.0%
Richmond City	39	37	-5.1%	60	70	16.7%	29	14	-51.7%	128	121	-5.5%
Roanoke City	7	10	42.9%	5	9	80.0%	5	8	60.0%	17	27	58.8%
Salem	1	0	-100.0%	0	0	0.0%	1	1	0.0%	2	1	-50.0%
South Boston	2	0	-100.0%	1	0	-100.0%	1	1	0.0%	4	1	-75.0%
Staunton	0	0	0.0%	1	0	-100.0%	1	5	400.0%	2	5	150.0%
Suffolk	145	80	-44.8%	57	34	-40.4%	19	21	10.5%	221	135	-38.9%
Virginia Beach	19	18	-5.3%	22	19	-13.6%	25	18	-28.0%	66	55	-16.7%
Waynesboro	0	0	0.0%	0	0	0.0%	0	0	0.0%	0	0	0.0%
Williamsburg	4	0	-100.0%	6	4	-33.3%	5	1	-80.0%	15	5	-66.7%
Winchester	0	0	0.0%	1	1	0.0%	1	2	100.0%	2	3	50.0%

\* Increases from zero.

Number of Cases and Percent Change for Each Disease by County, City, District, Region, and State 1994 to 1995	Primary & Secondary Syphilis			Early Latent Syphilis			Other Syphilis			Total Syphilis		
	Reported Cases		Percent	Reported Cases		Percent	Reported Cases		Percent	Reported Cases		Percent
	1994	1995	Change	1994	1995	Change	1994	1995	Change	1994	1995	Change
<b>District</b>												
Alexandria	5	4	-20.0%	5	3	-40.0%	56	27	-51.8%	66	34	-48.5%
Alleghany	1	0	-100.0%	0	1	*	4	1	-75.0%	5	2	-60.0%
Arlington	2	1	-50.0%	2	6	200.0%	59	37	-37.3%	63	44	-30.2%
Central Shenandoah	0	1	*	1	0	-100.0%	2	5	150.0%	3	6	100.0%
Central Virginia	22	22	0.0%	19	23	21.1%	3	6	100.0%	44	51	15.9%
Chesapeake	44	31	-29.5%	29	27	-6.9%	24	17	-29.2%	97	75	-22.7%
Chesterfield	3	4	33.3%	14	14	0.0%	26	45	73.1%	43	63	46.5%
Crater	6	24	300.0%	33	17	-48.5%	18	15	-16.7%	57	56	-1.8%
Cumberland Plateau	0	1	*	0	1	*	1	0	-100.0%	1	2	100.0%
Eastern Shore	34	25	-26.5%	28	16	-42.9%	15	11	-26.7%	77	52	-32.5%
Fairfax	4	3	-25.0%	4	8	100.0%	34	31	-8.8%	42	42	0.0%
Hampton	50	29	-42.0%	33	31	-6.1%	24	27	12.5%	107	87	-18.7%
Hanover	1	1	0.0%	3	1	-66.7%	2	3	50.0%	6	5	-16.7%
Henrico	8	2	-75.0%	4	7	75.0%	14	3	-78.6%	26	12	-53.8%
Lenowisco	0	1	*	1	0	-100.0%	0	0	0.0%	1	1	0.0%
Lord Fairfax	2	0	-100.0%	2	1	-50.0%	3	6	100.0%	7	7	0.0%
Loudoun	0	0	0.0%	0	1	*	4	2	-50.0%	4	3	-25.0%
Mount Rogers	0	1	*	4	1	-75.0%	0	0	0.0%	4	2	-50.0%
New River	0	0	0.0%	0	0	0.0%	1	0	-100.0%	1	0	-100.0%
Norfolk	122	130	6.6%	82	110	34.1%	43	38	-11.6%	247	278	12.6%
Peninsula	115	39	-66.1%	115	47	-59.1%	27	36	33.3%	257	122	-52.5%
Piedmont	1	1	0.0%	4	4	0.0%	11	4	-63.6%	16	9	-43.8%
Pittsylvania / Danville	3	2	-33.3%	2	6	200.0%	6	8	33.3%	11	16	45.5%
Portsmouth	123	113	-8.1%	50	57	14.0%	17	18	5.9%	190	188	-1.1%
Prince William	1	0	-100.0%	4	6	50.0%	17	9	-47.1%	22	15	-31.8%
Rappahannock	7	1	-85.7%	7	4	-42.9%	4	7	75.0%	18	12	-33.3%
Rappahannock / Rapidan	1	0	-100.0%	3	1	-66.7%	2	1	-50.0%	6	2	-66.7%
Richmond City	39	37	-5.1%	60	70	16.7%	29	14	-51.7%	128	121	-5.5%
Roanoke City	7	10	42.9%	5	9	80.0%	5	8	60.0%	17	27	58.8%
Southside	6	2	-66.7%	3	3	0.0%	9	8	-11.1%	18	13	-27.8%
Thomas Jefferson	1	2	100.0%	2	1	-50.0%	0	5	*	3	8	166.7%
Three Rivers	3	2	-33.3%	1	8	700.0%	2	2	0.0%	6	12	100.0%
Virginia Beach	19	18	-5.3%	22	19	-13.6%	25	18	-28.0%	66	55	-16.7%
West Piedmont	1	1	0.0%	2	1	-50.0%	1	2	100.0%	4	4	0.0%
Western Tidewater	165	91	-44.8%	69	41	-40.6%	23	26	13.0%	257	158	-38.5%
<b>Health Planning Rerion</b>												
Central Region	64	71	10.9%	121	116	-4.1%	109	92	-15.6%	294	279	-5.1%
Eastern Region	675	478	-29.2%	429	356	-17.0%	200	193	-3.5%	1,304	1,027	-21.2%
Northern Region	12	8	-33.3%	15	24	60.0%	170	106	-37.6%	197	138	-29.9%
Northwest Region	11	4	-63.6%	15	7	-53.3%	11	24	118.2%	37	35	-5.4%
Southwest Region	34	38	11.8%	33	42	27.3%	21	25	19.0%	88	105	19.3%
<b>Virginia</b>	796	599	-24.7%	613	545	-11.1%	511	440	-13.9%	1,920	1,584	-17.5%

\* Increased from zero.

Bureau of STD/AIDS

1/2/96

Number of Cases and Percent  
Change for Each Disease by County,  
City, District, Region, and State

Locality/District/Region	Gonorrhea			Chlamydia			HIV			AIDS		
	Reported Cases		Percent Change									
	1994	1995		1994	1995		1994	1995		1994	1995	
<b>Counties</b>												
Accomack	121	63	-47.9%	197	131	-33.5%	8	5	-37.5%	3	8	166.7%
Albemarle	44	32	-27.3%	48	33	-31.3%	4	1	-75.0%	3	2	-33.3%
Alleghany	2	1	-50.0%	5	1	-80.0%	0	0	0.0%	1	0	-100.0%
Amelia	15	8	-46.7%	37	28	-24.3%	1	0	-100.0%	3	1	-66.7%
Amherst	20	26	30.0%	34	36	5.9%	3	3	0.0%	2	4	100.0%
Appomattox	14	17	21.4%	15	19	26.7%	0	0	0.0%	3	3	0.0%
Arlington	150	133	-11.3%	234	307	31.2%	39	54	38.5%	66	103	56.1%
Augusta	4	7	75.0%	11	11	0.0%	8	4	-50.0%	2	3	50.0%
Bath	1	0	-100.0%	4	3	-25.0%	0	1	*	1	0	-100.0%
Bedford Cnty	11	11	0.0%	20	15	-25.0%	1	0	-100.0%	1	4	300.0%
Bland	0	0	0.0%	6	3	-50.0%	1	0	-100.0%	0	1	*
Botetourt	4	6	50.0%	21	21	0.0%	1	0	-100.0%	2	2	0.0%
Brunswick	42	23	-45.2%	49	35	-28.6%	3	7	133.3%	5	4	-20.0%
Buchanan	4	1	-75.0%	45	36	-20.0%	6	2	-66.7%	2	1	-50.0%
Buckingham	28	36	28.6%	47	28	-40.4%	8	8	0.0%	6	7	16.7%
Campbell	24	28	16.7%	34	45	32.4%	1	7	600.0%	5	9	80.0%
Caroline	9	23	155.6%	57	80	40.4%	3	0	-100.0%	3	1	-66.7%
Carroll	2	0	-100.0%	27	10	-63.0%	1	0	-100.0%	0	2	*
Charles City	49	37	-24.5%	51	73	43.1%	2	0	-100.0%	0	1	*
Charlotte	21	14	-33.3%	44	21	-52.3%	0	0	0.0%	2	0	-100.0%
Chesterfield	123	68	-44.7%	140	170	21.4%	16	25	56.3%	13	19	46.2%
Clarke	5	6	20.0%	11	12	9.1%	0	1	*	0	2	*
Craig	0	0	0.0%	5	4	-20.0%	0	0	0.0%	0	0	0.0%
Culpeper	49	68	38.8%	77	152	97.4%	1	2	100.0%	3	4	33.3%
Cumberland	10	9	-10.0%	23	7	-69.6%	0	0	0.0%	0	1	*
Dickenson	1	0	-100.0%	14	11	-21.4%	0	0	0.0%	1	0	-100.0%
Dinwiddie	4	12	200.0%	14	20	42.9%	2	7	250.0%	1	4	300.0%
Essex	8	11	37.5%	37	19	-48.6%	0	2	*	0	0	0.0%
Fairfax Cnty	302	244	-19.2%	505	490	-3.0%	95	90	-5.3%	120	144	20.0%
Fauquier	10	11	10.0%	30	42	40.0%	2	2	0.0%	3	4	33.3%
Floyd	21	1	-95.2%	51	6	-88.2%	1	0	-100.0%	1	0	-100.0%
Fluvanna	12	15	25.0%	17	16	-5.9%	3	2	-33.3%	2	2	0.0%
Franklin Cnty	6	5	-16.7%	19	31	63.2%	4	0	-100.0%	0	4	*
Frederick	9	9	0.0%	18	31	72.2%	1	0	-100.0%	1	3	200.0%
Giles	2	1	-50.0%	13	14	7.7%	0	1	*	0	2	*
Gloucester	6	7	16.7%	49	18	-63.3%	2	2	0.0%	1	2	100.0%
Goochland	7	10	42.9%	10	14	40.0%	9	12	33.3%	3	7	133.3%
Grayson	3	0	-100.0%	9	11	22.2%	0	0	0.0%	0	0	0.0%
Greene	5	4	-20.0%	14	17	21.4%	0	1	*	0	0	0.0%
Greensville	3	1	-66.7%	1	5	400.0%	12	9	-25.0%	4	4	0.0%
Halifax	57	40	-29.8%	43	46	7.0%	5	3	-40.0%	3	4	33.3%
Hanover	49	36	-26.5%	62	96	54.8%	5	7	40.0%	6	4	-33.3%
Henrico	119	81	-31.9%	159	132	-17.0%	30	45	50.0%	43	28	-34.9%
Henry	56	56	0.0%	87	58	-33.3%	1	0	-100.0%	2	6	200.0%
Highland	0	0	0.0%	6	2	-66.7%	0	0	0.0%	0	0	0.0%
Isle of Wight	45	35	-22.2%	60	54	-10.0%	1	1	0.0%	4	3	-25.0%
James City	4	2	-50.0%	6	5	-16.7%	0	4	0.0%	2	2	0.0%

\* Increases from zero.

Number of Cases and Percent  
Change for Each Disease by County,  
City, District, Region, and State  
1994 to 1995

Gonorrhea

Chlamydia

HIV

AIDS

Locality/District/Region	Gonorrhea			Chlamydia			HIV			AIDS		
	1994	1995	Change	1994	1995	Change	1994	1995	Change	1994	1995	Change
King George	12	11	-8.3%	38	21	-44.7%	1	1	0.0%	1	2	100.0%
King and Queen	5	6	20.0%	28	16	-42.9%	0	1	*	0	0	0.0%
King William	11	9	-18.2%	27	19	-29.6%	2	1	-50.0%	1	0	-100.0%
Lancaster	0	13	*	55	28	-49.1%	2	0	-100.0%	2	3	50.0%
Lee	1	0	-100.0%	32	19	-40.6%	1	0	-100.0%	0	1	*
Loudoun	26	18	-30.8%	78	83	6.4%	14	1	-92.9%	7	11	57.1%
Louisa	21	9	-57.1%	28	45	60.7%	3	1	-66.7%	1	4	300.0%
Lunenburg	5	0	-100.0%	62	23	-62.9%	0	3	*	3	4	33.3%
Madison	3	3	0.0%	17	12	-29.4%	0	0	0.0%	1	0	-100.0%
Mathews	2	0	-100.0%	9	4	-55.6%	0	0	0.0%	0	2	*
Mecklenburg	63	46	-27.0%	64	98	53.1%	2	7	250.0%	3	7	133.3%
Middlesex	4	2	-50.0%	15	10	-33.3%	2	1	-50.0%	0	0	0.0%
Montgomery	19	21	10.5%	133	113	-15.0%	4	2	-50.0%	3	4	33.3%
Nelson	20	13	-35.0%	21	14	-33.3%	2	1	-50.0%	1	2	100.0%
New Kent	8	5	-37.5%	23	18	-21.7%	0	3	*	0	1	*
Northampton	71	33	-53.5%	108	70	-35.2%	0	4	*	2	2	0.0%
Northumberland	1	18	1700.0%	19	29	52.6%	4	0	-100.0%	1	2	100.0%
Nottoway	31	20	-35.5%	60	44	-26.7%	7	5	-28.6%	5	7	40.0%
Orange	19	16	-15.8%	60	68	13.3%	2	3	50.0%	3	1	-66.7%
Page	4	7	75.0%	27	40	48.1%	1	2	100.0%	0	0	0.0%
Patrick	8	4	-50.0%	11	8	-27.3%	0	0	0.0%	2	1	-50.0%
Pittsylvania	109	85	-22.0%	94	60	-36.2%	2	3	50.0%	4	2	-50.0%
Powhatan	19	8	-57.9%	26	17	-34.6%	9	13	44.4%	16	20	25.0%
Prince Edward	59	29	-50.8%	78	58	-25.6%	4	2	-50.0%	1	5	400.0%
Prince George	11	3	-72.7%	14	22	57.1%	6	6	0.0%	2	3	50.0%
Prince William	174	165	-5.2%	211	223	5.7%	21	18	-14.3%	20	33	65.0%
Pulaski	8	10	25.0%	60	39	-35.0%	0	3	*	3	0	-100.0%
Rappahannock	0	2	*	1	7	600.0%	0	1	*	0	0	0.0%
Richmond Cnty	4	11	175.0%	24	18	-25.0%	0	6	*	1	2	100.0%
Roanoke Cnty	7	8	14.3%	34	22	-35.3%	0	1	*	3	2	-33.3%
Rockbridge	0	0	0.0%	6	7	16.7%	0	1	*	1	0	-100.0%
Rockingham	2	1	-50.0%	6	10	66.7%	1	1	0.0%	0	1	*
Russell	1	0	-100.0%	35	18	-48.6%	1	1	0.0%	2	0	-100.0%
Scott	1	0	-100.0%	16	8	-50.0%	0	0	0.0%	1	0	-100.0%
Shenandoah	3	4	33.3%	13	41	215.4%	1	0	-100.0%	2	0	-100.0%
Smyth	13	9	-30.8%	42	26	-38.1%	1	3	200.0%	1	0	-100.0%
Southampton	20	14	-30.0%	41	23	-43.9%	2	5	150.0%	2	3	50.0%
Spotsylvania	7	14	100.0%	30	39	30.0%	0	1	0.0%	4	3	-25.0%
Stafford	14	21	50.0%	52	73	40.4%	3	5	66.7%	4	6	50.0%
Surry	4	7	75.0%	18	23	27.8%	1	0	-100.0%	0	4	*
Sussex	14	14	0.0%	29	40	37.9%	1	4	300.0%	4	1	-75.0%
Tazewell	2	4	100.0%	33	31	-6.1%	0	3	*	1	2	100.0%
Warren	16	24	50.0%	43	72	67.4%	1	1	0.0%	1	2	100.0%
Washington	2	2	0.0%	43	14	-67.4%	0	1	*	3	1	-66.7%
Westmoreland	10	38	280.0%	147	59	-59.9%	1	1	0.0%	1	4	300.0%
Wise	5	3	-40.0%	36	69	91.7%	0	1	*	1	2	100.0%
Wythe	1	0	-100.0%	63	20	-68.3%	3	1	-66.7%	0	1	*
York	15	16	6.7%	29	28	-3.4%	3	5	66.7%	4	4	0.0%

\* Increased from zero.

Number of Cases and Percent Change for Each Disease by County, City, District, Region, and State 1994 to 1995	Gonorrhea			Chlamydia			HIV			AIDS		
	Reported Cases		Percent	Reported Cases		Percent	Reported Cases		Percent	Reported Cases		Percent
	1994	1995	Change	1994	1995	Change	1994	1995	Change	1994	1995	Change
<b>Cities</b>												
Alexandria	272	246	-9.6%	369	308	-16.5%	71	46	-35.2%	75	55	-26.7%
Bedford City	13	15	15.4%	40	28	-30.0%	1	0	-100.0%	0	1	*
Bristol	9	0	-100.0%	36	8	-77.8%	1	1	0.0%	1	2	100.0%
Buena Vista	2	0	-100.0%	18	24	33.3%	0	0	0.0%	0	0	0.0%
Charlottesville	256	135	-47.3%	216	152	-29.6%	9	8	-11.1%	13	17	30.8%
Chesapeake	481	364	-24.3%	434	246	-43.3%	28	32	14.3%	20	42	110.0%
Clifton Forge	0	0	0.0%	7	14	100.0%	0	0	0.0%	2	0	-100.0%
Colonial Heights	11	7	-36.4%	26	20	-23.1%	2	3	50.0%	2	5	150.0%
Covington	1	2	100.0%	38	28	-26.3%	1	1	0.0%	2	0	-100.0%
Danville	479	365	-23.8%	392	260	-33.7%	8	5	-37.5%	8	9	12.5%
Emporia	28	23	-17.9%	36	36	0.0%	0	2	*	1	0	-100.0%
Fairfax City	62	37	-40.3%	109	83	-23.9%	3	2	-33.3%	6	3	-50.0%
Falls Church	29	19	-34.5%	92	71	-22.8%	2	1	-50.0%	10	11	10.0%
Franklin City	91	31	-65.9%	52	45	-13.5%	1	4	300.0%	1	2	100.0%
Fredericksburg	107	90	-15.9%	184	130	-29.3%	10	3	-70.0%	6	5	-16.7%
Galax	2	0	-100.0%	4	13	225.0%	1	0	-100.0%	0	0	0.0%
Hampton	536	345	-35.6%	318	281	-11.6%	23	44	91.3%	26	32	23.1%
Harrisonburg	17	2	-88.2%	83	129	55.4%	1	0	-100.0%	2	2	0.0%
Hopewell	33	14	-57.6%	37	23	-37.8%	4	7	75.0%	3	5	66.7%
Lexington	1	2	100.0%	43	30	-30.2%	0	0	0.0%	1	1	0.0%
Lynchburg	213	180	-15.5%	260	223	-14.2%	10	18	80.0%	16	23	43.8%
Manassas	104	68	-34.6%	163	159	-2.5%	10	4	-60.0%	6	5	-16.7%
Manassas Park	4	1	-75.0%	2	2	0.0%	2	0	-100.0%	0	0	0.0%
Martinsville	119	94	-21.0%	143	82	-42.7%	1	0	-100.0%	2	1	-50.0%
Newport News	519	573	10.4%	896	634	-29.2%	51	44	-13.7%	27	51	88.9%
Norfolk	2,519	1,679	-33.3%	945	832	-12.0%	143	185	29.4%	191	210	9.9%
Norton	5	0	-100.0%	6	14	133.3%	0	0	0.0%	0	0	0.0%
Petersburg	219	135	-38.4%	300	199	-33.7%	15	27	80.0%	23	14	-39.1%
Poquoson	0	1	*	2	1	-50.0%	0	0	0.0%	0	1	*
Portsmouth	792	611	-22.9%	365	241	-34.0%	50	48	-4.0%	43	71	65.1%
Radford	22	9	-59.1%	55	48	-12.7%	0	0	0.0%	0	0	0.0%
Richmond City	2,623	2,372	-9.6%	993	2,150	116.5%	157	202	28.7%	126	154	22.2%
Roanoke City	369	286	-22.5%	371	410	10.5%	34	38	11.8%	32	57	78.1%
Salem	18	11	-38.9%	36	19	-47.2%	2	2	0.0%	4	4	0.0%
South Boston	30	21	-30.0%	10	9	-10.0%	1	1	0.0%	4	1	-75.0%
Staunton	35	18	-48.6%	92	119	29.3%	2	1	-50.0%	4	2	-50.0%
Suffolk	273	152	-44.3%	267	210	-21.3%	13	12	-7.7%	11	16	45.5%
Virginia Beach	670	382	-43.0%	597	424	-29.0%	72	86	19.4%	74	90	21.6%
Waynesboro	22	19	-13.6%	72	65	-9.7%	1	0	-100.0%	4	1	-75.0%
Williamsburg	32	35	9.4%	109	93	-14.7%	2	4	100.0%	8	2	-75.0%
Winchester	60	54	-10.0%	153	156	2.0%	4	6	50.0%	5	6	20.0%

\* Increases from zero.

Number of Cases and Percent Change for Each Disease by County, City, District, Region, and State 1994 to 1995	Gonorrhea			Chlamydia			HIV			AIDS		
	Reported Cases		Percent	Reported Cases		Percent	Reported Cases		Percent	Reported Cases		Percent
	1994	1995	Change	1994	1995	Change	1994	1995	Change	1994	1995	Change
<b>District</b>												
Alexandria	272	246	-9.6%	369	308	-16.5%	71	46	-35.2%	75	55	-26.7%
Alleghany	32	28	-12.5%	146	109	-25.3%	4	4	0.0%	14	8	-42.9%
Arlington	150	133	-11.3%	234	307	31.2%	39	54	38.5%	66	103	56.1%
Central Shenandoah	84	49	-41.7%	341	400	17.3%	13	8	-38.5%	15	10	-33.3%
Central Virginia	295	277	-6.1%	403	366	-9.2%	16	28	75.0%	27	44	63.0%
Chesapeake	481	364	-24.3%	434	246	-43.3%	28	32	14.3%	20	42	110.0%
Chesterfield	153	83	-45.8%	192	207	7.8%	27	41	51.9%	31	44	41.9%
Crater	316	209	-33.9%	449	368	-18.0%	41	62	51.2%	38	35	-7.9%
Cumberland Plateau	8	5	-37.5%	127	96	-24.4%	7	6	-14.3%	6	3	-50.0%
Eastern Shore	192	96	-50.0%	305	201	-34.1%	8	9	12.5%	5	10	100.0%
Fairfax	393	300	-23.7%	706	644	-8.8%	100	93	-7.0%	136	158	16.2%
Hampton	536	345	-35.6%	318	281	-11.6%	23	44	91.3%	26	32	23.1%
Hanover	113	88	-22.1%	146	201	37.7%	16	22	37.5%	9	13	44.4%
Henrico	119	81	-31.9%	159	132	-17.0%	30	45	50.0%	43	28	-34.9%
Lenowisco	12	3	-75.0%	90	110	22.2%	1	1	0.0%	2	3	50.0%
Lord Fairfax	97	104	7.2%	265	352	32.8%	8	10	25.0%	9	13	44.4%
Loudoun	26	18	-30.8%	78	83	6.4%	14	1	-92.9%	7	11	57.1%
Mount Rogers	32	11	-65.6%	230	105	-54.3%	8	6	-25.0%	5	7	40.0%
New River	72	42	-41.7%	312	220	-29.5%	5	6	20.0%	7	6	-14.3%
Norfolk	2,519	1,679	-33.3%	945	832	-12.0%	143	185	29.4%	191	210	9.9%
Peninsula	570	627	10.0%	1,042	761	-27.0%	56	57	1.8%	41	60	46.3%
Piedmont	169	116	-31.4%	351	209	-40.5%	20	18	-10.0%	20	25	25.0%
Pittsylvania / Danville	588	450	-23.5%	486	320	-34.2%	10	8	-20.0%	12	11	-8.3%
Portsmouth	792	611	-22.9%	365	241	-34.0%	50	48	-4.0%	43	71	65.1%
Prince William	282	234	-17.0%	376	384	2.1%	33	22	-33.3%	26	38	46.2%
Rappahannock	149	159	6.7%	361	343	-5.0%	17	10	-41.2%	18	17	-5.6%
Rappahannock / Rapidan	81	100	23.5%	185	281	51.9%	5	8	60.0%	10	9	-10.0%
Richmond City	2,623	2,372	-9.6%	993	2,150	116.5%	157	202	28.7%	126	154	22.2%
Roanoke City	369	286	-22.5%	371	410	10.5%	34	38	11.8%	32	57	78.1%
Southside	192	130	-32.3%	166	188	13.3%	11	18	63.6%	15	16	6.7%
Thomas Jefferson	358	208	-41.9%	344	277	-19.5%	21	14	-33.3%	20	27	35.0%
Three Rivers	51	115	125.5%	410	220	-46.3%	13	14	7.7%	7	15	114.3%
Virginia Beach	670	382	-43.0%	597	424	-29.0%	72	86	19.4%	74	90	21.6%
West Piedmont	189	159	-15.9%	260	179	-31.2%	6	0	-100.0%	6	12	100.0%
Western Tidewater	429	232	-45.9%	420	332	-21.0%	17	22	29.4%	18	24	33.3%
<b>Health Planning Region</b>												
Central Region	3,685	3,079	-16.4%	2,456	3,455	40.7%	302	408	35.1%	282	315	11.7%
Eastern Region	6,240	4,451	-28.7%	4,836	3,538	-26.8%	410	497	21.2%	425	554	30.4%
Northern Region	1,123	931	-17.1%	1,763	1,726	-2.1%	257	216	-16.0%	310	365	17.7%
Northwest Region	769	620	-19.4%	1,496	1,653	10.5%	64	50	-21.9%	72	76	5.6%
Southwest Region	1,597	1,261	-21.0%	2,425	1,915	-21.0%	91	97	6.6%	111	151	36.0%
Virginia	13,414	10,342	-22.9%	12,976	12,287	-5.3%	1,124	1,268	12.8%	1,200	1,461	21.8%

\* Increased from zero.

Bureau of STD/AIDS

1/2/96

# Virginia STD Morbidity


Calendar Years  
1940 - 1994

Year	Syphilis			Gonorrhea	Other STD	Chlamydia	HIV	AIDS
	Primary & Secondary	Early Latent	Other Syphilis					
1940	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
1941	4,088	4,795	8,555	3,560	N/A	N/A	N/A	N/A
1942	5,238	6,145	7,325	6,561	328	N/A	N/A	N/A
1943	5,313	6,480	5,999	8,863	509	N/A	N/A	N/A
1944	4,316	6,078	4,713	12,479	557	N/A	N/A	N/A
1945	3,048	3,972	3,028	6,353	336	N/A	N/A	N/A
1946	2,998	4,000	3,082	10,402	512	N/A	N/A	N/A
1947	3,808	4,074	3,271	13,860	866	N/A	N/A	N/A
1948	3,044	3,643	3,178	12,267	685	N/A	N/A	N/A
1949	1,592	2,567	2,205	11,295	364	N/A	N/A	N/A
1950	987	1,761	1,977	10,304	263	N/A	N/A	N/A
1951	741	1,769	2,701	9,223	207	N/A	N/A	N/A
1952	669	1,616	3,747	9,234	189	N/A	N/A	N/A
1953	442	1,467	4,326	8,286	143	N/A	N/A	N/A
1954	299	1,188	4,051	7,811	168	N/A	N/A	N/A
1955	171	965	4,268	8,036	121	N/A	N/A	N/A
1956	174	691	3,119	7,195	89	N/A	N/A	N/A
1957	156	642	2,848	6,751	65	N/A	N/A	N/A
1958	136	622	3,801	6,956	64	N/A	N/A	N/A
1959	158	575	3,679	7,311	41	N/A	N/A	N/A
1960	242	332	3,224	6,673	61	N/A	N/A	N/A
1961	394	245	2,904	6,509	59	N/A	N/A	N/A
1962	400	237	2,690	6,681	25	N/A	N/A	N/A
1963	365	203	3,102	6,842	37	N/A	N/A	N/A
1964	314	196	2,215	6,916	28	N/A	N/A	N/A
1965	339	170	1,770	7,433	14	N/A	N/A	N/A
1966	296	195	1,425	8,060	28	N/A	N/A	N/A
1967	311	175	1,636	9,282	31	N/A	N/A	N/A
1968	292	169	1,212	9,918	14	N/A	N/A	N/A
1969	256	156	996	11,972	34	N/A	N/A	N/A
1970	270	146	879	13,920	32	N/A	N/A	N/A
1971	334	218	1,298	15,391	33	N/A	N/A	N/A
1972	377	377	1,127	15,216	35	N/A	N/A	N/A
1973	753	473	1,095	19,275	41	N/A	N/A	N/A
1974	821	693	859	20,106	35	N/A	N/A	N/A
1975	570	606	887	23,479	32	N/A	N/A	N/A
1976	692	628	872	25,588	N/A	N/A	N/A	N/A
1977	538	403	885	24,760	15	N/A	N/A	N/A
1978	474	428	794	24,034	7	N/A	N/A	N/A
1979	492	426	611	23,032	5	N/A	N/A	N/A

Virginia  
STD Morbidity

Calendar Years  
1940 - 1994

Year	Syphilis			Gonorrhea	Other STD	Chlamydia	HIV	AIDS
	Primary & Secondary	Early Latent	Other Syphilis					
1980	584	415	559	23,246	7	N/A	N/A	N/A
1981	687	540	533	22,108	5	N/A	N/A	N/A
1982	647	525	446	21,103	15	N/A	N/A	6
1983	560	475	354	21,122	7	N/A	N/A	21
1984	420	351	424	20,199	5	N/A	N/A	42
1985	300	260	376	19,121	3	N/A	N/A	102
1986	326	241	456	18,742	12	N/A	N/A	167
1987	318	250	479	14,353	5	N/A	N/A	268
1988	449	373	578	14,464	9	N/A	N/A	377
1989	593	495	643	15,993	13	6,002	195	445
1990	880	671	555	17,652	9	13,391	1,143	649
1991	842	780	998	17,256	22	16,717	1,644	670
1992	717	630	643	15,773	6	11,305	1,372	748
1993	648	620	683	11,620	3	11,389	1,484	1,638
1994	796	613	511	13,414	0	12,976	1,124	1,200
1995	599	545	440	10,342	3	12,287	1,268	1,461



*Screening*

**COMPARISON OF SYPHILIS SEROLOGICAL REACTOR ACTIVITY  
1994-1995**

**Number of Reactive Specimens Reported:**

	1994	1995	Difference	%Change
<b>Private:</b>	5,996	6,897	901	15.0%
<b>Public:</b>	6,535	7,483	948	14.5%
<b>Federal:</b>	227	135	-92	-40.5%
<b>TOTAL:</b>	12,758	14,515	1,757	13.8%

**Number of Selected Closures Reported:**

	1994	1995	Difference	%Change
<b>Administrative:</b>	1,090	1,579	489	44.9%
<b>Record Search:</b>	2,459	2,303	-156	-6.3%
<b>Follow-up:</b>	2,890	1,494	-1,396	-48.3%
<b>TOTAL:</b>	6,439	5,376	-1,063	-16.5%

### CHLAMYDIA TESTING/POSITIVITY COMPARISON

SOURCE OF TEST	1994			1995		
	Tot. Tested	Tot. Positive	% Positive	Tot. Tested	Tot. Positive	% Positive
1. Health Dept. Non STD Clinics	68,827	5,323	7.73%	54,793	3,003	5.48%
(a) Family Planning	33,649	1,970	5.85%	37,630	2,042	5.43%
(b) Prenatal, OB-GYN	7,000	592	8.46%	8,255	523	6.34%
(c) Cancer Detection	0	0	0.00%	0	0	0.00%
(d) Combinations or Other	28,178	2,761	9.80%	8,908	438	4.92%
2. Public/Private Hospital	98	0	0.00%	2	0	0.00%
(a) Family Planning	67	0	0.00%	0	0	0.00%
(b) Prenatal, OB-GYN	31	0	0.00%	0	0	0.00%
(c) Cancer Detection	0	0	0.00%	0	0	0.00%
(d) Combinations or Other	0	0	0.00%	2	0	0.00%
3. Private Family Planning Groups	55	5	9.09%	5	0	0.00%
4. Student Health Centers	262	58	22.14%	983	128	13.02%
5. Military / Dependents	0	0	0.00%	23	0	0.00%
6. Correction or Detection Centers	150	27	18.00%	151	22	14.57%
7. Not Specified	11	0	0.00%	0	0	0.00%
8. Total Non-STD Clinics	69,403	5,413	7.80%	55,957	3,153	5.63%
9. STD Clinics	10,175	1,469	14.44%	13,958	1,098	7.87%
10. GRAND TOTAL	79,578	6,882	8.65%	69,915	4,251	6.08%

Source: 1994 - CT Screen Report plus Prevalence Computer Report.  
1995 - CT Screen Report.

**CHLAMYDIA TESTING COMPARISON  
1994 vs 1995**

SOURCE OF TEST	1994		1995		%change
	Tot. Tested	% of Tot. Tested	Tot. Tested	% of Tot. Tested	
1. Health Dept. Non STD Clinics	68,827	86.49%	54,793	78.37%	-20.4%
(a) Family Planning	33,649	42.28%	37,630	53.82%	11.8%
(b) Prenatal, OB-GYN	7,000	8.80%	8,255	11.81%	17.9%
(c) Cancer Detection	0	0.00%	0	0.00%	0.0%
(d) Combinations or Other	28,178	35.41%	8,908	12.74%	-68.4%
2. Public/Private Hospital	98	0.12%	2	0.00%	-98.0%
(a) Family Planning	67	0.08%	0	0.00%	0.0%
(b) Prenatal, OB-GYN	31	0.04%	0	0.00%	0.0%
(c) Cancer Detection	0	0.00%	0	0.00%	0.0%
(d) Combinations or Other	0	0.00%	2	0.00%	*
3. Private Family Planning Groups	55	0.07%	5	0.01%	-90.9%
4. Student Health Centers	262	0.33%	983	1.41%	275.2%
5. Military / Dependents	0	0.00%	23	0.03%	*
6. Correction or Detection Centers	150	0.19%	151	0.22%	0.7%
7. Not Specified	11	0.01%	0	0.00%	-100.0%
8. Total Non-STD Clinics	69,403	87.21%	55,957	80.04%	-19.4%
9. STD Clinics	10,175	12.79%	13,958	19.96%	37.2%
10. GRAND TOTAL	79,578	100.00%	69,915	100.00%	-12.1%

\* increased from zero.

Source: 1994 - CT Screen Report plus Prevalence Computer Report.  
1995 - CT Screen Report.

**Virginia**  
**Results of Public FEMALE Gonorrhea Screening Cultures**

Calendar Years  
 1981 - 1995

<u>Calendar Year</u>	<u>Number Tested</u>	<u>Number Positive</u>	<u>Percent Positive</u>
1981	223,309	9,131	4.1%
1982	231,667	7,932	3.4%
1983	225,927	7,864	3.5%
1984	223,779	7,606	3.4%
1985	217,091	7,484	3.4%
1986	222,097	7,709	3.5%
1987	205,690	5,285	2.6%
1988	195,028	5,377	2.8%
1989	187,662	5,507	2.9%
1990	185,652	4,974	2.7%
1991	168,496	5,109	3.0%
1992	174,548	4,029	2.3%
1993	169,733	5,240	3.1%
1994	172,644	4,612	2.7%
1995	138,675	2,770	2.0%

Virginia  
 Comparison of Civilian FEMALE Gonorrhea Morbidity  
 to Positive Public FEMALE Screening Cultures

Calendar Years  
 1980 - 1995

<u>Calendar Year</u>	<u>Gonorrhea Cases</u>	<u>Positive GC Screening Cultures</u>
1980	10,825	11,058
1981	10,249	9,131
1982	9,384	7,932
1983	9,044	7,864
1984	8,446	7,606
1985	7,968	7,484
1986	8,344	7,709
1987	6,257	5,285
1988	6,312	5,377
1989	6,561	5,507
1990	7,083	4,974
1991	6,995	5,109
1992	6,744	4,029
1993	5,015	5,240
1994	6,025	4,612
1995	4,909	2,770

## Gonorrhea Culture Test Results of Females

	1994			1995			Differences					
	No. Test	No. Neg	No. Pos	No. Test	No. Neg	No. Pos	Tested		Negative		Positive	
							no.	% change	no.	% change	no.	% change
HD Non STD	99,860	98,730	1,130	87,401	86,573	828	-12,459	-12.5%	-12,157	-12.3%	-302	-26.7%
Family Planning	70,423	69,571	852	63,941	63,406	535	-6,482	-9.2%	-6,165	-8.9%	-317	-37.2%
Prenatal	23,038	22,879	159	17,682	17,499	183	-5,356	-23.2%	-5,380	-23.5%	24	15.1%
Cancer Detection	10	10	0	418	414	4	408	4080.0%	404	4040.0%	4	*
Combinations	6,389	6,270	119	5,360	5,254	106	-1,029	-16.1%	-1,016	-16.2%	-13	-10.9%
Public/Private Hosp-OutPat	9,302	8,783	519	7,578	7,257	321	-1,724	-18.5%	-1,526	-17.4%	-198	-38.2%
Family Planning	651	642	9	186	183	3	-465	-71.4%	-459	-71.5%	-6	*
Prenatal	4,241	4,152	89	3,890	3,834	56	-351	-8.3%	-318	-7.7%	-33	-37.1%
Cancer Detection	0	0	0	0	0	0	0	0.0%	0	0.0%	0	0.0%
Combinations	4,410	3,989	421	3,502	3,240	262	-908	-20.6%	-749	-18.8%	-159	-37.8%
Public/Private Hosp-InPat	723	723	0	175	173	2	-548	-75.8%	-550	-76.1%	2	*
Obstetric	280	280	0	0	0	0	-280	-100.0%	-280	-100.0%	0	0.0%
Gynecologic	443	443	0	61	61	0	-382	-86.2%	-382	-86.2%	0	0.0%
Combinations	0	0	0	114	112	2	114	*	112	*	2	*
Community/Neigh Hlth Ctr	3,555	3,506	49	1,664	1,631	33	-1,891	-53.2%	-1,875	-53.5%	-16	-32.7%
Family Planning	2,047	2,024	23	325	323	2	-1,722	-84.1%	-1,701	-84.0%	-21	-91.3%
Prenatal	620	615	5	14	13	1	-606	-97.7%	-602	-97.9%	-4	-80.0%
Cancer Detection	0	0	0	374	365	9	374	0.0%	365	0.0%	9	0.0%
Combinations	888	867	21	951	930	21	63	7.1%	63	7.3%	0	0.0%
Private Physicians	8,397	8,239	158	5,770	5,694	76	-2,627	-31.3%	-2,545	-30.9%	-82	-51.9%
Priv Fam Plan Groups	16,091	16,034	57	11,967	11,911	56	-4,124	-25.6%	-4,123	-25.7%	-1	-1.8%
Group Health Clinics	2,795	2,761	34	2,379	2,350	29	-416	-14.9%	-411	-14.9%	-5	-14.7%
Student Health Ctrs	2,151	2,123	28	1,806	1,770	36	-345	-16.0%	-353	-16.6%	8	28.6%
Manpower	187	181	6	326	322	4	139	74.3%	141	77.9%	-2	-33.3%
Industrial Screen	0	0	0	0	0	0	0	0.0%	0	0.0%	0	0.0%
Military /Dependents	11	11	0	0	0	0	-11	-100.0%	-11	-100.0%	0	0.0%
Correction Or Det Ctrs	672	635	37	805	778	27	133	19.8%	143	22.5%	-10	-27.0%
Not Specified	660	647	13	0	0	0	-660	-100.0%	-647	-100.0%	-13	-100.0%
<b>TOTAL NON-STD CLINICS</b>	<b>144,404</b>	<b>142,373</b>	<b>2,031</b>	<b>119,871</b>	<b>118,459</b>	<b>1,412</b>	<b>-24,533</b>	<b>-17.0%</b>	<b>-23,914</b>	<b>-16.8%</b>	<b>-619</b>	<b>-30.5%</b>
STD Clinics	28,240	25,659	2,581	18,804	17,446	1,358	-9,436	-33.4%	-8,213	-32.0%	-1,223	-47.4%
Contacts to GC	189	95	94	408	244	164	219	115.9%	149	156.8%	70	74.5%
Syphilis:Conta/Clus/Reac	0	0	0	0	0	0	0	0.0%	0	0.0%	0	0.0%
Other	28,051	25,564	2,487	18,396	17,202	1,194	-9,655	-34.4%	-8,362	-32.7%	-1,293	-52.0%
<b>GRAND TOTAL</b>	<b>172,644</b>	<b>168,032</b>	<b>4,612</b>	<b>138,675</b>	<b>135,905</b>	<b>2,770</b>	<b>-33,969</b>	<b>-19.7%</b>	<b>-32,127</b>	<b>-19.1%</b>	<b>-1,842</b>	<b>-39.9%</b>
Female Pos. GC Culture			6,025			4,909					-1,116	-18.5%

\* increased from zero.

# HIV TESTING IN VIRGINIA BY CLINIC TYPE AND YEAR

CLINICS	1986			1987			1988			1989		
	Tested	Pos.	% Pos.	Tested	Pos.	% Pos.	Tested	Pos.	% Pos.	Tested	Pos.	% Pos.
PEDIATRIC	0	0	0.0%	0	0	0.0%	0	0	0.0%	0	0	0.0%
% Change												
BLOOD TRANSFUSION	0	0	0.0%	565	3	0.5%	240	2	0.8%	136	0	0.0%
% Change							-57.5%			-43.3%		
STD	1,239	95	7.7%	13,520	384	2.8%	16,029	379	2.4%	16,251	289	1.8%
% Change				991.2%			18.6%			1.4%		
T.B. CLINIC	0	0	0.0%	126	4	3.2%	32	2	6.3%	47	0	0.0%
% Change							-74.6%			46.9%		
MATERNITY	116	0	0.0%	210	3	1.4%	1,571	4	0.3%	2,561	11	0.4%
% Change				81.0%			648.1%			63.0%		
DRUG TREATMENT	2	0	0.0%	74	6	8.1%	275	9	3.3%	476	15	3.2%
% Change				3600.0%			271.6%			73.1%		
FAMILY PLANNING	204	2	1.0%	465	0	0.0%	2,914	9	0.3%	4,276	9	0.2%
% Change				127.9%			526.7%			46.7%		
ATS	808	107	13.2%	1,428	67	4.7%	1,452	90	6.2%	1,552	83	5.3%
% Change				76.7%			1.7%			6.9%		
Military												
% Change												
Private Medical Doctor (PMD)												
% Change												
OTHER/UNKNOWN*	1,043	10	1.0%	2,283	101	4.4%	10,705	67	0.6%	13,547	108	0.8%
% Change				118.9%			368.9%			26.5%		
<b>TOTAL</b>	<b>3,412</b>	<b>214</b>	<b>6.3%</b>	<b>18,671</b>	<b>568</b>	<b>3.0%</b>	<b>33,218</b>	<b>562</b>	<b>1.7%</b>	<b>38,846</b>	<b>515</b>	<b>1.3%</b>
% Change				447.2%			77.9%			16.9%		

\* From 1986 to 1992, other/unknown included Military, PMD and those reports that can not be ascribed to any other category. Beginning in 1993, other/unknown includes those reports that can not be ascribed to any other category.

Source: From 1986-1992, laboratory slips were referred from DCLS and data were generated from a hand-count of these slips and from the 7-page demographics report. Positives represent all positive tests, new and repeat. Beginning in 1993, data are generated from the HIV-1 computer report. Data for pediatrics and blood transfusion are not included as clinic type, but are reported under risk. Positives represent new positives only.

## HIV TESTING IN VIRGINIA BY CLINIC TYPE AND YEAR

CLINICS	1990			1991			1992			1993		
	Tested	Pos.	% Pos.	Tested	Pos.	% Pos.	Tested	Pos.	%Pos.	Tested	Pos.	% Pos.
<i>PEDIATRIC</i>	13	0	0.0%	9	0	0.0%	1	0	0.0%			
% Change				-30.8%			-88.9%					
<i>BLOOD TRANSFUSION</i>	101	0	0.0%	94	2	2.1%	16	0	0.0%			
% Change	-25.7%			-6.9%			-83.0%					
STD	21,474	367	1.7%	28,459	422	1.7%	31,840	387	1.4%	30,816	309	1.0%
% Change	32.1%			32.5%			11.9%			-3.2%		
T.B. CLINIC	355	0	0.0%	86	0	0.0%	471	4	0.8%	748	8	1.1%
% Change	655.3%			-75.8%			447.7%			58.8%		
MATERNITY	3,517	11	0.3%	4,703	13	0.3%	8,125	17	0.2%	11,460	18	0.2%
% Change	37.3%			33.7%			72.8%			41.0%		
DRUG TREATMENT	776	23	3.0%	1,090	35	2.8%	1,046	24	1.4%	976	12	1.2%
% Change	63.0%			40.5%			-4.0%			-6.7%		
FAMILY PLANNING	7,250	14	0.2%	11,455	26	0.2%	24,917	37	0.1%	28,265	29	0.1%
% Change	69.6%			58.0%			117.5%			13.4%		
ATS	4,415	167	3.8%	6,244	121	1.9%	10,393	149	1.4%	9,620	106	1.1%
% Change	184.5%			41.4%			66.4%			-7.4%		
Military										52	0	0.0%
% Change												
Private Medical Doctor (PMD)										43	0	0.0%
% Change												
OTHER/UNKNOWN*	21,441	100	0.5%	20,815	176	1.2%	10,371	110	1.1%	11,223	220	2.0%
% Change	58.3%			-2.9%			-50.2%			8.2%		
<b>TOTAL</b>	<b>59,342</b>	<b>682</b>	<b>1.1%</b>	<b>72,955</b>	<b>795</b>	<b>1.1%</b>	<b>87,180</b>	<b>728</b>	<b>0.8%</b>	<b>93,203</b>	<b>702</b>	<b>0.8%</b>
% Change	52.8%			23.0%			19.4%			6.9%		

\* From 1986 to 1992, other/unknown included Military, PMD and those reports that can not be ascribed to any other category. Beginning in 1993, other/unknown includes those reports that can not be ascribed to any other category.

Source: From 1986-1992, laboratory slips were referred from DCLS and data were generated from a hand-count of these slips and from the 7-page demographics report. Positives represent all positive tests, new and repeat.

Beginning in 1993, data are generated from the HIV-1 computer report. Data for pediatrics and blood transfusion are not included as clinic type, but are reported under risk. Positives represent new positives only.

# HIV TESTING IN VIRGINIA BY CLINIC TYPE AND YEAR


CLINICS	1994			1994**			1995**			Total		
	Tested	Pos.	% Pos.	Tested	Pos.	% Pos.	Tested	Pos.	% Pos.	Tested	Pos.	% Pos.
<i>PEDIATRIC</i>										23	0	0.0%
% Change												
<i>BLOOD TRANSFUSION</i>										1,152	7	0.6%
% Change												
STD	29,542	256	0.9%	27,368	248	0.9%	24,328	157	0.6%	213,498	3,045	1.4%
% Change	-4.1%						-11.1%					
T.B. CLINIC	706	4	0.6%	649	4	0.6%	705	3	0.4%	3,276	25	0.8%
% Change	-5.6%						8.6%					
MATERNITY	9,998	16	0.2%	9,324	15	0.2%	7,089	14	0.2%	49,350	107	0.2%
% Change	-12.8%						-24.0%					
DRUG TREATMENT	907	16	1.8%	864	16	1.9%	837	6	0.7%	6,459	146	2.3%
% Change	-7.1%						-3.1%					
FAMILY PLANNING	27,126	21	0.1%	25,272	16	0.1%	21,248	14	0.1%	128,120	161	0.1%
% Change	-4.0%						-15.9%					
ATS	8,629	100	1.2%	8,044	96	1.2%	7,173	84	1.2%	51,714	1,074	2.1%
% Change	-10.3%						-10.8%					
Military	28	0	0.0%	27	0	0.0%	24	0	0.0%	104	0	0.0%
% Change	-46.2%						-11.1%					
Private Medical Doctor (PMD)	56	1	1.8%	53	1	1.9%	71	0	0.0%	170	1	0.6%
% Change	30.2%						34.0%					
OTHER/UNKNOWN*	9,752	151	1.5%	9,023	144	1.6%	10,502	165	1.6%	111,682	1,208	1.1%
% Change	-13.1%						16.4%					
<b>TOTAL</b>	<b>86,744</b>	<b>565</b>	<b>0.7%</b>	<b>80,624</b>	<b>540</b>	<b>0.7%</b>	<b>71,977</b>	<b>443</b>	<b>0.6%</b>	<b>565,548</b>	<b>5,774</b>	<b>1.0%</b>
% Change	-6.9%						-10.7%					

\* From 1986 to 1992, other/unknown included Military, PMD and those reports that can not be ascribed to any other category. Beginning in 1993, other/unknown includes those reports that can not be ascribed to any other category.

\*\* Jan. - Nov.

Source: From 1986-1992, laboratory slips were referred from DCLS and data were generated from a hand-count of these slips and from the 7-page demographics report. Positives represent all positive tests, new and repeat.

Beginning in 1993, data are generated from the HIV-1 computer report. Data for pediatrics and blood transfusion are not included as clinic type, but are reported under risk. Positives represent new positives only.



*Epidemiology  
Rates and Indices*

**Total Early Syphilis  
Epidemiology Rates and Indices Report  
1995  
Counseling and Partner Notification**

	<b>Number</b>	<b>Percent</b>
<b>Number of Patients Counseled</b>	<b>1,059</b>	
Interviewed within 3 days	659	62.2%
Interviewed within 7 days	827	78.1%
<b>Partners Named</b>	<b>1,535</b>	
<b>Partner Index</b>	<b>1.45</b>	
<b>Partners Examined</b>	<b>1,196</b>	<b>77.9%</b>
Brought to treatment	274	22.9%
Preventively treated	476	39.8%
Not infected	152	12.7%
Previously treated	279	23.3%
<b>Patients tested for HIV infection</b>	<b>665</b>	<b>55.6%</b>
Number of new HIV infections	13	2.0%

**Priority Gonorrhea  
Epidemiology Rates and Indices Report  
1995  
Counseling and Partner Notification**

	<u>Number</u>	<u>Percent</u>
Number of Patients Counseled	355	
Interviewed within 3 days	252	71.0%
Interviewed within 7 days	285	80.3%
Partners Named	297	
Partner Index	0.84	
Partners Examined	223	75.1%
Brought to treatment	67	30.0%
Preventively treated	108	48.4%
Not infected	9	4.0%
Previously treated	38	17.0%
Patients tested for HIV infection	161	72.2%
Number of new HIV infections	0	0.0%

**HIV Infection  
Epidemiology Rates and Indices Report  
1995  
Counseling and Partner Notification**

	<u>Number</u>	<u>Percent</u>
Number of Patients Counseled	631	
Interviewed within 3 days	283	44.8%
Interviewed within 7 days	384	60.9%
Partners Named	524	
Partner Index	0.83	
Partners Counseled	418	79.8%
Partners Tested	376	90.0%
Partners Infected	165	43.9%
Previously Negative, Newly Infected	9	5.5%
Not Previously Tested, Newly Infected	28	17.0%
Previously Infected	128	77.6%

**AIDS**  
**Epidemiology Rates and Indices Report**  
**1995**  
**Counseling and Partner Notification**

	<u>Number</u>	<u>Percent</u>
Number of Patients Couseled	382	
Interviewed within 3 days	126	33.0%
Interviewed within 7 days	190	49.7%
Partners Named	189	
Partner Index	0.49	
Partners Couseled	162	85.7%
Partners Tested	144	88.9%
Partners Infected	78	54.2%
Previously Negative, Newly Infected	2	2.6%
Not Previously Tested, Newly Infected	17	21.8%
Previously Infected	59	75.6%